

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County MNAS			-)			Date 10.23.2026				
Facility Name Wood - For &	STR	129	hool	A	adi	2004 License Number 290	DPF	A-6	3619	
Purpose Virtual Rena						pacity_84				
All Items In Red Are Critical Qualified director present		П	cos	N/A) 進	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	= प्रकिष	Out	COS	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible	MANAN					Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	Þ			
Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained						Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	PAPAP			
Water system approved and functioning Waste water system approved	A					and functioning	Z			
and functioning Food service approved						Electrical outlets protected Large appliances located properly Sinks and toilets working properly	php			
Possible Monetary Penalty 1.	Mor \$	netary	/ Penal	ty		Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	1			
2				111.00		nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				1
4	\$					working order				
5					_	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	Þ			
1. Byrolds / II C.g.	II Name	2			-	in good working order	Ø			
2. Infant-lyrous/8	5/ 6.0	9.2	?			First aid kits stocked and easily accessite Playground area clean, shaded, well	6 (Fa)			
4. 4yr olds/8/C.	1.4					drained and equipped and fence in good repair	M			
5. Afterschoolers 17	10.9	1.5	5	0.0110075e 20		Playground equipment meets standards				
6						Pool area clean, fenced, and adequately maintained				
					_	Diaper changing stations adequate in number and each fully supplied (number)	<u>/</u>	₽.	Ą	_D)
Center Director/Individual	2 884	-10 1011		· · · · · · · · · · · · · · · · · · ·		Child Care Representative	My	WX	All p	15
White Copy - Facility File Yellow (Mississippi State Department of Heal	Copy - Fac lth	cility (Operat		2-10	-08	J	For	m No.	281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5 Date 10 · 23 · 20 20
Name Wood Forest Preschool Academy License No. 2500PPA-5519
Address 2040 Raymond Road Jun, Ms 39204 Center/Organization/Individual
Purpose Virtual Renuval Inspection Director Don's Dawis
Mileage Start Mileage End
County Hinds Telephone No. 601-346-8103
Time In 9:30am Time Out Total Time
rendual inspection. Ms. Freda assisted licensing official will inspection.
During inspection the following was observed:
24r old room was observed we a broken wall thermonieter, Wall thermonieter, is needed.
Daily Schedule is needed in the afterschool room.
J ,
Planground*
Spring Rocker must have a brimer around it, SIX (b) feet
top. See Appendix D. Director has 30 days to get this
Completed. Date of Completion: 11:23:2020.
Tree roots shall be high lighted to prevent trip horards.
tems Needed: 2-4 weeks of menu on money from a come of a
CPR-First Mid Card, Contact nows, Fire Form, upderted insurance
Card for vehicles and the admowledgement form for renewal.
Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.
Center Director/Designee/Individual Center Director/Designee/Individual Center Director/Designee/Individual Child Care Representative White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Wood - Forest	Preschool	Acadomycense No. # 5519	Date 0.23.2020
\$85 N 1000-195			

Yes No N/A 1.
□ Pass − License to be issued: □ Regular □ Probational □ Restricted □ Fail □ Follow-up within days □ Director □ Designee

Mississippi State Department of Health White Copy - Facility File

Yellow Copy - Operator

Revised 12-19-13

Form 289

Food Service Facility Inspection Results

PIMS ID Face F	cility Name, Address Wood 40 Raymond Road	Forest Preschool Academy Jxn, MS 39204	Date 10 · 23 · 2020		
CRITICAL VIO	LATIONS	CORRECTION PLAN AND SCHEDULE			
No violations in on today's in					
□ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training Permit Date □ 0.23.2020 Please Remit within 10 days to:	☐ 92010 Permit No Charg ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00 Environmentalist Code	000	Ts Exp! [2.7-2020] Licence Number		

Child Care Licensure Playground Checklist

Center	r Na	me ·	Wed	1-Forest Preschool Academy Inspection Date 10.23.2020
YES I		N/A	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
Z			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
Ø			5.	No standing water present on playground or in/on playground equipment or walkways?
石			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
	□		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
A			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
1			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
		Ø	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
Þ		Æ	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
*				NA CONTRACTOR OF THE CONTRACTO
		Æ	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency(CPSC5.3.6.4-5 pgs 34-35)
	H		13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
M			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46
				& CPSC 2.2.6, pg 6)
	Ø		15.	Is playground area clean & free of hazards? If not, state deficiency. [No. Tous UP along the gente (Rule 1.11.11 (1), pg 61)
Z			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
Z			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Direc	tor			Licensing Official Oppulud 1905 Licensing Official