

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facil	lity Inspection
County SUN-VONER	Date 019-1010 - 02-20-000
Facility Name BUCK A UN CALLANG CIN	Her License Number Works - 7149
Vanished the	pacity_60
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,
Waste water system approved and functioning Food service approved  Possible Monetary Penalty  1. When the system approved to the system approved to the system approved to the system approved to the system approved and functioning Food service approved to the system approved and functioning Food service approved to the system approved and functioning Food service approved to the system ap	and functioning  Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to
1. We 1. 13. 6 (2) many Monetary Penalty \$	exceed 120°  Children barred from kitchen  Vending machine snacks meet  nutritional guidelines, if present
3\$4.	Exits, doors and fastening devices single action approved and in good working order
5\$Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers
1. 7 MMO- IUR (8)2 CAPEGINCES	and thermometers placed properly and in good working order
2. 1- Lycary (8) 2 CARRETERS	First aid kits stocked and easily accessible
3. 3 YEARS (8) I CALLEGREE	Playground area clean, shaded, well drained and equipped and fence in good repair SC NOWCANNE
5. 2-BYEAR (C) / CARRYTICK 6.	Playground equipment meets standards  Playground equipment meets standards  Pool area clean, fenced, and adequately
7. 3-4 years (4) 2 CARRATTERS	maintained
Center Director/Individual Helen Buckney)	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Encounter**

02-27-2020 Dat **0**2 **19-1019** 

0-11-10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Dat W C + W C
Name BUCK H-UN LEARNING CENTED	License No. WCVFC 7149
Address XOS MOVEL St. PROUMING	112 38757
Purpose WWW TA	anization/Individual Director Helen Buchnel
Mileage Start	Mileage End
County SWHONCK	Telephone No. (445-2803)
Time In 52 pm Time Out 430	Total Time_
Findings/Comments The purpose AL WIT	IS TOP A Penewal propletion.
Jacob pas Observed Consugring	A Moning Fol the month of Feb. Involved and confing Safely within 2
Lichtong lead In John \$333. 1	hase submot fine week cycle mones
Subtrapter (: Pélopes Lute 1:6.3 (8) (9) STATES IN PART, E Containing CIPTES IT HIS MOOH! Suntability Tol employment.	ACH JACINA Shall Maintain, A NOKOOK
Findurap: FACILY Frited to have A STATE OS WELL AS LETTER A SIN INJUNIOTION BY JOHN ON 2/20/1020.	websel Containing MSDHIEF JOL (8)
POCIFIED MS BULLIER She for mi All JAH MATIN ON 2/28/WW. She ON THEOMETHIN POL ON FITTING	splaced fel suformation and will have with some that she for the
I Tolowing was be arranged to	SEMMICAL ASSISTENCE WAS PROADLAND
A Children Suncy was less wit Asien	N KNOWN, ONNE, dientel
Helen Buckney Dam	White Copy - Facility File Yellow Copy - Operator
Center Director/Designed/Ledicided	Representative Yellow Copy - Operator

## **Food Service Facility Inspection Results**

PIMS ID	On I	The state of the s
7149	Facility Name, Address 805 BUCK-A-LO LEAU	Did Ontel My 3/87 Date Or- Prop
CRITICAL VI	OLATIONS	CORRECTION PLAN AND SCHEDULE
SubChapter 13 Ments ( 2001 Shi Rue 1.13.6 (2) JHA Ench chuddhee 7 A Certified Food Finding : Cicenst Pacifily Apiled to Certified Pood Certified Pood	Hely of Tood Manager, Hely DK PARA, Acilly Mout have of Manager. They Observed There A	Per M. Buerner ste hos
92020 Scheduled 92030 Followup 92040 Complaint 92050 Consultation 92070 Plan Review/Const. 92080 No Inspection 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Certified Manager  Licence Number  Facility Signature  Brachness
Please Remit within 10 days to:	Environmentalist Code	Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name BUCK A-UN CAMON CLUBEL License No. 7149  Date 11/1000
Yes No N/A  1.
Pass – License to be issued: Regular Probational Restricted Fail Follow-up within 1 days Director Designee  Child Care Representative

Child Care Licensure Playground Checklist Center Name LAMMA CUMPL Inspection Date N/A Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with 1. no gaps? (Rule 1.11.9 (8), pg 60) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) 2. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) 3. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) 4. No standing water present on playground or in/on playground equipment or walkways? 5. (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) 6. 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing 8. twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 9. 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) 10. 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency 12. (CPSC5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) 13. Is age-appropriate equipment being used? If not, state which pieces are inappropriate 14. (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 16. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & 17. CPSC 3.6, pg 16-17)

Is wood smooth? Documentation provided that wood has been properly treated. (CPSC

Licensing Official

2.5.5, pg 15)