



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County <u>Hinds</u>	Date <u>01/28/2020</u>
Facility Name <u>Boindexter Park Artschool</u>	License Number <u>5374</u>
Purpose <u>Mid-year / T.A.</u>	Capacity <u>8</u>

**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Sanitation Approved**

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Possible Monetary Penalty**

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>School age / 6 / caregivers #1, #2</u>
2.	
3.	
4.	
5.	
6.	
7.	

**Other Items - Must be corrected**

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Building and Grounds**

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>0</u> ) <u>school age only</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Center Director/Individual

Child Care Representative

White Copy - Facility File      Yellow Copy - Facility Operator  
Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter

District 5Date 01/29/2020

Name <u>Poinceter Park After-school</u>	License No. <u>5374</u>
Address <u>1025 Central St Jackson MS 39209</u>	
Center/Organization/Individual	
Purpose <u>Mid-Year /T.A</u>	Director <u>Heyana Hawthorne</u>
Mileage Start _____	Mileage End _____
County <u>Hinds</u>	Telephone No. <u>601-940-1355</u>
Time In <u>3:35pm</u>	Time Out <u>4:05pm</u>
Total Time _____	

**Findings/Comments** Upon arrival the licensing official met the facility director. The purpose of today's visit was announced.

During the facility walk through the following were observed:

Staff to child ratio was maintained.

Building and Grounds are in compliance. No critical violations were found during the kitchen inspection. A letter grade "A" was issued.

Staff records are in compliance

This is a after-school facility. Prepackage snacks are served.

Thanks for all your hard work in keeping our children safe.

If you have any questions call Lisa Allen 601-364-5887

Email a copy of your facility's food manager certification.

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



# Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Remdexter Park Arts School 1045 Central St Jackson MS 39209	Date 01/28/2009
---------	--	--------------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p>No critical violations were found</p> <p>"A" issued</p>	
--	--

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Keyana Hawthorne Turnmy  
Certified Manager Licence Number

exp 12/19/2009

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist

# Child Care Licensure Playground Checklist

Center Name Poundexter Park After School

Inspection Date 1/30/2020

YES NO N/A

☒ ☐ ☐ 1.

Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)

☒ ☐ ☐ 2.

2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)

☐ ☐ ☒ 3.

Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)

No equipment observed

☒ ☐ ☐ 4.

AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)

☒ ☐ ☐ 5.

No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)

☐ ☐ ☒ 6.

Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)

☐ ☐ ☒ 7.

Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)

☒ ☐ ☐ 8.

All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)

☒ ☐ ☐ 9.

Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)

☐ ☐ ☒ 10.

Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)

☐ ☐ ☒ 11.

If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, 2.5.2, pg 1 & 5.3.8.1, pg 36)

☐ ☐ ☒ 12.

If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pg 36)

☐ ☐ ☒ 13.

Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36)

☐ ☐ ☒ 14.

Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2 & CPSC 2.2.6, pg 1)

☐ ☒ ☐ 15.

Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1))

Spray highlighter paint on tree roots

☒ ☐ ☐ 16.

Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1)

Facility trees provide shade

☒ ☐ ☐ 17.

Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)

☐ ☐ ☒ 18.

Is wood smooth? Documentation provided that wood has been properly treated (2.5.5, pg 15)

Director [Signature]

Licensing Official [Signature]