





MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter

District 1

Jerusalem Outreach Child Center

Date 11/12/2020

30 North Marshal Street

Name \_\_\_\_\_

Charleston, MS 38921

Address \_\_\_\_\_

License # 6653 Capacity 60

Director: Bessie Brooks

Purpose Renewal 01/2021

Director \_\_\_\_\_

Mileage Start \_\_\_\_\_

Mileage End \_\_\_\_\_

County FallahatchieTelephone No. (662) 625-8102Time In 10:00 AMTime Out 11:55

Total Time \_\_\_\_\_

## Findings/Comments

Here for renewal inspection. The licensing official met with Brandy Brown, director.

Please complete application, and license fee online by December 31, 2020.

Submit fire survey, two week menus by December 01, 2021. Submit contacts hours by December 03, 2020.

The licensing official no schedule in school Age class room.

The licensing official no evacuation plans posted in 4/5 yrs classrooms.

The licensing observed observed 1 child with outdate MSDH 121 form. Please submit within 14 day to avoid monetary penalty.

Kitchen observed letter grade "A".

Class 1 and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Brandy Brown  
Center Director/Designee/Individual

Belma Shepp  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Program Review

Jerusalem Outreach Child Center  
 30 North Marshal Street  
 Charleston, MS 38921  
 License # 6653 Capacity 60  
 Director: Bessie Brooks

License No. \_\_\_\_\_

Date

11/12/2020

	Yes	No	N/A	
1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Policies and procedures (<i>Parent's Handbook</i>)</b> {Rule 1.4.1}
2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current alphabetical roster of children ( <i>includes date of birth</i> ) {Rule 1.6.3 (2)}
7.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current staff roster ( <i>includes date of birth &amp; date of hire</i> ) {Rule 1.6.3 (3)}
8.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Medication record with date, time, signature for 90 days</b> {Rule 1.6.3 (6)}
10.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Personnel records (<i>attach employee's records form</i>)</b> {Rule 1.6.4}
12.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Children records (<i>attach children's records form</i>)</b> {Rule 1.6.7}
14.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Reports of serious occurrences made as required</b> {Rule 1.7.1}
15.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Communicable diseases reported as required</b> {Rule 1.7.3}
16.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Staff present who hold valid CPR and First Aid Certification</b> {Rule 1.8.1 (4) & (5)}
18.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in infant room {Rule 1.10.1 (2)}
20.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present preschool room {Rule 1.10.1 (4)}
22.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Licensed pest control contractor {Rule 1.11.14}
23.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pets present ( <i>proof of immunization as required, signed by veterinarian</i> ) {Rule 1.12.6}
24.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Appropriate discipline policy followed</b> {Subchapter 14}
25.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Appropriate transportation policy followed</b> {Subchapter 15}
26.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Infant feeding schedules posted ( <i>Appendix C, VII</i> )

**Comments/Recommendations** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

☒ Pass –

License to be issued: ☒ Regular ☐ Probational ☐ Restricted

☐ Fail

☐ Follow-up within \_\_\_\_\_ days

*Bessie Brooks*  
☐ Director ☐ Designee

*Frelma Shaper*  
 Child Care Representative

# Food Service Facility Inspection Results

Jerusalem Outreach Child Center

PIMS ID	Facility Name, Address 30 North Marshal Street Charleston, MS 38921 License # 6653 Capacity 60 Director: Bessie Brooks	Date May 10
---------	--	----------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p><i>Handwritten notes in Critical Violations section.</i></p>	<p><i>Handwritten notes in Correction Plan and Schedule section.</i></p>
---	--

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Certified Manager

Licence Number

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist

# Child Care Licensure Playground Checklist

Jerusalem Outreach Child Center  
30 North Marshal Street  
Charleston, MS 38921  
License # 6653 Capacity 60  
Director: Bessie Brooks

Center Name \_\_\_\_\_

Inspection Date 11/12/2020

- | YES                                 | NO                       | N/A                                 |     |   |
|-------------------------------------|--------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 1.  | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 2.  | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 3.  | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 4.  | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 5.  | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 6.  | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 7.  | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 8.  | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 9.  | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13)  |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 15. | Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)  |

Director Brandy Brown Licensing Official Reelma Shaper