



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Facility Inspection Report

ABUNDANTLY JOYFUL CHRISTIAN LEARNING CENTER

License #: 5728

Director: ROCHELLE MCCARTER

Inspection Date: 11/09/2022

Annual/Mid Inspection

Inspector: Mary Hampton

### Program Administration Violations Cited

No violations cited.

#### Plan of Correction

1. **POC:** Construction is in process at facility. The playground entrance/exits are altered temporarily. Licensure recommended that director create another route to the playground for safety purposes. Once new route is created most of construction is complete licensure will schedule a technical assistance with director along with another staff member of the licensure department. Spring rockers will need to be separated and a playground will need to be accessible for the children to play. Please be advised that any activities outside the playground will need a permission slip authorizing activities. Make it available to separate after school children from preschool children at all times. Please keep licensure aware of all updates. All exits should be made accessible for emergency purposes. Extra front exit will be used temporarily at this time due to construction.

**Person Responsible:** Owner/director **Date for Completion:** 11-23-22

### Kitchen Violations Cited

No violations cited.

### Nutritional Guidelines Violations Cited

No violations cited.

### Playground Violations Cited

1. **Out of Compliance:** Playground fence is less than 3 ½ inches from ground surface, in good repair with no gaps and secure gate latch. (Rule 1.11.9(8) Page 60)

2. **Out of Compliance:** The outdoor playground is free of hazards and not less than 30 feet (measured horizontally parallel to the ground) from electrical transformers, high voltage cabling/wires, electrical substations, railroad tracks, or sources of toxic fumes or gases. Hazards including but not limited to air conditioner units and utility mains, meters, tanks, and/or cabling are inaccessible. (Rule 1.11.9(5) Page 59)
3. **Out of Compliance:** Playground area is clean and free of hazards. (Rule 1.11.11 Page 61)
4. **Out of Compliance:** Tree limbs and other suspended hazards at least seven feet above play surfaces. Fence is free of brush and overgrowth. (CPSC 3.5 Page 16)
5. **Out of Compliance:** If springs rockers are present, a minimum of six feet between each rocker is present. (CPSC 5.3.7 Page 37)

#### Plan of Correction

1. **POC:** Construction is in process at facility. The playground entrance/exits are altered temporarily. Licensure recommended that director create another route to the playground for safety purposes. Once new route is created most of construction is complete licensure will schedule a technical assistance with director along with another staff member of the licensure department. Spring rockers will need to be separated and a playground will need to be accessible for the children to play. Please be advised that any activities outside the playground will need a permission slip authorizing activities. Make it available to separate after school children from preschool children at all times. please keep licensure aware of all updates.

**Person Responsible:** Owner **Date for Completion:** 14 Days 11-23-22

### **Toddler Classroom Violations Cited**

Room Three - Classroom Number: 3

No violations cited.

Toddler Classroom - Classroom Number: 3

Room Four - Classroom Number: 4

No violations cited.

Toddler Classroom - Classroom Number: 4

### **Legend**

- COS: Corrected on Site
- POC: Plan of Correction

### **Child Care Director Signature**



### **MSDH Licensure Representative Signature**



