

Faith Presbyterian  
400 Magee Drive  
Brookhaven MS  
39601  
(601) 833-0098 Lic#1570  
Capacity: 82



MISSISSIPPI DEPARTMENT OF HEALTH

# Facility Inspection

County Lincoln Date 1.14.2020  
Facility Name \_\_\_\_\_ License Number \_\_\_\_\_  
Purpose Renewal Capacity \_\_\_\_\_

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	2yrs (10)
2.	3yrs (6)
3.	4yrs (11)
4.	4yrs (12)
5.	5yrs (11)
6.	
7.	

Other Items - Must be corrected	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>1</u> )	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Jean Hutton

Child Care Representative Alamy Sz



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

nter

District 7

Faith Presbyterian  
400 Magee Drive  
Brookhaven MS  
39601  
(601) 833-0098 Lic#1570  
Capacity: 82

Date 1.14.2020

Name \_\_\_\_\_

se No. \_\_\_\_\_

Address \_\_\_\_\_

Center/Organization/Individual \_\_\_\_\_

Purpose RenewalDirector Jane Statham

Mileage Start \_\_\_\_\_

Mileage End \_\_\_\_\_

County Lincoln

Telephone No. \_\_\_\_\_

Time In 10:17Time Out 12:15

Total Time \_\_\_\_\_

Findings/Comments Arrived at the facility met w/ director Jane Statham  
acknowledge reason for today's visit was to conduct a Renewal.

After tour of the facility, technical assistance was provided on  
the following violation.

Rule 1.10.5 - License official observed while touring the facility.  
Children belonging were touching those of other child. LO provided  
technical assistance by explaining that the belonging of other child shall  
not touch those of other child. Director will use hooks outside  
and inside the Classroom to provide enough space between each  
child's belonging. This will be completed by Jan. 17, 2020 and  
picture will be sent via email or fax to LO.

Need documents:

2 weeks menu cycle on form 444

Contact hrs for staff

Fire Safety form 333 received 1.14.2020

Facility is a half day program

\* NO Kitchen inspection completed \*

"Class I and II violations may  
result in a monetary penalty.

Repeated violations may result in  
the doubling of a monetary penalty,  
suspension, or revocation of the license."

Jane Statham  
Center Director/Designee/Individual

Anthony J. J.  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



Faith Presbyterian  
400 Magee Drive  
Brookhaven MS  
39601  
(601) 833-0098 Lic#1570  
Capacity: 82



MISSISSIPPI  
DEPARTMENT OF HEALTH

## Program Review

F:

License No. \_\_\_\_\_ Date 1.14.2020

Yes	No	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. <b>Policies and procedures (Parent's Handbook)</b> {Rule 1.4.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Approved arrival and departure procedures {Rule 1.4.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Attendance records for children and staff {Rule 1.6.3 (1)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9. <b>Medication record with date, time, signature for 90 days</b> {Rule 1.6.3 (6)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Immunization Records for Children and Staff {Rule 1.6.3 (8)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. <b>Personnel records (attach employee's records form)</b> {Rule 1.6.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. <b>Children records (attach children's records form)</b> {Rule 1.6.7}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. <b>Reports of serious occurrences made as required</b> {Rule 1.7.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. <b>Communicable diseases reported as required</b> {Rule 1.7.3}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. <b>Staff present who hold valid CPR and First Aid Certification</b> {Rule 1.8.1 (4) & (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Age appropriate program of activities posted in each room {Subchapter 9}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	19. Required toys present in infant room {Rule 1.10.1 (2)}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	20. Required toys present in toddler room {Rule 1.10.1 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Required toys present preschool room {Rule 1.10.1 (4)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Licensed pest control contractor {Rule 1.11.14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	23. Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. <b>Appropriate discipline policy followed</b> {Subchapter 14}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. <b>Appropriate transportation policy followed</b> {Subchapter 15}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	26. Infant feeding schedules posted (Appendix C, VII)

**Comments/Recommendations** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

☒ ~~Pass~~

License to be issued: ☐ Regular ☐ Probational ☒ Restricted

☒ ~~Fail~~

☐ Follow-up within \_\_\_\_\_ days

☒ Director ☐ Designee

*[Signature]* *[Signature]*  
Child Care Representative

## ire Playground Checklist

Inspection Date 1.14.2020

YES NO N/A

- |                                     |                          |                          |     |   |
|-------------------------------------|--------------------------|--------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1.  | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2.  | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3.  | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)   |
| <hr/>                               |                          |                          |     |   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4.  | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5.  | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6.  | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7.  | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8.  | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9.  | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)  |
| <hr/>                               |                          |                          |     |   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency<br>(CPSC 3.2, pg13)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency<br>(CPSC 5.3.6.4-5 pgs 34-35)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate<br>(Rule 1.10.2, pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency.<br>(Rule 1.11.11 (1), pg 49)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)  |

Director

*Jane Hatcher*

Licensing Official

*Anthony S.*