

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Harrison	Date_8-19-19	Date_8-19-19				
Facility Name	ms	License Number 33	71	Q		
Purpose Newwood		0.0				
All Items In Red Are Critical Qualified director present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		Out	COS	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair Lighting approved				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning		Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,				
Waste water system approved and functioning Food service approved Possible Monetary Penalty		and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly				
1		Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet				
3 4	\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				
5	\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	D			
1. 3 4 - 20 - 2.	ff Name	and thermometers placed properly and in good working order First aid kits stocked and easily accessit	le 🔽			
3. 1/2 - 12 - E		Playground area clean, shaded, well drained and equipped and fence in good repair				
5. Infants - 5		Playground equipment meets standards	V			
6.		Pool area clean, fenced, and adequately maintained				
7. Center Director/Individual	BERN	Diaper changing stations adequate in number and each fully supplied (number)			1 Ν	
	Copy - Facility Operator th	Child Care Representative	NYW	Fo	orm No.	281

Form No. 281



Name Wee Over License No. 3374 Address 1374 Director Valia Amonomical Mileage Start Mileage End County County County Telephone No.	
Address 1374 Divor River Pol Gall Dot Center/Organization/Individual Purpose Personal Mileage Start Mileage End	
Address 1374 Diver River Rd Graffort Center/Organization/Individual Purpose Previous Director Valie and Mileage End Mileage End	
Mileage Start Mileage End	
1/000:0010	
County HONESON Telephone No	
Time In 11:30 Ptm Time Out Total Time	
Findings/Comments	
Subchapter 8 Statting	
trog in retata (4) S. 8:1 sur out	
Deficiency & Rule 1.8.2(4) Dtates in part ic Will the exception of Children Lender to	20
years of age, children may be under the	<u> </u>
direct Oupervision (shaff in Dame Usom) of	•
50 percent of the Stath veguered by this	
Docton during vest period times."	
Shophob Downey (19) thought Overgrow oder	
One year to two years old sleeping in its	m
# 3 under the ocepanision of one stoff pens	on.
Oties resueted in the moon being over Dra	16
Child notio by (3) three children.	
Poc (cos): Derector Modie archebach placed and	then
Dlaff person ien the noom immedialy.	
m. Oschenbach will be verponsible for ensu	rung
the one year old moon stoup within not	19
eran when take about bono, comit les to	
nine children are present two teacers vio	
Se ien isha room at are times, including, i	lost
THE Counded on Rule 1.8.2C4)	
White Copy - Facility Yellow Copy - Operated Child Care Representative	File or

Mississippi State Department of Health

Revised 6-24-09

Form No. 287



Id Care Encounter (Continuation)

License No. 337 4 Facility Name Wee COMO Revousel White Copy - Facility File Yellow Copy - Operator Center Director/Designee/Individual



Child Care Program Review

Facility Name Wee Over License No. 3374 Date 8-19-19
Yes No N/A 1. Policies and procedures (Purent's Handbook) {Rule 1.4.1} 2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (0) & (0)} 3. D Approved arrival and departure procedures {Rule 1.6.4 (1) (ft)} 5. D Attendance records for children and staff {Rule 1.6.3 (1)} 6. D Attendance records for children and staff {Rule 1.6.3 (1)} 7. D Monthly records of fire/disaster drills {Rule 1.6.3 (5)} 8. D Monthly records of fire/disaster drills {Rule 1.6.3 (5)} 9. D Monthly records of fire/disaster drills {Rule 1.6.3 (5)} 10. D Immunization Records for Children and Staff {Rule 1.6.3 (8)} 11. D Personnel records (attach employee's records form) {Rule 1.6.4} 12. D Wolunter records {Rule 1.6.5 & (Rule 1.6.5)} 13. D Children records (attach employee's records form) {Rule 1.6.7} 14. D Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} 15. D Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} 18. D Age appropriate program of activities posted in each room {Subchapter 9} 19. D Required toys present in toddler room {Rule 1.10.1 (2)} 10. D Required toys present in toddler room {Rule 1.10.1 (3)} 11. D Required toys present in toddler room {Rule 1.10.1 (3)} 12. D Required toys present in toddler room {Rule 1.10.1 (3)} 13. D Required toys present in toddler room {Rule 1.10.1 (3)} 14. D Required toys present in toddler room {Rule 1.10.1 (3)} 15. D Required toys present in toddler room {Rule 1.10.1 (3)} 16. D Required toys present in toddler room {Rule 1.10.1 (3)} 17. D Required toys present in toddler room {Rule 1.10.1 (3)} 18. D Required toys present in toddler room {Rule 1.10.1 (3)} 19. D Required toys present in toddler room {Rule 1.10.1 (3)} 20. D Required toys present in toddler room {Rule 1.10.1 (4)} 21. D Required toys present in toddler room {Rule 1.10.1 (4)} 22. D Required toys present in toddler room {Rule 1.10.1 (4)} 23. D Required toys present preschool room {

Mississippi State Department of Health

License to be issued: Regular Probational Restricted

White Copy - Facility File Yellow Copy - Operator

Follow-up within _

Revised 12-19-13

Form 289

Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address	Date
237Le	Was 6400, 11371	6 3 Rivers Rd, Gpt. 8-19-19
CRITICAL V	TOLATIONS	CORRECTION PLAN AND SCHEDULE
none		
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date Please Remit within 10 days to	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00 Environmentalist Code	Certified Manager Licence Number Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Cen	ter N	Iame	. 1 .	Inspection Date 8-19-19
YES	NO	N/A	1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg. 48)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
	Ţ			TA provided on Surfacing.
			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
Ø			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
d	П		6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
112/			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
		P	9.	Tree limbs at least 7ft above play surfaces? Is fence free of brush/overgrowth? (CPSC
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
			11-	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
		П	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
		U	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
4			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
	_		17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
irecto.		pa	M	2.5.5) Cobal Licensing Official Mullion (