

## MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Coahoma	Date09-24-20				
Facility Name Moving Forward Learning Ce	m 0				
Purpose Program Renewal	_ Capacity				
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present    In Out COS N/	Other Items - Must be corrected In Out COS N/A Children's belongings separated/stored				
Room and playground capacity met  Center capacity met  License/complaint visible	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair				
Certified food manager  Sanitation Approved Garbage and garbage bins maintained Vector control maintained  Vector control maintained	Lighting approved  Heating/cooling approved  Ventilation adequate  Glass approved and shielded  Telephone on premises, available,				
Water system approved and functioning X [] [] Waste water system approved	and functioning				
and functioning Food service approved	Sinks and toilets working properly				
Possible Monetary Penalty  Monetary Penalty  S S S S S S S S S S S S S S S S S S S	Hot water at all sinks, not to exceed 120°				
2	Vending machine snacks meet nutritional guidelines, if present  Exits, doors and fastening devices				
3	working order				
4.       \$         5.       \$	Required smoke detectors, carbon				
Age/Child/Staff Name	and thermometers placed properly and in good working order				
1.	First aid kits stocked and easily accessible \(  \)				
<ul><li>2.</li><li>3.</li></ul>	Playground area clean, shaded, well drained and equipped and fence in good repair				
4.	Playground equipment meets standards				
5.	Pool area clean, fenced, and adequately				
6.					
7.	Diaper changing stations adequate in number and each fully supplied (number)				
Center Director/Individual	Child Care Representative Wary Hampton				
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health	12-10-08 Form No. 281				



District.

09-24-20 Date\_

And the same about the specimens and the specimens are specimens and the specimens are specimens and the specimens and the specimens are specimens are specimens and the specimens are specimens are specimens are specimens are specimens are specime				
Name				14CCPFSWA-6457
Address1300	0 Martin Luther King Blv		IS 38614 nization/Individual	
. Pro	ogram Renewal		~	ada Drawa
PurposePI	ogram renewar		Director Sharo	nda Brown
-	annonement to the second secon		-	
County	oahoma		Telephone No. (662)6	527-2116
Гіте In <u>10</u> :	:00 am Ti	me Out	<u> </u>	Cotal Time
indings/Com	nments			
FL		· · · · · · · · · · · · · · · · · · ·		
	n arrival licensure met v uments recieved for this			e a program renewal.
Form	n 333 and four weeks o	f menus needed	to complete the	renewal process.
Kitch	nen recieved an A.	por vingo que en compansa de la compa	entervision non a se sentente l'hande, este à anniel tradematation de l'est de communication et de l'este	
······································		erry Aven or with the day statement the modes is truck equal (the blocked day to be blocked of the blocked day		
Play	ground recieved no viol	ations.		
Clas	s I and II violations may	result in a mor	netary penalty. Re	peated violations
may	result in the doubling o	f the penalty, su	ispension or revoc	cation of the license.
and the state of t				
www.provista.com	Account to the second s			
ha fighter ( - 16 ), south, for the proposed contract of the c				
-mi-model-pho-gen-adel-decision-in-in-in-in-in-in-in-in-in-in-in-in-in				
And the second s				
handrid appropriate and high life from the second and second and all appropriate and the second and appropriate and the second	OPPOPPED ON PORTO AN ORIGINAL AND ANIMAL ANI	adia kanan ke amahin dan dahar kanan dan bahar dan		
TITLE BAR AND MALE A TO MAKE A MARKET WAS AN ARROW TO SERVE AND A SERVER AND ASSESSMENT OF THE PROPERTY OF THE		мерения и при выправления в при выправления в при в	a mali te Mak hari 1992 daga pelajaga telebahan kerasa apada keraja kan janjak naja perpanakan kerasa kemakan i	
anna mangara and antaquara arangan ga maranan manasa arangan mahaka sebesar		Wor.	Vampton	White Conv - Facility File
enter Directo	or/Designee/Individual	Child Care	Representative	White Copy - Facility File Yellow Copy - Operator



## **Child Care Program Review**

Facility Name Moving Forward Learning Center License No.14CCPFSWA-6457bate 09-2-20							~	
Yes  1.		Policies and procedures (Parent's Handbook) {Rule 1.4.1}  Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}  Approved arrival and departure procedures {Rule 1.4.1 (2)}  Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}  Attendance records for children and staff {Rule 1.6.3 (1)}  Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}  Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}  Monthly records of fire/disaster drills {Rule 1.6.3 (5)}  Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}  Immunization Records for Children and Staff {Rule 1.6.3 (8)}  Personnel records (attach employee's records form) {Rule 1.6.4}  Volunteer records (attach children's records form) {Rule 1.6.7}  Reports of serious occurences made as required {Rule 1.7.1}  Communicable diseases reported as required {Rule 1.7.3}  Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}  Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}  Age appropriate program of activities posted in each room {Subchapter 9}  Required toys present in infant room {Rule 1.10.1 (2)}  Required toys present in infant room {Rule 1.10.1 (3)}  Required toys present preschool room {Rule 1.10.1 (4)}  Licensed pest control contractor {Rule 1.11.14}  Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}  Appropriate discipline policy followed {Subchapter 15}						
Comme	ents/R	Recommen	idations _					
Lice	License to be issued: Regular Probational Restricted  Fail							

## **Food Service Facility Inspection Results**

PIMS ID	Facility Name, Address Moving 1300 Martin Luther King B	Forward Learning Center lvd, Clarksdale MS 38614	Date 09-24-20	
CRITICAL	VIOLATIONS	CORRECTION PLAN AND SCHEDULE		
	olations during			
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const	<ul> <li>         ≥ 92010 Permit No Charge         <ul> <li>92015 Permit 1 \$30.00</li> <li>92011 Permit 2 \$100.00</li> <li>92012 Permit 3 \$150.00</li> <li>92013 Permit 4 \$200.00</li> </ul> </li> </ul>	Sharonda Brown Certified Manager	Tummy Safe Licence Number	
☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date	Environmentalist Code	Facility Signature  Environmentalist Signature	74 1/	
Please Remit within 10 days	MH4	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Mary Hampton	

## Child Care Licensure Playground Checklist

		-	ħ.A.	oving Forward Learning Center Inspection Date09-24-20		
Center Name Moving Forward Learning Center Inspection Date						
YES &	NO		1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)		
П			2.	2. Assumed with one being remote from the building: (Time 1.11)		
×			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)		
				AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)		
☐ <b>X</b>			4.	AC units, high-voltage caoming when a control was a control with the control of t		
$ \mathbf{x} $			5.	No standing water present on play 5 - (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)		
ď			6.	Toys & equipment in good repair? (none broken determine)		
		C 3	7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)		
		X	7.	or threads boyond the nut? Are all bolts and tencing		
凶			8.	All bolts on equipment & fence <2 threads beyond the Edit 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? free of brush/overgrowth? (CPSC)		
⊏×			9.	Tree limbs at least 7ft. above play surfaces? Is lence nee or order.		
凶			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)		
Ċ		Æ	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14;  2.5.2, pg 1 & 5.3.8.1, pg 37)		
ď			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)		
				Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)		
		-		into agrimment heing used? It Hot, state without provided and the		
· 🔀			14.	1s age-appropriate 1.10.2, ps (Rule 1.10.2, ps 6)		
	: [		] 15.			
				Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)		
Ď U				Gestings located at least 6" beneath the surface: (Name 1.17)		
<u>_</u>	, L	• •	, .			1.2 Decumentation provided that wood has been properly treated. (CPSC
$\Box$			] 18	Is wood smooth? Documentation parts  2.5.5, pg 15)  Mary Hampton  Licensing Official		
Di	recto	r		Licensing Official		