



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

| | |
|---|----------------------------|
| County <u>Hancock</u> | Date <u>5-16-19</u> |
| Facility Name <u>DHCC Little School</u> | License Number <u>0168</u> |
| Purpose <u>mid-year</u> | Capacity <u>25</u> |

All Items In Red Are Critical

| | In | Out | COS | N/A |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|-------------------------------------|
| Qualified director present | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Proper staff to child ratio present | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Room and playground capacity met | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Center capacity met | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| License/complaint visible | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Certified food manager | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sanitation Approved

| | | | | |
|---|-------------------------------------|--------------------------|--------------------------|-------------------------------------|
| Garbage and garbage bins maintained | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Vector control maintained | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Water system approved and functioning | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Waste water system approved and functioning | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Food service approved | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Possible Monetary Penalty

| | |
|----------|---------------------------|
| 1. _____ | Monetary Penalty \$ _____ |
| 2. _____ | \$ _____ |
| 3. _____ | \$ _____ |

| |
|----------------------------|
| 4. _____ |
| 5. _____ |
| 1. _____ |
| 2. _____ |
| 3. _____ |
| 4. <u>9 - 3x4 yr. olds</u> |
| 5. _____ |
| 6. _____ |
| 7. _____ |

Other Items - Must be corrected

| | In | Out | COS | N/A |
|--|-------------------------------------|--------------------------|--------------------------|-------------------------------------|
| Children's belongings separated/stored | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Evacuation plans posted | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Menus posted and served | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Plan of activities | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Building and Grounds

| | | | | |
|---|-------------------------------------|--------------------------|--------------------------|-------------------------------------|
| Walls, ceilings, floors, toys, equipment clean and in good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Lighting approved | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Heating/cooling approved | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Ventilation adequate | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Glass approved and shielded | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Telephone on premises, available, and functioning | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Electrical outlets protected | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Large appliances located properly | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Sinks and toilets working properly | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Hot water at all sinks, not to exceed 120° | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Children barred from kitchen | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Vending machine snacks meet nutritional guidelines, if present | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Exits, doors and fastening devices single action approved and in good working order | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Exits unobstructed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| First aid kits stocked and easily accessible | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Playground area clean, shaded, well drained and equipped and fence in good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Playground equipment meets standards | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Pool area clean, fenced, and adequately maintained | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Diaper changing stations adequate in number and each fully supplied (number _____) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Center Director/Individual Helen M. Mays

Child Care Representative Quana K. Smith

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IXDate 5-16-19

| | | |
|-----------------------|--|------------------|
| Name | DHCC Little School | |
| Address | 5301 Diamondhead Circle, Diamondhead, MS 39525 | |
| Purpose | 228-255-7751 Lic. No.: 0168 Director: Helen R Moore | |
| Mileage Start | Mileage End | |
| County <u>Hancock</u> | Telephone No. _____ | |
| Time In <u>10:15</u> | Time Out _____ | Total Time _____ |

Findings/Comments _____

All in compliance for mid-year inspection.
No violations at this time.

* TA provided on appropriate playground surfacing. Mulch needs fluffing and will need ~~replaced~~ to add mulch before next inspection.

Helen R Moore
 Center Director/Designee/Individual

Amanda K. [Signature]
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Child Care Licensure Playground Checklist

Center Name DCC Little School Inspection Date 5-16-19

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 8)
TA provided on adding additional mulch
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg 13)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
mulch will need to added (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director [Signature] Licensing Official Amanda K. Sile