

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Washington).		
Facility Name Lil Darlings Learning Cent	er License Number 55	78		
Purpose Virtual Renewal Inspection Cap				
Purpose VII Tuaci Nerewal 418 peatin Caj				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair Lighting approved			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning			
Waste water system approved and functioning Food service approved Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
Monetary Penalty 1	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet			
2. \$ 3. \$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4. \$ 5. \$	working order Exits unobstructed Required smoke detectors, carbon			
Age/Child/Staff Name 1. 3 year olds /6/ Caregiver #/	monoxide monitors, fire extinguishers and thermometers placed properly and in good working order			
2. year old caregiver #2	First aid kits stocked and easily accessil Playground area clean, shaded, well			
4.	drained and equipped and fence in good repair			
5.	Playground equipment meets standards			
6. 7.	Pool area clean, fenced, and adequately maintained			4
16.1.10.1-	Diaper changing stations adequate in number and each fully supplied (number)	10 D	Pic	

White Copy - Facility File Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



Child Care Encounter

District	Date 7/30/2020
Name Lil Darlings Learning Center License No. 76CBPF	A-5578
Address 714 7th Street, Leland, MS 38756 Center/Organization/Individual	
Purpose Virtual Renewal Inspection Director Lisa McMillia	
Mileage Start Mileage End	C 1/1
County Washington Telephone No. 662-771-3	5041
Time In 10:00 q.m. Time Out 10:42 q.m. Total Time	
Findings/Comments The licensing official met with, owner/	director, Sylvia
Alice Deticalities Of the	0 . 4.
The purpose for this Visit was for a Virtual Penew (Via ZOOM) and to provide technical assistance (T)	1) as needed
There were no deficiencies noted at this virtual ins	pectión.
For future questions and concerns, please contact:	101010 P:
	held Cale Licersure
	2-332-8177-0
Email " Terrora 1	2-378-2627-F.
Email: Teresa.L	
Class I and II Violations may result in a more Repeated Violations may result in the doubling	tary peralty,
penalty, suspension, or revocation of license.	0
Vi Aual Renewal Inspec. Jeresa Ligaria Will Center Director/Designee/Individual Child Care Representative	nite Copy - Facility File low Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Child Care Representative

Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name	Darlings	Learning Center	License No. 5578	Date 7/30/2020
8		.]		/ /

Y	es , No	N/A	
1. 4	1,0		Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2. [ם ע		Proof of Accident/Liability Insurance or documentation that parent has been notified that no
	4		insurance is in effect {Rule 1.4.1 (i) & (j)}
3. [ں کو		Approved arrival and departure procedures {Rule 1.4.1 (2)}
4. [۵. کو		Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5. [40		Attendance records for children and staff {Rule 1.6.3 (1)}
6. [9 0		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	9 0		Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
1 1985 MINGS		9	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.			Immunization Records for Children and Staff (Rule 1.6.3 (8))
11.	-	0	
			Personnel records (attach employee's records form) {Rule 1.6.4}
12.	- /		The work of the state of the st
13.		O of	Children records (attach children's records form) {Rule 1.6.7}
14. [9)
15. [200000	4	(1.000 1.1.1.2)
16.	A		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	The second second		Age appropriate program of activities posted in each room {Subchapter 9}
19. [sact (Vessel		Required toys present in infant room {Rule 1.10.1 (2)}
20.	The second versions		Required toys present in toddler room {Rule 1.10.1 (3)}
21. 🗓			Required toys present preschool room {Rule 1.10.1 (4)}
22. [9 0		Licensed pest control contractor {Rule 1.11.14}
23. [4	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.			Appropriate discipline policy followed {Subchapter 14}
25.			Appropriate transportation policy followed {Subchapter 15}
26. [ם ם	B	Infant feeding schedules posted (Appendix C, VII)
Con	nments	/Rec	ommendations
-			

	·	- 10/27	
	/		
D D	Pass –		
	License	to be	issued: Regular Probational Restricted
	Fail	to be	assued. A regular A riovational A restricted
	Follow-	ın szif	hin days Virtual Renewal Inspection Teresur Eggins
	TOHOW-U	ip wit.	
			Director Designee Child Care Representative

Food Service Facility Inspection Results

PIMS ID Faci	lity Name, Address Lil Dar	lings Learning Center Date
5578 7	111 -1.	land, MS 38756 7/30/2020
CRITICAL VIOL	ATIONS	CORRECTION PLAN AND SCHEDULE
-observed no c		
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Sylvia A. Barber Tymmy Safe Certified Manager Licence Number Exp. 6/10/2021 Facility Signature Virtual Kenewal Inspection
Permit Date Please Remit within 10 days to:	Environmentalist Code 77-3	Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Cent	er Na	ıme _	Lil	Darlings Learning Center Inspection Date 7/30/2020
YEŞ				
		□ □	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
				Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) ND equipment present
			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
		etterior.	5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
		R	6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
d			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- 12			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
		TO	10.	
t the fine contract		ue	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
П			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
		b	a ann a gaireann.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency
		b /	100 A	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
			11. 12. 13.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
			11. 12. 13.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
			11. 12. 13. 14. 15. 16. 17.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &