

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

Country Pro 12		Date 10 15 19				
County	. 10	License Number 4 \(\sigma 5\)	2		00 - 1	
Facility Name Kido Kingo	dom L.C.)			
Purpose Renewal		Capacity 173				
		Other Items - Must be corrected Children's belongings separated/stored	In C	Out	COS	N/A
		Evacuation plans posted Menus posted and served	177			
All Items In Red Are Critical Qualified director present	In Out COS N/A	Plan of activities	Z			
Proper staff to child ratio present		Building and Grounds				
Room and playground capacity met Center capacity met		Walls, ceilings, floors, toys, equipment clean and in good repair	N			
License/complaint visible Certified food manager	70	Lighting approved	X			
Sanitation Approved		Heating/cooling approved Ventilation adequate	M			
Garbage and garbage bins maintained Vector control maintained		Glass approved and shielded Telephone on premises, available,	A			
Water system approved and functioning	4	and functioning	A			
Waste water system approved and functioning		Electrical outlets protected	THE			
Food service approved	B U U U	Large appliances located properly Sinks and toilets working properly	4			
Possible Monetary Penalty	Monetary Penalty	Hot water at all sinks, not to exceed 120°	A			
1	\$	Children barred from kitchen Vending machine snacks meet			Ц	
2	\$	nutritional guidelines, if present Exits, doors and fastening devices				B
3	\$	single action approved and in good working order	P			П
4	\$	Exits unobstructed	A			
5.	\$	Required smoke detectors, carbon monoxide monitors, fire extinguishers				
Age/Child/St	aff Name	and thermometers placed properly and	V			
1. 3 yr19.		in good working order First aid kits stocked and easily access	ibla			
2. 4 yr 14		Playground area clean, shaded, well	ible 🔼		Ц	
3. \ \ \w \2		drained and equipped and fence in goo	od 🥿			
4. inhant - 6		epair				
5. infants - 10		Playground equipment meets standard		. Ц	Ц	Ц
6. 2 um11:		ool area clean, fenced, and adequatel naintained	у П			D
7. 2 yr, -12		iaper changing stations adequate in				
a .	1. D. M	number and each fully supplied (number)	A			
Center Director/Individual	atien Wall	Child Care Representative	yen	19	181	8
White Copy - Facility File Yellow	Gopy - Facility Operator	10.10.00	U	ī	Form N	lo 281
Mississippi State Department of He	ealth	12-10-08		I	OHII IV	0. 201

Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

	Child Care Encounter	Date_10 15 19
District VIII		
Name Kids Kingdom	Learning Center License No. 34CFR	FA-4653
Address 19 Battes Rel	Center/Organization/Individual	
	Director_Katile Walls	y
Mileage Start		
County	Telephone No. 601 - 649 -	1299
Time In_10'.45	Time Out\:00	
Findings/Comments Q Quer	wy was given to	
Please Submit you	ou application & fur online	@ healthyms.com
Please Submit fine by 12/31/19	form, 2 wk cycle of mendes, E,	remaining ant. has
Watie & Wolley	Jemia Me	White Copy - Facility File Yellow Copy - Operator

Revised 6-24-09

Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Kids Kingdom L.C. Li	icense No. 4653 Date 10	15/1	19_
------------------------------------	-------------------------	------	-----

		1	
Yes	No	N/A	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	ū		Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.			Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.			Attendance records for children and staff {Rule 1.6.3 (1)}
6.			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
8.			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
9.		0	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
10.		0	Personnel records (attach employee's records form) {Rule 1.6.4}
12.		7	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.			Children records (attach children's records form) {Rule 1.6.7}
14.	ā		Reports of serious occurences made as required {Rule 1.7.1}
15.			Communicable diseases reported as required {Rule 1.7.3}
16.			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18. 🗨			Age appropriate program of activities posted in each room {Subchapter 9}
19.			Required toys present in infant room {Rule 1.10.1 (2)}
20.			Required toys present in toddler room {Rule 1.10.1 (3)}
21.			Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14}
22.		0	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
23.			Appropriate discipline policy followed {Subchapter 14}
25.	<u> </u>		Appropriate transportation policy followed {Subchapter 15}
26.			Infant feeding schedules posted (Appendix C, VII)
			3000(10.10) 10 3 3-4 300 4 000000
Comn	nent	s/Re	commendations
Pa Pa	98 —		
Ti	cense	e to be	issued: Regular Probational Restricted
□ Fa			V-1. + INValle () annie Maria
1		-up wi	thin days Kally Wally Jonia Vag
		•	Director Designee Child Care Representative

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Kids	Zingdom Learning Center	Date	
	19 Bates Rd, La		10 15 19	
CDVEVCAL I	VIOLATIONS	CORRECTION PLAN AND SCHEDULE		
No deficiencie	observed.			
92020 Scheduled 92030 Followup 92040 Complaint 92050 Consultation 92070 Plan Review/Cons 92080 No Inspection 92090 Restaurant Trainin Permit Date Please Remit within 10 day	Environmentalist Code	Facility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Sey Sagu Licence Number	

Child Care Licensure Playground Checklist

Cent	er Na	ame_	Kids	Kingdom L.C. Inspection Date 10 15 19
YES	NO	N/A □	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
A			2.	2 entrances/exits with one being remote from the building: (Rute 1:11:15 (e)/F8.
A			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
B			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
B			5.	AC units, high-voltage caomic, was a constant of the standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) (Rule 1.10.2 (2), pg 36)
7	П		6.	in good renair? (none broken/uctoriolating) (terms
7			7.	d Using surface/ (no up hazalus) (Cr Bo 57, 78
A			8.	All bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All all bolts on equipment & fence <2 threads beyond the full: All
A			9.	Tree limbs at least 7ft. above play surfaces? Is rence nee of brasil over great the contract of the state of
A			10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		耳	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pgl3)
A			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3, 6.4-5 pgs 34-35)
		M	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
	П		14.	Are spring rockers a minimum of o re apart (as age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
B			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
				the playeround? (CPSC 2.1.1, pg 5)
D			16.	contracted at least 6" beneath the surface: (Rule 1.10.3 (27) F8
			17.	Are concrete footings located at
A			18.	2 5.5)
)ired	ctor <u>(</u>	7	atri	Licensing Official VM a My