



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County	lowndes	Date	9-16-20
Facility Name	First United Methodist	License Number	#1546
Purpose	Program renewal	Capacity	

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

1. _____	Monetary Penalty \$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

Age/Child/Staff Name

1.	
2.	
3.	
4.	
5.	
6.	
7.	

## Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number _____)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual \_\_\_\_\_

Child Care Representative Mary Hampton

White Copy - Facility File      Yellow Copy - Facility Operator  
Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 4Date 9-16-20

Name	First United Methodist	License No.	#1546
Address	602 College St Columbus MS		
Center/Organization/Individual			
Purpose	Program renewal	Director	Naomi Edmonds
Mileage Start		Mileage End	
County	lowndes	Telephone No.	
Time In		Time Out	
		Total Time	

## Findings/Comments

Upon arrival licensure met with the director. Here to complete a program renewal.

All documents received for renewal process are approved.

Remaining renewal information needed will be sent to licensure via email or dropped off at the Lowndes County Health Department.

Kitchen received an A.

Playground had no violations for virtual inspection.

Class I and II violations may result in a monetary penalty. Repeated violations could result in the doubling of the penalty, suspension or revocation of the license.

Center Director/Designee/Individual

*Mary Hampton*  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Program Review

Facility Name First United Methodist License No. #1546 Date 9-16-20

- |     | Yes                                 | No                       | N/A                                 |  |
|-----|-------------------------------------|--------------------------|-------------------------------------|--|
| 1.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <b>Policies and procedures (<i>Parent's Handbook</i>)</b> {Rule 1.4.1}   |
| 2.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Approved arrival and departure procedures {Rule 1.4.1 (2)}   |
| 4.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}  |
| 5.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Attendance records for children and staff {Rule 1.6.3 (1)}   |
| 6.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Current alphabetical roster of children ( <i>includes date of birth</i> ) {Rule 1.6.3 (2)}   |
| 7.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Current staff roster ( <i>includes date of birth &amp; date of hire</i> ) {Rule 1.6.3 (3)}   |
| 8.  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Monthly records of fire/disaster drills {Rule 1.6.3 (5)}   |
| 9.  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}  |
| 10. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Immunization Records for Children and Staff {Rule 1.6.3 (8)}   |
| 11. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Personnel records ( <i>attach employee's records form</i> ) {Rule 1.6.4}   |
| 12. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Volunteer records {Rule 1.6.5 & Rule 1.6.6}  |
| 13. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Children records ( <i>attach children's records form</i> ) {Rule 1.6.7}  |
| 14. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Reports of serious occurrences made as required {Rule 1.7.1}   |
| 15. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Communicable diseases reported as required {Rule 1.7.3}  |
| 16. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}  |
| 17. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}  |
| 18. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Age appropriate program of activities posted in each room {Subchapter 9}   |
| 19. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Required toys present in infant room {Rule 1.10.1 (2)}   |
| 20. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Required toys present in toddler room {Rule 1.10.1 (3)}  |
| 21. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Required toys present preschool room {Rule 1.10.1 (4)}   |
| 22. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Licensed pest control contractor {Rule 1.11.14}  |
| 23. | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Pets present ( <i>proof of immunization as required, signed by veterinarian</i> ) {Rule 1.12.6}  |
| 24. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Appropriate discipline policy followed {Subchapter 14}   |
| 25. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Appropriate transportation policy followed {Subchapter 15}   |
| 26. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | Infant feeding schedules posted ( <i>Appendix C, VII</i> )   |

Comments/Recommendations \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

- ☒ Pass –  
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted  
☐ Fail  
☐ Follow-up within \_\_\_\_\_ days  
☐ Director ☐ Designee

*Mary Hampton*  
 Child Care Representative

# Food Service Facility Inspection Results

PIMS ID	Facility Name, Address First United Methodist 602 College St Columbus MS	Date 9-6-20
---------	---	----------------

CRITICAL VIOLATIONS	CORRECTION PLAN AND SCHEDULE
<p>No Violations during this site visit</p> <p>A</p>	

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code MH4
Please Remit within 10 days to:	

Naomi Edmonds  
Certified Manager

Tummy Safe  
Licence Number

Facility Signature

Environmental Signature

*Mary Hampton*

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist

# Child Care Licensure Playground Checklist

Center Name

First United Methodist

Inspection Date

9-16-20

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC 2.4.2, pg 9-10 & 4.3)
- ☐ ☐ ☒ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency  
\_\_\_\_\_  
(CPSC 3.2, pg 14, 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency  
\_\_\_\_\_  
(CPSC 5.3.6.4-5 pgs 34-35)
- ☒ ☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7 pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate  
\_\_\_\_\_  
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.  
\_\_\_\_\_  
(Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Licensing Official

Mary Hampton