

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Lev	Date_ 1-28-22
Facility Name For Little People On	License Number 1203
Purpose PL	Capacity 37
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,
Waste water system approved and functioning Food service approved Possible Monetary Penalty	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly
Monetary Penalty 1\$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet
3.	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order
5\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers
1. Age/Child/Staff Name 1. Age/Child/Staff Name 2. Age/Child/Staff Name	and thermometers placed properly and in good working order
3. 4.	Playground area clean, shaded, well drained and equipped and fence in good repair
5.	Playground equipment meets standards
6	Pool area clean, fenced, and adequately maintained
De 12 local	Diaper changing stations adequate in number and each fully supplied (number)
V	Child Care Representative
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health	12-10-08 Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

District	Date
Name For Little People Only Address 1247 Nelle St. Replo	License No. 1203
Address 1247 Nelle St. Popula	MS 3880 1
Purpose PP	Director Pamelo Seals
Mileage Start	Mileage End
County_ UC	Telephone No. 442 - 844 - 0573
Time In 1,00 p.m. Time Out 2.4	15 p.m. Total Time
Findings/Comments Here to Conduct a licensing Met with the director	PR Inspection. Upon arrival the lowner Pamela Seals.
Kitchen recid on A; No critical	Violations on todays visit.
Planand in Compliance	V
Staff ad children 121's in Con Staff Los's in Compliance	m pliants.
Lo recid up dated auto insu	rance
Facility will pass to a regul	
Please Submit a copy of Staff	roster along with a lopy of each 2, 2022 at noon. All documents aly. Clark & modh.ms. gov.
must be sulpited by April 12	12022 at noon. All documets
Facility will also Submit F the requested due date as we	ell = 172 form #333 and menus by
NO Children were present o	n todap visit.
Class I and II violations may resurt May result in the doubling of a of the license."	
Somela Sear a	White Copy - Facility File Yellow Copy - Operator
Mississippi State Department of Health	Revised 6-24-09 Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name For Little People Unly License No. 1203 Date 1-28-22
Yes No N/A 1.
Pass — License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative

Mississippi State Department of Health

Revised 12-19-13

Form 289

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address / OF L	Mike replace CAY	Date	
	1247 Nella		1-2722	
CRITICAL V	IOLATIONS	CORRECTION PLAN AND SCHEDULE		
	1 (a) (b) (b)			
1 1 655		Canala Spals		
☐ 92020 Scheduled	92010 Permit No Charge	Certified Manager	Licence Number	
☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection	☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	* Tummy Sot	(
☐ 92080 No Inspection ☐ 92090 Restaurant Training		Facility Signature	2/	
Permit Date Environmentalist Code		Environmentalist Signature		
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist		

Child Care Licensure Playground Checklist

Ce	nter l	Vame	· Fr	or Little People Only Inspection Date 1-28-22
VE.	S NO	N/	4	<u> </u>
			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
Z			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
		Ø	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
		Z	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
K			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
Ø			10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		Z	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pgl3)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5. 3. 6. 4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
		Z	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
6			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1 11.11 (1), pg 49)
			16.	Is adequate shade present on the playground? (CPSC 2.1.1. pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1 10 2 (2), pg 36)
		J	t8.	Is wood smooth? Documentation provided that wood has been properly treated. /CPSC
Direct	or L	m	rell	Licensing Official CA Tuth