



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5

Date 4.2.19

Name _____ License No. _____

Address _____ Center/Organization/Individual _____

Purpose Renewal / TA Director _____

Mileage Start _____ Mileage End _____

County Hinds Telephone No. _____

Time In 11:34 a.m. Time Out 1:25 p.m. Total Time _____

Findings/Comments Upon arrival the LO met w/ the designee, Julia Ward @ 11:34 a.m.; and director @ 12:35 p.m.

The purpose of the visit is to conduct a renewal inspection and to provide technical assistance.

Facility and rooms are in 100% compliance.

Playground: CPSC 2.4.2

LO observed playground needs more surfacing around play structure.

Facility has 30 days to get surfacing replenished. LO will conduct a follow-up visit once completed.

Files in 100% compliance.

Class I II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of license.

Helpful Reminders please refer to form #289.

A green survey card (complaint card) was left w/ the director Patrina Dace.

Patrina Dace
Center Director/Designee/Individual

Azula Green
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Hinds

Date 4.2.19

Facility Name _____

License Number _____

Purpose Renewal / TA

Capacity 285

All Items In Red Are Critical

Qualified director present
Proper staff to child ratio present
Room and playground capacity met
Center capacity met
License/complaint visible
Certified food manager

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained
Vector control maintained
Water system approved and functioning
Waste water system approved and functioning
Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	K-4-25-#2 Staff
2.	Infants - 9-#2 Staff
3.	1 yr. 17-#2 Staff
4.	K-2-22-#2 Staff
5.	K-3-25-#2 Staff
6.	
7.	

Other Items - Must be corrected

Children's belongings separated/stored
Evacuation plans posted
Menus posted and served
Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment
clean and in good repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Lighting approved
Heating/cooling approved
Ventilation adequate
Glass approved and shielded
Telephone on premises, available,
and functioning

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected
Large appliances located properly
Sinks and toilets working properly
Hot water at all sinks, not to
exceed 120°
Children barred from kitchen
Vending machine snacks meet
nutritional guidelines, if present
Exits, doors and fastening devices
single action approved and in good
working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed
Required smoke detectors, carbon
monoxide monitors, fire extinguishers
and thermometers placed properly and
in good working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground area clean, shaded, well
drained and equipped and fence in good
repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground equipment meets standards

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Pool area clean, fenced, and adequately
maintained

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Diaper changing stations adequate in
number and each fully supplied
(number 4)

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Patrina Dace

Child Care Representative Azilda Eche



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name _____ License No. _____ Date 4.2.19

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|-------------------------------------|--|
| 1. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Policies and procedures (<i>Parent's Handbook</i>) {Rule 1.4.1} |
| 2. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current alphabetical roster of children (<i>includes date of birth</i>) {Rule 1.6.3 (2)} |
| 7. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current staff roster (<i>includes date of birth & date of hire</i>) {Rule 1.6.3 (3)} |
| 8. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Personnel records (<i>attach employee's records form</i>) {Rule 1.6.4} |
| 12. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Children records (<i>attach children's records form</i>) {Rule 1.6.7} |
| 14. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Licensed pest control contractor {Rule 1.11.14} |
| 23. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Pets present (<i>proof of immunization as required, signed by veterinarian</i>) {Rule 1.12.6} |
| 24. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate discipline policy followed {Subchapter 14} |
| 25. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate transportation policy followed {Subchapter 15} |
| 26. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Infant feeding schedules posted (<i>Appendix C, VII</i>) |

Comments/Recommendations

Pass Pending:

Go online to www.healthymms.com to complete your online application and pay fees and print your license on or before May 31, 2019, to avoid late fees and reinstatement fees.

Helpful Reminders:

Please send your LO-

2 or 4 weeks menus, Fire Form, and

Updated Zoning Letter, other contract
hours.

- ☒ Pass -
License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
Follow-up within _____ days
☒ Director ☐ Designee

Patrina Dace
Director

Azelda Estlin
Child Care Representative

Food Service Facility Inspection Results

Kaleidoscope of Learning
335 Byram Drive
Jackson, MS 39272 601-502-2990
Lic. No. 25CEPFA-4977
Director Dace Patrina

PIMS ID	Facility Name, Address	Date
		4.2.19

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>No critical violations observed on today's visit.</p> <p style="text-align: center; font-size: 2em;">A</p>	
---	--

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date 4.2.19	Environmental Code

Please Remit within 10 days to:

Lula Ward
Certified Manager

Turner Cafe
Licence Number
exp. 2/10/22

Facility Signature <i>Dace Patrina</i>
Environmental Signature <i>Kyle Patton</i>

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalist

1st playground

Kaleidoscope of Learning
335 Byram Drive
Jackson, MS 39272 601-502-2990
Lic. No. 25CEPFA-4977
Director Dace Patrino

Child Care Licensure Playground Checklist

Center Name _____

Inspection Date

4.2.19

YES NO N/A

- | | | | | |
|-------------------------------------|--------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
<u>Need more Surfacing.</u> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency

(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency

(CPSC 5.3.6.4-5 pgs 34-35) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate

(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency.
<u>#3 and #overgrowth growing in surfacing</u>
(Rule 1.11.11 (1), pg 61) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) |

Director

Patrino Dace

Licensing Official

Azeldu E. Lewis

After School

Kaleidoscope of Learning
335 Byram Drive
Jackson, MS 39272 601-502-2990
Lic. No. 25CEPFA-4977
Director Dace Patrino

Child Care Licensure Playground Checklist

Center Name _____

Inspection Date

4.2.19

YES NO N/A

- | | | | | |
|-------------------------------------|--------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
<u>Observed no playground equipment.</u> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency

(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency

(CPSC 5.3.6.4-5 pgs 34-35) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate
<u>Observed no playground equipment.</u> (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency.

(Rule 1.11.11 (1), pg 61) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) |

Director

Patrino Dace

Licensing Official

Azelda E. Lewis