

Child Care Facility Inspection

County Washington		Date 4/16/2019			
1 1	n . C		0		
Facility Name Charlie Brown Day Care License Number 5790					
Purpose Renewal In	spection/TA C	apacity			
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Think a properties available			
Water system approved and functioning Waste water system approved		Telephone on premises, available, and functioning			
and functioning Food service approved		Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
Possible Monetary Penalty 1	Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen			
2. 3.	\$ \$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good	SF 0		4
4	\$	working order			
5Age/Child/Sta	\$ ff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	Ø 0		
1. 3yr -5yr /6/careq		in good working order	d o		
	giver #2, #3	First aid kits stocked and easily accessi	ble 🔲		
3. 4	,	Playground area clean, shaded, well drained and equipped and fence in good repair	d O		
5.		Playground equipment meets standards			
6		Pool area clean, fenced, and adequately maintained	, 		
Center Director/Individual	LB.	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	teresa X	0. 1992	
Center Director/Individual			<i>(</i>)	00	

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

District		Date 4/16/2019
Name Charlie Brown Day Co	are License No. 760	CDPFSA-5790
Address 414 MIII Rd., Gre	Center/Organization/Individual	
10	/	
Purpose Kenerval Inspection	Director Geraldin	ne Green
Mileage Start	Mileage End	
County Nashington	Telephone No. 662 - 3	78-9922
Time In <u>9:54 g/m.</u> Time	Out_11:47 a.m., Total Tin	ne
Findings/Comments The licensing	official met with de	rignee Kohantez Barney.
Man 0 +1:125	inituan Danson	i-a + 1/1/2/14
The purpose for they or	isit was for a repewal,	inspection/17 Viser.
Food Code Guide Chied Co	are Facilities)	\
Deficiency: Protection from	Contamination; #14 (Section	
in part, "Food separated	and protected", food show	ed be protected from
any form of cross contain	nination. Ony raw arenal	products (raw Egys or
raw (meat) may not be ste		ready to eat food; they
must be stored in the both		
(POC) Plan of Correction: 1)		
Violation from reoccurre	1 /1 //	
refigerator? remove the rain	5 xggs and wave 14 an he	ALC COLORGE ACC
Who will be responsible	for making sure the recu	wence of the Violation
does not pappened again	? Per Mrs. Kim, she immedia	tly removed the eggs.
	,	0
3.) What is the expected co.	mpletion for the complia	ne 4/16/2019
a green child care surrey	card was left with Ko	harter Barrey.
	<i>V</i>	0
Class I and II Violations	may result in a monetary	J penalty, Repeated
Violations may result in	the doubling of a moneto	ary penalty, suspension,
1. De in Older const	Cersus, 662-332-8177 off	lice or 662-378-2620 fox.
Kl-B-	1. 0	White Copy - Facility File
Center Director/Designee/Individual	Child Care Representative	Yellow Côpy - Operator
Mississippi State Department of Health	Revised 6-24-09	Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review Facility Name Charlie Brown Day Care License No. 5790 Date 4/16/19

Yes No N/A 1.
Pass – License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative

Food Service Facility Inspection Results

PIMS ID Fac	cility Name, Address Charlie	e Brown Day care	Date	
5790 4	414 Mill Rd. Greenville, MS 38701 4/16/2019			
CRITICAL VIO	LATIONS	CORRECTION PLAN AND SCHEDULE		
# 14 Food separated and protected		# 14 Food Separated and Protected The licensing official observed the Staff remove the raw eggs; and Store them in the bottom of the refrigerator. Corrected on-site. Facility received a grade of B		
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	□ 92010 Permit No Charge □ 92015 Permit 1 \$30.00 □ 92011 Permit 2 \$100.00 □ 92012 Permit 3 \$150.00 □ 92013 Permit 4 \$200.00	1 Fartha Tones	TummySafe Licence Number Exp. 6/26/2019	
Permit Date Environmentalist Code TL3 Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist		

Child Care Licensure Playground Checklist

Center N	Vame	har lie Brown Day Care Inspection Date 4/16/19
YES NO		mspection Date 4/16/19
	□ 1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with
	□ 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
	D 3.	Is surfacing adequate? If not, where is it inchessed, B. (Space)
4 0	П 4	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.42, pg 9-10 & 4.3) Observed more surfacing needed under and around the red merry-go-round area. 6-9 inches of surfacing is adequate. AC units, high-voltage cabling/wires inaccessible? (n. 1. 1116)
the C	<u> </u>	2 Miles maccessible? (Rule 1.11.9 (5), pg 59)
	□ 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
	□ 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
	□ 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
	8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 50)
	□ 9.	Tree limbs at least 7ft, above play surfaces? Is fence from of heart
	□ 10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	11.	
	11.	If swings are present, are S-hooks in good repair? If not, state deficiency No swings present (CPSC 3.2, pg 14:
	12.	2.3.2 no 1 de 5 3 8 1 mg 27
	,	No slide present (CPSC 3.6.4.5 per 3.4.35)
	13.□ 14.	
	1 ⁻ 7.	is age-appropriate equipment being used? If not, state which pieces are inappropriate
		(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
	15.	See # 3
	16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &
	10	CPSC 3.6, no 16-17;
	1 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Director	K	Licensing Official Lever Land
and the state of t	V	A Jaggar