

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facili	ty Inspection			^
County Books with Jambs Facility Name Christian Center Purpose Purpose Renewal Nection appropriate to the control of the contr	Date 1. 22  License Number 32  acity	46	12	
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved and functioning Waste water system approved and functioning	and functioning			- 🗆 -
Food service approved  Possible Monetary Penalty	Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly			
Monetary Penalty  \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen			
\$\$ 3\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4,\$	working order			
S\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and			
Intants. 1. Staff 1-2-3	in good working order			
2. 2 lear. 12: 50ff	First aid kits stocked and easily accessible			
4 4 5 year 4 Staff i	Playground area clean, shaded, well drained and equipped and fence in good repair			
5.	Playground equipment meets standards			
6	Pool area clean, fenced, and adequately maintained			
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative	H	] <u>V</u>	15

White Copy - Facility File Yellow Cop Mississippi State Department of Health

Yellow Copy - Facility Operator



**Child Care Encounter** 

$\sim$	Child Care Encounter	Date () [. 29. 20
Name Die S Address 734 Purpose Purpose	Monteria Road Pearly MS 2 Roneway No. 339 Roneway No. 339 Rone	Date 0 1. 23. 34 34208 N. Well S
Mileage Start County Time In  Findings/Comments	Mileage End Telephone No. 1000 Time Out 1:00 PM Total Time Total Time Total Time Total Time	sq. 2666  sepenal inspection
The purpose renewally	inspection. Whis to what	VS visit.
Hems nea	eded for rehewal:	Y
LO- Licensii COS-Correct TA-Technical POC-Plan of LOS-Letter o	Assistance F Correction of Suitability	
CLASS I AND II VIOLATION MONETARY PENALTY. RE MAY RESULT IN THE DOU MONETARY PENALTY, SU REVOCATION OF THE LIC	JBLING OF A JSPENSION OR	
	20minia Com	White Copy - Facility File Yellow Copy - Operator

Center Director/Designee/Individual

Revised 6-24-09

Form No. 287



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name Bobble'S UHFE LUMBS License No. 3346 Date OT CONSTAN Learning Center	.23.202
Yes No N/A  1. D   Policies and procedures (Parent's Handbook) {Rule 1.4.1}  2. D   Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}  3. D   Approved arrival and departure procedures {Rule 1.4.1 (2)}  4. D   Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}  5. D   Attendance records for children and staff {Rule 1.6.3 (1)}  6. D   Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}  7. D   Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}  8. D   Monthly records of fire/disaster drills {Rule 1.6.3 (5)}  9. D   Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}  10. D   Immunization Records for Children and Staff {Rule 1.6.3 (8)}  11. D   Personnel records (attach employee's records form) {Rule 1.6.4}  12. D   Volunteer records (attach children's records form) {Rule 1.6.7}  14. D   Reports of serious occurences made as required {Rule 1.7.1}  15. D   Communicable diseases reported as required {Rule 1.7.3}	
Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}  Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}  Required toys present in infant room {Rule 1.10.1 (2)}  Required toys present in toddler room {Rule 1.10.1 (3)}  Required toys present preschool room {Rule 1.10.1 (4)}  Licensed pest control contractor {Rule 1.11.14}  Return toys present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}  Appropriate discipline policy followed {Subchapter 14}  Appropriate transportation policy followed {Subchapter 15}  Infant feeding schedules posted (Appendix C, VII)	2
Pass — License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee  Child Care Representative	Em 280
Mississippi State Department of Health Revised 12-19-13	Form 289

White Copy - Facility File Yellow Copy - Operator

## **Food Service Facility Inspection Results**

PIMS I	ID I	Facility Name, Address Bu	bals	Uttle Lau	mbs Chistian	Date 1
		acountly (extrop	134	Monterey	Road	01:25:20
	CRITICAL VI	OLATIONS		COR	RECTION PLAN AN	ND SCHEDULE
OIN	Served 0 0 of the	15				
☐ 9203 ☐ 9204 ☐ 9205 ☐ 9208 ☐ 9208 ☐ 9209 Permit	20 Scheduled 30 Followup 40 Complaint 50 Consultation 70 Plan Review/Const. 80 No Inspection 90 Restaurant Training Thate Remit within 10 days to	☐ 92011 Permit 2 \$ ☐ 92012 Permit 3 \$ ☐ 92013 Permit 4 \$  Environmentalist Code	30.00 100.00 150.00 200.00	Facility Signates Environmental White Copy - I Yellow Copy - Pink Copy - En	Facility PIMS	Sen Safe Licence Number

## Child Care Licensure Playground Checklist

Center Name 1	Obbie's Little Lamb Propertion Date 07.23, 2020
YES NO N/A	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
0 0 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
<b>□</b> □ 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, Z.4.2, pg 9-10 & 4.3)
to 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
甲口口5.	No standing water present on playground or in/on playground equipment or walkways?
	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
0 0 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
□ □ 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
<b>□</b> □ □ 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (Croc
	3.4, 3.5, pg 16)  Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	. If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14  2.5.2, pg 1 & 5.3.8.1, pg 37)
	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
	hing used? If not state which places are mappropriate
	(1000 2-1100 (17) 20
	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	the surface? (Rule 1.10.2 (2), Pg 40 @
0 0 1	3. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Director	Licensing Official 10000 00000