



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

FIRST BAPTIST CHURCH KINDERGARTEN

License #: 2536

Director: DOROTHY SHULL

Inspection Date: 12/09/2022

Annual/Mid Inspection

Inspector: Tiffany Slay

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

1. **Out of Compliance:** Proper hot holding temperature (135°F or higher). (FC 3-501.16)

Plan of Correction

1. **POC:** License Official observed in the kitchen one of the pilot on stove was not in good condition. Director call the janitor to come and lite the pilot, it was operational but need to be blown out in order to work properly. Director stated that they will have someone come and repair pilot.
Person Responsible: Director **Date for Completion:**

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Twos Classroom Violations Cited

Two - Classroom Number: 107

No violations cited.

Twos Classroom - Classroom Number: 107

Preschool Classroom Violations Cited

Three - Classroom Number: 103

No violations cited.

Preschool Classroom - Classroom Number: 103

Four - Classroom Number: 106

No violations cited.

Preschool Classroom - Classroom Number: 106

Four/Five - Classroom Number: 109

No violations cited.

Preschool Classroom - Classroom Number: 109

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature



MSDH Licensure Representative Signature

