

MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Facility Inspection

County Journals			Date 2/25/2/	Bo-7631001176			
Facility Name Angelo	of mine	Chris	License Number #	138	2/		
Purpose Doneward.			apacity_90				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS	N/A □	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,				
and functioning Food service approved Possible Monetary Penalty	2		and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly				
1	Monetary Penal	lty	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	<i>\righta</i>			
34	\$\$		nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				
5	\$		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	D			
1. AS (2) 2. Cirlanto (4)	TName		and thermometers placed properly and in good working order First aid kits stocked and easily accessit	<u> </u>			
3. JOUT (3) 4. ONS (0)			Playground area clean, shaded, well drained and equipped and fence in good				
5.			repair Playground equipment meets standards				
6	.a		Pool area clean, fenced, and adequately maintained				
Center Director/Individual	100 iau)	Diaper changing stations adequate in number and each fully supplied (number)			, 🖳	
	py - Facility Operator	r 12-10	Child Care Representative ————————————————————————————————————	x la	ry C	Tal	40Th-



MISSISSIPPI STATE DEPARTMENT OF HEALTH

District H	Child Care Encounter	0/ (
District	Angel's of Mines	Date_ 425/21
Name	190 Lehmberg Rd (Lowndes)	
Address	Columbus Ms 39702	
0	Dir: Lillian Tate #44CDPFWA-7321	
Purpose Koncu	Oct. Director	
Mileage Start	Mileage End_	
County	Telephone No	
Time In	Time Out Total Time	
Findings/Comments_	Upon arrival licenseure met Complete a program Renew	leigh direction.
* Sacility	files are in compliance of int. Hence received & form 33	or this
T ₁	menue	2
Remainder	Charact hours product	Intact hours
Mowal	Droces, Bu Hanglan	onsul
	1 10 10 10 10 10 10 10 10 10 10 10 10 10	rewies,
* Kitchen	roceived an (A)	
* Playgre	send has no titations.	
V Director	600	
at that	thes requested for playatoling there new both rome built be	added added
* Alex	possible after school area as	le be measured,
result in t	nd II violations may result in a y penalty. Repeated violations may the doubling of the penalty, on or revocation of the license.	
Center Director/Designation	ace/Individual Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Form 289



Facility Name Angelo of Manager History H 7324

Facility N	Jame _	Angels of	Mhos	License No	# 7324	Date 2/25/21
26.		Policies and proposed arrival insurance is in Approved arrival Letter of suital Attendance reconstruction and the Attendance reconstruction in Medication reconstruction in Personnel reconstruction i	ent/Liability Insurar effect {Rule 1.4.1 (ral and departure probability for staff {Rule poility for staff {Rule cords for children and petical roster of children detected for fire/disaster draw the date of	cocedures {Rule 1.4.1 (2) at 1.5.2 & Rule 1.6.4 (1) details at ff {Rule 1.6.3 (1) dren (includes date of biorbirth & date of hire, ills {Rule 1.6.3 (5)} at and Staff {Rule 1.6.3 (5)} are included as required {Rule 1.6.6} as required {Rule 1.6.6} as required {Rule 1.7 arents for infants and to and First Aid Certificts posted in each room and {Rule 1.10.1 (2)} at and Full and First Aid Certificts posted in each room and {Rule 1.10.1 (2)} at and Full a	that parent has been not (2)} () (f)} () (f)} () (Rule 1.6.3 (2)} () (Rule 1.6.3 (3)} () (Rule 1.6.3 (6)} () (Rule 1.6.3 (6)} () (Rule 1.6.4) () (1.6.7) (1.7.1) (1.3) () () () () () () () () () () () () () (\$) & (5)}
8						
100	-212			1917		
☐ Fail ☐ Follo	use to l	oe issued: □ Regu within days	Sullian Director	Restricted Otto Designee	Child Care	My thup Two
Mississippi	State 1	Department of Healt	h	Revised 12-19-	-13	Form 290

White Copy - Facility File Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID CRITICAL V	Angel's o 190 Lehmberg Columbus I Dir: Lillian Tate #4	Rd (Lowndes Ms 39702		Date 2/35/2/
Spagethi Mar Cours 1st Peacher 1st		4CDPFWA-/	321	N PLAN AND SCHEDULE
92020 Scheduled 92030 Followup 92040 Complaint 92050 Consultation 92070 Plan Review/Const. 92080 No Inspection 92090 Restaurant Training Permit Date	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Mar Facility Sign. Environment	ature falist Signature	Licence Number Licence Number
		Yellow Copy - Pink Copy - En		list

Angel's of Mines 190 Lehmberg Rd (Lowndes) Columbus Ms 39702 Dir: Lillian Tate #44CDPFWA-7321

ensure	Playgro	und	Che	<u>cklist</u>	
				pho	121
	Ins	pection	n Date _	5930	M

YES	NO	N/A	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with
K	Ц	Ц	1.	no gaps? (Rule 1.11.9 (8), pg 60)
Ø			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
		A	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
		The state of the s	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
A			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
9			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
P			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
		D	9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
		Ø	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
		A	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
		A D	11.	
				(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency
		ď	12.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
		<u></u>	12. 13.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate
		<u></u>	12. 13. 14.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
			12. 13. 14.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
			12. 13. 14. 15.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &