

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Crosspoint Community Church 3211, Hwy 589 Hattiesburg, N	h AS 39402 1.12.21					
Facility Name Director: Julia Sippel	rse Number					
Purpose M. d-4ca	159					
All Items In Red Are Critical In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A					
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair					
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,					
Waste water system approved	and functioning					
and functioning Food service approved Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly					
Monetary Penalty 1 \$	Hot water at all sinks, not to exceed 120°					
2\$	Vending machine snacks meet nutritional guidelines, if present					
3	Exits, doors and fastening devices single action approved and in good					
4\$	working order Exits unobstructed					
5	Required smoke detectors, carbon monoxide monitors, fire extinguishers					
Age/Child/Staff Name	and thermometers placed properly and in good working order					
1. 2.	First aid kits stocked and easily accessible.					
3. See 2nd Encounter	Playground area clean, shaded, well drained and equipped and fence in good repair					
4. 5.	Playground equipment meets standards					
6.	Pool area clean, fenced, and adequately					
7.	maintained					
	number and each fully supplied (humber)					
Center Director/Individual Child Care Representative Child Care Repres						
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health	10-08 Form No. 281					



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District			Date 1.12.2)
NameAddressPurpose	Crosspoint Community Church 3211, Hwy 589 Hattiesburg, MS 39402 601-264-9234 Lic.No.: 18CFRF-5800 Director: Julia Sippel		
*			
Mileage Start	Mileage End		
County Lamac	Telephone No		
to for the second secon	Time Out 11:05		al Time
Findings/Comments <u>Mid-u</u>	ear inspectio	<u></u>	conducted.
All incompliance	ce ducine in	2	pection. No
deficiencies	observeel.	7	
	1000 Job!		
·			
4			
		mo res pe	lass I and II violations may result in a conetary penalty. Repeated violation may sult in the doubling of a monetary nalty, suspension or revocation of the ense."
Center Director/Designee/Individual	Child Care Representative	710	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 28'

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Page _

rector: Julia Sippel	(Continuation)		
Facility Name	License No		
room Age	Un:1d	Staff	
26-128 2	9		
23-125 1	1-1		
107-109 infon	t 6		
210-2/1	12		
212 4			
/			
alice and s	Sharsho Benne- Child Care Representative	White Copy - Fact Yellow Copy - C	ility File Operator

Crosspoint Community Church

3211, Hwy 589 Hattiesburg, MS 39402 601-264-9234 Lic.No.: **18CFRF-5800**

Food Service Facility Inspection Results

Crosspoint Community Church Facility 3211, Hwy 589 Hattiesburg, MS 39402 PIMS ID Date 601-264-9234 Lic.No.: 37CDRF-5800 Director: Julia Sippel CORRECTION PLAN AND SCHEDULE CRITICAL VIOLATIONS No critical violations ☐ 92020 Scheduled ☐ 92010 Permit No Charge Certified Manager Licence Number ☐ 92030 Followup 92015 Permit 1 \$30.00 ☐ 92040 Complaint 92011 Permit 2 \$100.00 ☐ 92050 Consultation ☐ 92012 Permit 3 \$150.00 ☐ 92070 Plan Review/Const. 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature ☐ 92090 Restaurant Training Environmentalist Signature Permit Date Environmentalist Code White Copy - Facility Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

	enter (Varte	321 601	sspoint Community Church 11, Hwy 589 Hattiesburg, MS 39402 -264-9234 Lic.No.: 37CDRF-5800 ector: Julia Sippel	Inspection Date 1.12.21
YE	3 MC) NA		mith on bane? /21/10/1 /1.9/31. 02 +3/	surface. (Rule I.II.9 (3), pg 48) in good repair
7		a		2 entrances/exits, with one being remo	te from the building? (Rule 1.11.) (3, pg 43) it inadequate? (CPSC, 2.4.2, pg6)
	_ 		₫. 5.	AC units, high-voltage cabling/wires in No standing water present on playgro	inaccessible? (Rule 1.11.9 (5), pg 47) und or in/on playground equipment or walkwa:
	□	□	ó.	(CPSC 2 4.2.2-5, pg 10) Toys & equipment in good repair? (no	one broken/deteriorating) (Rule 1.10.2 (2), pg 3 uface? (no trip hazards) (CPSC 3.5, pg 15)
			7. 8.	All bolts on equipment & fence <2 timestate from the plant in the plant is the plant in the plant is the plant in the plan	reads beyond the nut? Are all bolts and fencing yeround area? (Rule 1.11.9 (5). pg 47)
			9, 10,	2 1 2 E La FEX	faces? Is fence free of brush/overgrowth? (CPS are they inadequate? (CPSC 5.3.9, pg 40)
4			Joseph T. S.	If swings are present, are S-books in s	
		I	12.	If slide is present is exit height/exit z	E C C C C C C C C C C C C C C C C C C C
			13.		sed? If not, state which pieces are leappropriate (Rule 1.10.3.)
			15. 16.	Is playground area clean & free of has Is adequate shade present on the plays	[Kule 1.11.11.11.1]
			17. 18. ₁	Are concrete footings located at least	6" beneath the surface? (Rule 1.10.3 (2), pg 3 mided that wood has been properly meated. (C)
)iz e st	VI A	W		Lidensing C	incial Shanesha Banna