

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Lee	Date 10-29-2620				
Facility Name Coor My World #2	License Number 150	2			
Purpose Virleal Renaval Cap	pacity 91				
All Items In Red Are Critical In Out COS N/A Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	NAMA =	Out	COS	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair Lighting approved	N			
Sanitation Approved Garbage and garbage bins maintained	Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	NANA A			
Waste water system approved and functioning Food service approved Possible Monetary Penalty	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to	NAN A			
1 Monetary Penalty \$	exceed 120° Children barred from kitchen Vending machine snacks meet	N			
2	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				Ø
5 S	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	M			
RmH 1-12-Carequer#1	in good working order First aid kits stocked and easily accessib	Z			
Rntto Infant-8-Caragner#3 4. Caragner#4	Playground area clean, shaded, well drained and equipped and fence in good repair	Z Z			
RmH4 2-10-Carractur #5	Playground equipment meets standards	Ø			
Rm#3 3-11-Cereative+#16 Rm#2 4-13-Cereative+#7	Pool area clean, fenced, and adequately maintained				N
RmHo Z-22-Caraquer#8 Caraquer#9 Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	Z m	Die.	list	Eut.

12-10-08

Form No. 281

White Copy - Facility File Yellow Cop Mississippi State Department of Health

Yellow Copy - Facility Operator



District	Date Uortous
Name Color My World #2	License No. 750Z
Address 532 South Church St. Center/Org	Turodo MS 5004
Purpose Vintual Ronaval	Director Lacey Clements
Mileage Start	Mileage End
County C	Telephone No. 10102-671-6701
Time In 9:30 Time Out 10:00	
Findings/Comments The Virtual ren	rewal inspection was
The Child Care Licensure From the provider:	Division recoved the following
- Renaval Application	
- Fire Form #333	
- Menus - Acknowledgment letter	
- Staff Roslet	
- Children Koster - Lettersof Suutabiliti	1
- Fire Disister Dnlls	
- Conactairs	
- Sign-in Sign-aut stree	for od. 29, 2020
Centact hours have bee	n reviewed and approved
Lin the Litchen.	-ne craical violations
Playofraund in complian	ce
Center Director/Designee/Individual Child Care	White Copy - Facility File Yellow Copy - Operator



Date 10-29-2020

Facility Name Coor My World # Licepse No. 350	07
The provider is responsible for ena	unny the
Following are in ampliance:	O
- Staff MSDA Form #124	
- Children MSNH Form #121	
- tagility tolicy and frocedures	
- Letters of Sutability	
- Staff records	
- Children nercros	
Limbaly Chik	White Copy - Facility File Yellow Copy - Operator
Center Director/Designee/Individual Child Care Representative	Tellow Copy - Operator



Child Care Program Review
Facility Name Coor My Ward # Z License No. 7507 Date 10-29-2020

		180	
Yes	No	N/A	
Z			Policies and procedures (Parent's Handbook) {Rule 1.4.1}
. 🗷			Proof of Accident/Liability Insurance or documentation that parent has been notified that no
,			insurance is in effect {Rule 1.4.1 (i) & (j)}
. 9			Approved arrival and departure procedures {Rule 1.4.1 (2)}
. 🗷			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
AAAA			Attendance records for children and staff {Rule 1.6.3 (1)}
. 7			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
· A			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
. 🗷		0	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
. '0		X	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
0. 0			Immunization Records for Children and Staff (Rule 1.6.3 (8))
1. 🗷		0	Personnel records (attach employee's records form) {Rule 1.6.4}
2. 🗆			Volunteer records {Rule 1.6.5 & Rule 1.6.6}
3.		0	Children records (attach children's records form) {Rule 1.6.7}
4. 0	0		Reports of serious occurences made as required {Rule 1.7.1}
5. 🗷			Communicable diseases reported as required {Rule 1.7.3}
6.	0		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
7. 🗷	0		Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
8. 2	00		Age appropriate program of activities posted in each room {Subchapter 9}
9. 7			Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)}
0. 2	0		Required toys present in todaler room {Rule 1.10.1 (3)}
2. 🗷	0		Licensed pest control contractor {Rule 1.11.14} Bug Free
3.	0	Ø	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
4. 🗷			Appropriate discipline policy followed {Subchapter 14}
5.1			Appropriate transportation policy followed (Subchapter 15)
6. 1			Infant feeding schedules posted (Appendix C, VII)
Comm	ents	/Rec	ommendations
		2-11	
Pass	s –		
		to be i	ssued: Regular Probational Restricted
Fail			Ym holy h. b
Foll	ow-u	p with	nin days Director Designee Child Care Representative
			☐ Director ☐ Designee Child Care Represelulative

Food Service Facility Inspection Results

PIMS ID Fa	cility Name, Address	ny world#2	Date
		Tupodo, MS 8804	10-21-2020
CRITICAL VIO		CORRECTION PLAN AN	ND SCHEDULE
Litchen read - no critica in the Ki	gved an "A"		
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager Facility Signature	2567 Licence Number
Permit Date	Environmentalist Code	Environmentalist Signature	h
Please Remit within 10 days to:	1 4 7 2	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Cer	iter N	ame	Co	br My World #2 Inspection Date 10-29-2020
YES	S NO	N/A		The state of the s
A			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8) pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
K			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
		Ø	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
Ø			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
Ø			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
A			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
Ø			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
Ø			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
		Ø	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		Ø	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
		Ø	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
		卢	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
Ø			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
Ø			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
d			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
Ø			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
		A	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)
Direc	tor_			Licensing Official Kimberly Clark, CCFI 1