KIDS UNDER KONSTRUCTION 5400 DOGWOOD TRL Jackson, MS 39212 Lic. 25CDPFA-4701 P. 601-346-7711

MISSISSIPPI STATE DEPARTMENT OF HEALTH

County 1 11105		-		Date 1. 2021	7-1		
Facility Name Purpose	TA			License Number # 4	101		
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out	cos	N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	3886	10000		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	v /_		
Sanitation Approved Sarbage and garbage bins maintained Vector control maintained Vater system approved and functioning		000	000	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			0000
Waste water system approved and functioning Good service approved				and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly		0 000	
ossible Monetary Penalty	Monetar \$\$	ry Pena	ilty	Hot water at all sinks, not to exceed 120° Children barred from kitchen [Vending machine snacks meet nutritional guidelines, if present			
	ss	81.		Exits, doors and fastening devices single action approved and in good working order			
	\$ ff Name			Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	9 0		
Infunt/Toddier	3.4 G	- ,	1 C	in good working order First aid kits stocked and easily accessible			
3/4 4, 1	CG) - H		Playground area clean, shaded, well drained and equipped and fence in good repair			
5.							(U
5 7.			No.	Pool area clean, fenced, and adequately maintained			
	2.0	\sim		Diaper changing stations adequate in number and each fully supplied (number)	<u> </u>	, 🗆	~

16

KIDS UNDER KONSTRUCTION 5400 DOGWOOD TRL Jackson, MS 39212

District_	0	Lic. 25CDPFA-4701 P. 6 Attn: TYLAN LEE	01-346-7711	Date_1.27.2	1021
Name			License No.	+701	
Address_	DONAMAI ITA	Center/Organization	on/Individual		
Purpose_	Daloyal / 17	. Di	rector		_
Mileage S	Startinde	Milea	ge End		_
County_	AIII OM	11.161	hone No		_
Time In_	7,17 (Jill), T	ime Out 1:150	Total Time_	11	
Findings/	Comments // /////////////////////////////////	Yai IVIL W.	Met W/ The	airector Tylan	
The	purpose of the	he visit is t	to conduct q 155151ance V	KENEWAL INSOLUTION	cho '
GYE	ut Inspection niles in Missie	Thanks f	Or caring for	the children an	nd
Pleas	se Send an updat	ed copy of 1	Whicle insuran	ce, once pick.u Her. Schoolers	10
Reminder		2 /2 / / - 10 / -		TW SCHOOLETS	
	Process see form:				- E
1289					
2.1	lftagreen sur	vey card wi	director Tyl	an Lee.	
		6	LO- Licensing Official		+
lass I II vi	olations may result in a penalty.		COS-Corrected on Site TA-Technical Assistance POC-Plan of Correction	↑	1
epeated oubling o	violations may result in the famonetary penalty,		LOS-Letter of Suitability		
uspension I	or revocation of license.	Kn.11.	Caro	White Conv. F- 22: 52	
enter Dir	ector/Designee/Individual	Child Care Repres	Sentative	White Copy - Facility File Yellow Copy - Operator	9
ississippi	State Department of Health	Revise	ed 6-24-09	Form No. 2	287

KIDS UNDER KONSTRUCTION 5400 DOGWOOD TRL lackson, MS 39212 Lic. 25CDPFA-4701 P. 601-346-7711 Attn: TYLAN IFF

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator

Facility Name



Child Care Program Review

License No.##101 Date 1.27.2021

Yes No N/A		
	(Parent's Handbook) {Rule 1.4.1}	
	y Insurance or documentation that parent h	as been notified that no
insurance is in effect {Ru	le 1.4.1 (i) & (j)}	
3. D Approved arrival and depa	arture procedures {Rule 1.4.1 (2)}	
	aff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}	
	ildren and staff {Rule 1.6.3 (1)}	
	er of children (includes date of birth) {Rule	
	des date of birth & date of hire) {Rule 1.6.	3 (3)}
	isaster drills {Rule 1.6.3 (5)}	(2(0)
	date, time, signature for 90 days {Rule 1. r Children and Staff {Rule 1.6.3 (8)}	6.3 (6)}
Total and the second se	h employee's records form) {Rule 1.6.4}	
12. Volunteer records {Rule 1		*
	children's records form) {Rule 1.6.7}	
	ences made as required {Rule 1.7.1}	
15. Communicable diseases	reported as required {Rule 1.7.3}	
	ided to parents for infants and toddlers {Ru	ile 1.7.4}
	alid CPR and First Aid Certification {Ru	
	of activities posted in each room {Subchap	ter 9}
	nfant room {Rule 1.10.1 (2)}	
	oddler room {Rule 1.10.1 (3)}	
21. Required toys present pre	school room {Rule 1.10.1 (4)}	
	nunization as required, signed by veterinari.	an) (Pule 1 12 6)
	olicy followed {Subchapter 14}	311) {Kulc 1.12.0}
	ion policy followed {Subchapter 15}	
26. 1 Infant feeding schedules		
	(
Comments/Recommendations	Go online to www.healthyms.com	
official to second to be submitted to your incensing	to complete your online application a	
official to complete your renewal process:	pay feer and print your license on or	
-4 or 6 weeks menus -Fire form, zoning letter (Hinds County Only)	before Wil 30, 2021, to avoid late	e
-contact nours	fees and reinstatement fees.	-
-Catering Contract (If Applicable)		
	E.	
de de la contrata de como Hannala.		
□ Pass –		
	robational Restricted	
□ Fail	0.0000	L al C
☐ Follow-up within days	$SUVO() \sim UU$	Frelda Eleis
	irector Designee	Child Care Representative
No. 1 1 Co. B. America Strate	Parised 12 16 12	
Mississippi State Department of Health	Revised 12-19-13	Form 280

Form 289

Food Service Facility Inspection Results

PIMS ID F	racility N 5400 DOGWOOD TRL Jackson, MS 39212	TION	Date 1.27.202		
CRITICAL VI	Lic. 25CDPFA-4701 P. 601	1-346-7711 CTION	CTION PLAN AND SCHEDULE		
	Violation on bit.				
		A			
] 92020 Scheduled] 92030 Followup] 92040 Complaint] 92050 Consultation] 92070 Plan Review/Const.] 92080 No Inspection	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager	Licence Number		
] 92090 Restaurant Training	Environmentalist Code	Facility Signature Environmentalist Signa	tych Jel		
Please Remit within 10 days to:	Control of the Control	White Copy Facility Yellow Copy - PIMS Pink Copy- Environment	alist		
	77 lab		Form 301 Revised 2/15/08		

	Playground Checklist
• •	5400 DOGWOOD TRL
	Jackson, MS 39212 Inspection DateInspection Date
Center Name	Lic. 25CDPFA-4701 P. 601-346-7711
	Attn: TYLAN LEE
YES NO N/A	Attn: TYLAN LEE Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60)
tg/ 🗆 🗆 1.	no gaps' (Rule 1.11.) (5) It
tv □ □ 2.	2 entrances/exits, with one being remote non at 2 entrances/exits, and a entrances/exits, and a entrances/exits and a entran
□ □ □ 3.	Isoufacing adequated I may alway Mant Described.
	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
	present on playground of im our
□ □ 5.	No standing water present on player (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
□ □ 10 6.	Toys & equipment in good repair (does not be a surface? (no trip hazards) (CPSC 3.6, pg 16-17) Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
	Sidewalks provide smooth walking surface: (no are
	Sidewalks provide smooth warking bases. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing All bolts on equipment & fence form the playground area? (Rule 1.11.9 (5), pg 59)
ra □ □ 8.	All bolts on equipment & fence <2 threads beyond the nutry Alc and a fence (2 threads beyond area? (Rule 1.11.9 (5), Fg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), Fg 59)
	twists/wires facing away from play surfaces? Is fence free of brush/overgrowth, (or
□ □ □ 9.	All boits on equipment of twists/wires facing away from the playground area? (Rule 1.111) (VISC twists/wires facing away from the playground area? (Rule 1.111) (VISC Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC Tree limbs 1.6)
	Tree limbs at least 71. above page 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
). Are use zones adequate.
	1. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14, 2.5.2, pg 1 & 5.3.8.1, pg 37)
·	- deficiency
1	 If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35,
	2 (1977) (0.5 1.2 & CPSC 3.3.7. P8 30 37)
_/,	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & etc.) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & etc.) (Rule 1.10.2, pg 4 & CPSC 2.2.6, pg 6)
	(Rule 1.10.2, PS
. 0 0 0 1	14. Is age-appropriate equipment & CPSC 2.2.6, pg 6)
2	15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 6
.12 0 0	15. Is playground about 1.
	15. Is playground as shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	16. Is adequate shade present of the surface? (Rule 1.10.2 (2), Pg 40 to
. 4/	CPSC 3.6, pg 10-17
. 0 . 0	17. Are concrete footing. 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC)
/ _	18. Is wood smooth? Documentation provided that the smooth of the smooth?
	25.5. pg 13)
	Lipensing Official
Director	MXX
D	