



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Rankin Date 03.17.2021

Facility Name Lake Village Learning Center License Number 4409

Purpose Renewal Capacity 79

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	Infants: 10 • Caregiver 1,2,3
2.	2 year: 11 • " " 4
3.	1 year: 11 • " " 5,6
4.	1 year: 7 • " " 7,8
5.	1 year: 11 • " " 9,10
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>5</u>)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual [Signature]White Copy - Facility File Yellow Copy - Facility Operator
Mississippi State Department of HealthChild Care Representative [Signature]



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5Date 3.17.2021

Name Lake Village Learning Center License No. WICDFA-4409
 Address 1039 Lake Village Circle Brandon, MS 39047
 Center/Organization/Individual
 Purpose Renewal Director Leon Jones
 Mileage Start ← Mileage End →
 County Rankin Telephone No. _____
 Time In 11:23 am Time Out 1:08 pm Total Time _____

Findings/Comments Upon arrival the licensing official met with director L. Jones & O. Johnson. The purpose of this visit was announced.

The following was observed:

Subchapter 5
petency: rule 1.5.2 (2) - states in part, at no time shall the facility allow individual to provide unsupervised care or be left alone with a child until the facility receives notification from MSDH verifying that employee's suitability for employment.

Findings: Licensing ^{official} observed staff left alone with students in infant room. Staff did not have valid letter of suitability on file. This technical assistance was provided to director.

1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation?

2. Who will be responsible for monitoring violation from recurrence?

3. What is the date of completion?

Doc: Director will ensure when qualified staff goes on break someone with a valid letter of suitability will be placed in the room. The staff was placed in the room as a volunteer. Director stated she walked into the facility on today. This violation was corrected when qualified staff entered the classroom within 10 minutes.

Ullr Jdm
 Center Director/Designee/Individual

Amelia Adams
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter
(Continuation)

Date 3.17.2021

Facility Name Lake Village Learning Center License No. 4409

Please be sure to monitor when volunteers are working at the facility they must have a valid letter of suitability on file. The volunteer should never be left alone.

THE FOLLOWING ITEMS SHALL ALWAYS BE UP TO DATE: CPR/1ST AID, FOOD MANAGER CERTIFICATION, LIABILITY INSURANCE (IF FACILITY PROVIDES) AND VEHICLE INSURANCE (IF THE FACILITY TRANSPORTS). PLEASE PROVIDE CURRENT COPY OF THIS DOCUMENTATION.

PLEASE SUBMIT ALL REQUIRED DOCUMENTATION FOR RENEWAL. APPLICATION SHOULD BE SUBMITTED ONLINE. SEND FIRE FORM #333 AND TWO WEEK MENUS AND OTHER CURRENT REQUIRED DOCUMENTATION FOR RENEWAL OF LICENSE.

"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

 Facility Name Lake Village Learning Center License No. 4409 Date 3.17.2021

	Yes	No	N/A	
1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personnel records (attach employee's records form) {Rule 1.6.4}
12.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Children records (attach children's records form) {Rule 1.6.7}
14.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reports of serious occurrences made as required {Rule 1.7.1}
15.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Communicable diseases reported as required {Rule 1.7.3}
16.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in infant room {Rule 1.10.1 (2)}
20.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present preschool room {Rule 1.10.1 (4)}
22.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Licensed pest control contractor {Rule 1.11.14}
23.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate discipline policy followed {Subchapter 14}
25.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate transportation policy followed {Subchapter 15}
26.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Infant feeding schedules posted (Appendix C, VII)

Comments/Recommendations _____

☐ Pass –
 License to be issued: ☐ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

☐ Director ☐ Designee

 Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Lake Village Learning Center 639 Lake Village Circle Brandon, MS 39047	Date 3.17.2021
---------	---	-------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>Observed no critical violations</p> <p style="text-align: center; font-size: 2em;">(A)</p>	<p>Olivia Johnson 15</p>
---	--------------------------

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code JPS
Please Remit within 10 days to:	

Certified Manager

Licence Number

Facility Signature

Environmental Signature

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name Lake Village Learning Center Inspection Date 3.17.2021

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Oliver John

Licensing Official

Genevieve Davis