

Child Care Facility Inspection Report

BRUSHY CREEK HEAD START CENTER License #: 2456 Director: ALICE DAVIS Inspection Date: 01/18/2023 Annual/Mid Inspection Inspector: Tiffany Slay

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

No violations cited.

Plan of Correction

POC: License Official observed one of the stove pilot's were not operational. Director stated that she would get someone out to fix the pilot today.
Person Responsible: Director Date for Completion:

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

- 1. Out of Compliance: Playground fence is less than 3 ¹/₂ inches from ground surface, in good repair with no gaps and secure gate latch. (Rule 1.11.9(8) Page 60)
- 2. Out of Compliance: Playground area is clean and free of hazards. (Rule 1.11.11 Page 61)

Plan of Correction

1. **POC:** License official observed on playground 1) untreated ant beds. 2) an area on the fence that is less than 3 1/2 inches 3) also an area where the hvac unit is encased, a gap where the fence pole meets the building. Director stated that she will have the maintenance person to repair all area along the fence were gaps more than 3 1/2 were observed. Follow up will be conducted.

Person Responsible: Director **Date for Completion:**

Preschool Classroom Violations Cited

<u>A-Three - Classroom Number: 1</u> No violations cited.

Preschool Classroom - Classroom Number: 1

<u>C-Four - Classroom Number: 3</u> No violations cited.

Preschool Classroom - Classroom Number: 3

<u>E-Four - Classroom Number: 4</u> No violations cited.

Preschool Classroom - Classroom Number: 4

<u>F Four - Classroom Number: 5</u> No violations cited.

Preschool Classroom - Classroom Number: 5

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

Alie Davão

MSDH Licensure Representative Signature

.

