



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

LITTLE BLESSING DAYCARE

License #: 6769

Director: RHONDA MCELROY

Inspection Date: 06/22/2022

Annual/Mid Inspection

Inspector: LeKeshia Sandifer

Program Administration Violations Cited

1. **COS:** Current menu is posted. (Rule 1.4.6(C) Page 18)
2. **COS:** All required facility records are present and up-to-date: (1) child and employee attendance records, (2) alphabetical roster of children, (3) alphabetical roster of staff and volunteers, (4) current license, (5) records of monthly fire /disaster drills, (6) medication log, (7) volunteer log, (8) notebook of 121 forms for staff members and children w/roster, (9) notebook with Letters of Suitability for all employees w/roster. (Rule 1.6.3 Page 29)

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Infant Classroom Violations Cited

Infant - Classroom Number: 2

1. **Out of Compliance:** Proper staff to child ratio maintained. (Rule 1.8.1 Page 37)
2. **COS:** Doorways and exits are free of debris and equipment to allow unobstructed traffic to and from room. (Rule 1.11.3 Page 55)

Infant Classroom - Classroom Number: 2

1. **POC:** Staff to child Ratio-licensing official observed 1 caregiver providing care to 6 infants. This was corrected when caregiver J. Cloy returned to the facility.

Person Responsible: Owner **Date for Completion:** 6/21/22

Toddler Classroom Violations Cited

1 Year - Classroom Number: 3

1. **COS:** Doorways and exits are free of debris and equipment to allow unobstructed traffic to and from room. (Rule 1.11.3 Page 55)

Toddler Classroom - Classroom Number: 3

Older 1s - Classroom Number: 4

No violations cited.

Toddler Classroom - Classroom Number: 4

Twos Classroom Violations Cited

2 Year - Classroom Number: 5

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Twos Classroom - Classroom Number: 5

Preschool Classroom Violations Cited

3-4 Year - Classroom Number: 1

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 1

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature



MSDH Licensure Representative Signature

DeKestor Scott