

MISSISSIPPI STATE DEPARTMENT OF HEALTH										
Child Care Facility Inspection										
Facility Name Date Date License Number 1774										
Purpose Capacity Capacity										
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	可有的中	Out	cos	N/A					
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	Ø								
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	ANDAY								
Waste water system approved and functioning Food service approved Possible Monetary Penalty	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to	DAMA D								
1	exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices				<u></u>					
4 \$ 5 \$	single action approved and in good working order Exits unobstructed Required smoke detectors, carbon	Ø Ø								
1. Age/Child/Staff Name 2.	monoxide monitors, fire extinguishers and thermometers placed properly and in good working order First aid kits stocked and easily accessit									
3. 4.	Playground area clean, shaded, well drained and equipped and fence in good repair	•								
5.	Playground equipment meets standards	Þ								
6. 7.	Pool area clean, fenced, and adequately maintained				P					
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number)	//Ph	FL.		DATE I					

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health __ Child Care Representative

Page	01	



41	Child Care Encounter	X(/h// n)
District	0.4.60	Date
Name Name	License No.	
Address	Center/Organization/Individual	
Purpose //	PWal (VIYUCH) Director JUSUM Philli	ρς
Mileage Start	Mileage End	
County (Telephone No. WW - 234 - 3	5/7/
Time In	Time Out Total Time	0.00
Findings Comm	nents MINICIPAL INFORMATION TO THE CONTROLL INSPE	CEIDY WAN
the fo	Howho were in complance on for	taus Visizi
Dann	round that list completed	
Turne	H GIRA FIRST	
Tire	Significant de com	
13077	JOHN JOH FENNIN	
4 QUACE	I halis Completed	
	Child Care Representative	White Copy - Facility File ellow Copy - Operator

Center Director/Designee/Individual

Revised 6-24-09

Form No. 287



are Program Review Facility Name No N/A Yes Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} ☐ Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} ☐ Attendance records for children and staff {Rule 1.6.3 (1)} ☐ Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} D Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff (Rule 1.6.3 (8)) 10. Personnel records (attach employee's records form) {Rule 1.6.4} 11. 🗷 Volunteer records {Rule 1.6.5 & Rule 1.6.6} 12. Children records (attach children's records form) {Rule 1.6.7} 13. Reports of serious occurences made as required {Rule 1.7.1} 14. 0 Communicable diseases reported as required {Rule 1.7.3} 15. 🗖 Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} 16. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} 17. Age appropriate program of activities posted in each room {Subchapter 9} 18. 🗷 Required toys present in infant room {Rule 1.10.1 (2)} 19. Required toys present in toddler room {Rule 1.10.1 (3)} 20. Required toys present preschool room {Rule 1.10.1 (4)} 21. Licensed pest control contractor {Rule 1.11.14} 22. 42 Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} 23. Appropriate discipline policy followed {Subchapter 14} 24. Appropriate transportation policy followed {Subchapter 15} 25. Infant feeding schedules posted (Appendix C, VII) 26. Comments/Recommendations _____ License to be issued: Regular Probational Restricted Follow-up within _____ days

Designee

Director

Food Service Facility Inspection Results Date PIMS ID CORRECTION PLAN AND SCHEDULE Licence Number 92010 Permit No Charge Certified Manager ☐ 92020 Scheduled ☐ 92015 Permit 1 \$30.00 ☐ 92030 Followup \$100.00 ☐ 92040 Complaint ☐ 92011 Permit 2 \$150.00 ☐ 92012 Permit 3 ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature ☐ 92090 Restaurant Training Environmentalist Signature Environmentalist Code Permit Date White Copy - Facility Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Cent	er N	ame	Di	Street DU Strangertion Date 08000
YES	NO	N/A □	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
Ø			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
\mathbb{Z}			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
\not			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
	_ `		5.	No standing water present on playground or in/on playground equipment or walkways?
1				(CBSC 2 4 2 2/5) pg 10 & Rule 1 11 11 (4), pg 61)
Ø			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
Ø			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
Z			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5). pg 59)
\mathbf{z}			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
Ø			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14) 2.5.2, pg 1 & 5.3.8.1, pg 37)
Ø			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7 pg 36-37)
P			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate [Rule 1 10.2. pg 46] & CPSC 2.2.6. pg 6]
			_	
			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
P			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Directo	or			Licensing Official