



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County WayneDate 12/01/2021Facility Name Tonya's Learning CenterLicense Number 7012Purpose RenewalCapacity 35

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>1</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Tonya's Learning Center

Child Care Representative

L. Everett

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 8Date 12/1/2021

Name Tonya's Learning Center License No. 7TCCPF-7012
 Address 903 Hudson Lane Waynesboro, Ms
 Center/Organization/Individual
 Purpose Renewal Director Latonya Hill
 Mileage Start _____ Mileage End _____
 County Wayne Telephone No. 601 735 8229
 Time In _____ Time Out _____ Total Time _____

Findings/Comments

The licensing official came to conduct a Renewal Inspection. The licensing official was greeted by Shelia Hill, Director Designee.

During the facility review, Three (3) children were found with no 121 form. Children with no 121 may not return until a valid 121 on file at facility. Please submit documents to licensing official within 14 days.

Please submit Menu's and Fire Form 333.

Latonya Hill
 Center Director/Designee/Individual

L. Everett
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 7012	Facility Name, Address Tonya's Learning Center 903 Hudson Lane, Waynesboro	Date 12/01/2021
-----------------	--	--------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No violations observed during this inspection	
---	--

<input type="checkbox"/> 92020 Scheduled	<input type="checkbox"/> 92010 Permit No Charge
<input type="checkbox"/> 92030 Followup	<input type="checkbox"/> 92015 Permit 1 \$30.00
<input type="checkbox"/> 92040 Complaint	<input type="checkbox"/> 92011 Permit 2 \$100.00
<input type="checkbox"/> 92050 Consultation	<input type="checkbox"/> 92012 Permit 3 \$150.00
<input type="checkbox"/> 92070 Plan Review/Const.	<input type="checkbox"/> 92013 Permit 4 \$200.00
<input type="checkbox"/> 92080 No Inspection	
<input type="checkbox"/> 92090 Restaurant Training	
Permit Date	Environmental Code
Please Remit within 10 days to:	

Latonya Hill Tummy Safe
Certified Manager Licence Number
expires 06/19/2024

Facility Signature <u>Latonya Hill</u>
Environmental Signature <u>L. Everett</u>

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalist

Center Name

Tonya's Learning Center

Inspection Date

12/1/20

YES NO N/A

☒ ☐ ☐

1 Playground fence less than 3 1/2" from surface (Rule 1119 (8) pg 48) in good repair with no gaps? (Rule 1119 (8) pg 48)

☒ ☐ ☐

2 2 entrances/exits, with one being remote from the building? (Rule 1119 (8) pg 48)

☒ ☐ ☒

3 Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 8)

☒ ☐ ☐

4 AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (5) pg 47)

☒ ☐ ☐

5 No standing water present on playground or in/on playground equipment or walkways (CPSC 242 2-5 pg 10)

☒ ☐ ☐

6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102 (2) pg 36)

☒ ☐ ☐

7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 36 pg 15)

☒ ☐ ☐

8 All bolts on equipment & fence < 2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119 (5) pg 47)

☒ ☐ ☐

9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 34, 35, pg 15)

☒ ☐ ☒

10 Are use zones adequate? If not, where are they inadequate? (CPSC 539 pg 40)

☐ ☐ ☒

11 If swings are present, are S-hooks in good repair? If not, state deficiency

☒ ☐ ☒

12 If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 32 pg 1)

☐ ☐ ☒

13 Are spring rockers a minimum of 6 ft. apart? (ASTM 95.12 pg 15)

☒ ☐ ☐

14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate

☒ ☐ ☐

15 Is playground area clean & free of hazards? If not, state deficiency (Rule 1102 pg 36)

☒ ☐ ☐

16 Is adequate shade present on the playground? (CPSC 211 pg 5)

☐ ☐ ☒

17 Are concrete footings located at least 6" beneath the surface? (Rule 1102 (2) pg 36)

☐ ☐ ☒

18 Is wood smooth? Documentation provided that wood has been properly treated (CPSC 255)

Director

Tonya Shell

Licensing Official

L. Everett