

# **Child Care Facility Inspection Report**

FIRST BAPTIST CHURCH PRESCHOOL

License #: 2301

Director: JAN MILES

Inspection Date: 08/02/2022

Annual/Mid Inspection
Inspector: Tamika Pratcher

# **Program Administration Violations Cited**

No violations cited.

### **Kitchen Violations Cited**

No violations cited.

## **Nutritional Guidelines Violations Cited**

No violations cited.

# **Playground Violations Cited**

No violations cited

#### **Twos Classroom Violations Cited**

2 Year Old - Classroom Number: 103

No violations cited.

Twos Classroom - Classroom Number: 103

2 Year Old - Classroom Number: 104

No violations cited.

Twos Classroom - Classroom Number: 104

### **Preschool Classroom Violations Cited**

#### 3-4 Year Old - Classroom Number: 101

No violations cited.

Preschool Classroom - Classroom Number: 101

#### 4 Year Old - Classroom Number: 105

No violations cited.

Preschool Classroom - Classroom Number: 105

#### 3 Year Old - Classroom Number: 106

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 106

### Legend

COS: Corrected on SitePOC: Plan of Correction

# **Child Care Director Signature**

gantia

**MSDH** Licensure Representative Signature

Hallor