



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

HIGHLAND BAPTIST CHILD DEVELOPMENT CENTER

License #: 0932

Director: JESSELYN HARPER

Inspection Date: 04/05/2023

Annual/Mid Inspection

Inspector: Miski Brown

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Infant Classroom Violations Cited

Classroom # 1000 - Classroom Number: 1000

1. **Out of Compliance:** Proper staff to child ratio maintained. (Rule 1.8.1 Page 37)

Infant Classroom - Classroom Number: 1000

1. **POC:** During the facility review, the facility failed to maintain staff to child ratio in classroom # 1000. In Classroom # 1000 there were 11 children present in classroom # 1000 with two staff. The ratio for infants is 1:5 infants. The director will be responsible for keeping a count in all classrooms. This was corrected by

moving an older 1 year old to the two year old hallway.

Person Responsible: Jesselyn Harper **Date for Completion:** 14

classroom # 1002 - Classroom Number: 1002

No violations cited.

Infant Classroom - Classroom Number: 1002

Toddler Classroom Violations Cited

Classroom # 1001 - Classroom Number: 1001

1. **Out of Compliance:** Daily reports are made available for toddlers and include: liquid intake, child's disposition, bowel movements, and eating and sleeping patterns. (Rule 1.7.4 Page 35)

Toddler Classroom - Classroom Number: 1001

1. **POC:** During the facility review classroom # 1001 did have there daily sheets. Technical assistance was provided on the importance of daily sheets.

Person Responsible: Jesselyn Harper **Date for Completion:** 14

Classroom # 1003 - Classroom Number: 1003

No violations cited.

Toddler Classroom - Classroom Number: 1003

Classroom# 1005 - Classroom Number: 1005

1. **Out of Compliance:** Proper room capacity maintained. (Rule 1.11.2)

Toddler Classroom - Classroom Number: 1005

1. **POC:** During the facility review there were 14 children classroom # 1005 The capacity for classroom # 1005 is 13 children. The director will be responsible for ensuring that capacity is maintained at all times. This violation will be corrected by opening a new classroom on the 3 year old hall way up stairs. The director will have fire department inspector to approve the move of the two year old class to upstairs.

Person Responsible: Jesselyn Harper **Date for Completion:** 14

Twos Classroom Violations Cited

Classroom #104 - Classroom Number: 104

No violations cited.

Twos Classroom - Classroom Number: 104

Classroom # 40 - Classroom Number: 40

No violations cited.

Twos Classroom - Classroom Number: 40

Classroom #42 - Classroom Number: 42

No violations cited.

Twos Classroom - Classroom Number: 42

Classroom 44 - Classroom Number: 44

No violations cited.

Twos Classroom - Classroom Number: 44

Preschool Classroom Violations Cited

Classroom # 184 - Classroom Number: 184

No violations cited.

Preschool Classroom - Classroom Number: 184

Classroom # 182 - Classroom Number: 182

No violations cited.

Preschool Classroom - Classroom Number: 182

Classroom # 174 - Classroom Number: 174

No violations cited.

Preschool Classroom - Classroom Number: 174

Classroom # 173 - Classroom Number: 173

No violations cited.

Preschool Classroom - Classroom Number: 173

Classroom# 185 - Classroom Number: 185

No violations cited.

Preschool Classroom - Classroom Number: 185

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

Cynthia P. Harper

MSDH Licensure Representative Signature

Meri Ru