

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Score Date Jan 25, 2021									
Facility Name Chubby Cheok Preschool License Number 73/0									
Purpose Renewal Capacity 46									
All Items In Red Are Critical	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served	In Out	COS	N/A				
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	484444 000000 0000000000000000000000000	Plan of activities Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair							
Sanitation Approved Garbage and garbage bins maintained		Lighting approved Heating/cooling approved Ventilation adequate							
Vector control maintained Water system approved and functioning Waste water system approved		Glass approved and shielded Telephone on premises, available, and functioning							
and functioning Food service approved Possible Monetary Penalty		Electrical outlets protected Large appliances located properly Sinks and toilets working properly							
1	Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet							
3.	\$ \$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good							
4	\$	working order Exits unobstructed							
5Age/Child/Staf		Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	7 -						
1. 2. Que de la constant de la const	11 3.4 yr	in good working order First aid kits stocked and easily accessible							
 4. 	2 infact	Playground area clean, shaded, well drained and equipped and fence in good repair							
5.		Playground equipment meets standards							
6.7.		Pool area clean, fenced, and adequately maintained			6				
Center Director/Individual	(5)/4/	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	D O	\$\frac{1}{2}	200				

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

District	Date Jan. 25.21
Name Chulter Checks Pressive	License No. 73/0
Address 210 Varnado Que Center/Or	
Purpose Renewal	Director Candy Woodward
Mileage Start	
County Stone	Telephone No. 601 - 928 - 7985
Time In 9:45 Time Out	Total Time
Findings/Comments	
Stoff Records - Den comple	ana
Children Records. In co	ripliance
Kitchen "A"	
Buldy - no Violation Obser	mad-
Dulling 110 Vocation Great	
Playgrand Mo Violation	e Obewid
· · · · · · · · · · · · · · · · · · ·	
9	
For Renewal	
1) Rue Rom #333	
9000	
W	
$\mathcal{O}(\mathcal{O})$	/
Center Director/Designee/Individual Child Ca	White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Chubez Cheehr License No Date (fan. 23. 2)
Preschool
Yes No N/A 1.
Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate discipline policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII)
Comments/Recommendations
Pass — Persun Forn #333 License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative

Food Service Facility Inspection Results

PIMS ID		Facility Name, Address				Date	
7	310	Chuloth, Ch.	ehr	Parkerne		1.25.71	
CRITICAL VIOLATIONS			CORRECTION PLAN AND SCHEDULE			-	
CRITICALLYTOLATION			Mo Violation Ofserved				
				¥ş			
92030 : 92040 92050 92070 : 92080 : 92090 : Permit Da		Environmentalist Code	00.00	Certified Manager Facility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	1	Licence Number	24-