

Child Care Facility Inspection

Purpose PR	County Marshall	Date
Purpose PR Capacity 53 Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Memory posted and served Plan of activities Building and Grounds Walfs, ceilings, floors, toys, equipment clean and in good repair Center capacity met License/complainty visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Waler system approved and functioning Water system approved and functioning Water system approved and functioning Pool service approved approved Water system approved Sanitation adequate Center approved Water system approved Sanitation Approved Water system approved Sanitation Approved Water system approved Sanitation Sanita	35	License Number 3455
Other Items - Must be corrected Children's belongings separated/stored Children's belonging separated Children's belonging separated/stored Children's belonging separat		
All Hens in Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met License/complaint visible Center capacity met License/complaint visible Centrified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste vater system approved and functioning Waste vater system approved and functioning Waste vater system approved Monetary Penalty Nonetary Penalty Monetary Penalty S. S. S. S. S. S. S. S. S. S	PurposePR	Service Control of the Control of th
Room and playgeound squarely met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Walts residen approved and functioning Water system approved and functioning Water system approved and functioning Waste mare system approved and functioning Waste mare system approved Approved Possible Monetary Penalty Monetary Penalty S. S. S. S. S. S. S. S. S. S	Qualified director present Proper staff to child ratio present	Children's belongings separated/stored Evacuation plans posted Menus posted and served
Santation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Water water system approved and functioning Food service approved Nonetary Penalty Monetary Penalty Monetary Penalty Monetary Penalty S Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order First aid kits stocked and easily accessible Playground area clean, shaded, well drained and equippent meets standards Playground equipment meets standards Diaper changing stations adequate in number and each fully supplied Diaper changing stations adequate in number and each fully supplied	Center capacity met License/complaint visible	Walls, ceilings, floors, toys, equipment
Waste water system approved and functioning	Garbage and garbage bins maintained Vector control maintained	Heating/cooling approved Ventilation adequate Glass approved and shielded
Possible Monetary Penalty 1.	Waste water system approved	
Monetary Penalty \$	Food service approved Possible Monetary Penalty	Large appliances located properly
Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order First aid kits stocked and easily accessible Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied Diaper changing stations adequate in number and each fully supplied	Monetary Penalty	Hot water at all sinks, not to exceed 120°
1. 22-2 Ceara lester Toma lester 2. 1 Sandra than Eriere Heart 3. 21 Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied Causabler Diaper changing stations adequate in number and each fully supplied	2\$	Vending machine snacks meet
Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order First aid kits stocked and easily accessible Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied (number)		Exits, doors and fastening devices single action approved and in good
nonoxide monitors, fire extinguishers and thermometers placed properly and in good working order 2.	5\$	Exits unobstructed
Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied (number and each fully supplied	1. 22-2 Cenra Lesker Tunga Lesker	monoxide monitors, fire extinguishers and thermometers placed properly and
drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied (sumber of the content of	2. N- infant Sandra Hunt Erlere Hearn	First aid kits stocked and easily accessible
Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied (number (number and each fully supplied)		drained and equipped and fence in good
7. Diaper changing stations adequate in number and each fully supplied		Playground equipment meets standards
number and each fully supplied		
Canton Director/Individual / / // // City	Center Director/Individual (das D)	number and each fully supplied

White Copy - Facility File Yellow Cop Mississippi State Department of Health

Yellow Copy - Facility Operator



Child Care Encounter

Child Care Encounter	Date
31/55	
Name The Nest License No. 3753 Address 238 West College Pue Hollysping ms Center/Organization/Individual	,
Purpose PK Director Ledra Lester	
Mileage Start Mileage End	
County Mashall Telephone No. 662-252-78	360
Time In 11:00 Time Out 12:45 Total Time	
mot a Cedra Lester Director Pesisnee. Application & Gee Mens and fire form du by January 315+2018. Mail h Ashle Parker Drive Bisoneville MS 38829.	All by anion of 201
Contact has checked on all employees.	
12/ 6/05 Restaff and children 1000/2 Plagrand in compliance Witchen received on "A"	16.400
TA was provided on crock pot in nursey they are going to disconti alternative method ar warming bittles.	ine Cruck put and more
Muviolations on today's visit, Sources provided to mrs. (edialesk	
Creation on providing safety to archildren.	
Class land II villations may seath in a moretage penalty, of a moretage penalty, personate	Repeated Villations my
Addange un	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Child Care Representative

Form No. 287

Food Service Facility Inspection Results

		The Nest		Marine 12 marine	(Nath)
PIMS ID	Fac	238 W. College Ave., Holly Sprir 38635	gs, MS		Date
3485		662-252-7860 Lic. No.: 3455			12/19/17
2412		Director: Mary Lester			
CRITICAL V	IOI	LATIONS	C	ORRECTION PLAN ANI	SCHEDULE
No critical U.		ations on today's			
Ui.		1-			
01	51				
'A'	١				
11					
					5.3
			[P	dratester	Tunny Sale
☐ 92020 Scheduled		92010 Permit No Charge			Licence Number
☐ 92030 Followup		92015 Permit 1 \$30.00			
92040 Complaint		☐ 92011 Permit 2 \$100.00			
☐ 92050 Consultation		☐ 92012 Permit 3 \$150.00			
☐ 92070 Plan Review/Const	t.	☐ 92013 Permit 4 \$200.00			A
92080 No Inspection	α.		Facility	Signature	L.T.
☐ 92090 Restaurant Trainin	g	Project of the Code	Enviro	nmentalist Signature	· Colo
Permit Date 2 19 7		Environmentalist Code		allyn	nruel
1 1 1		1 41. 1		opy - Facility	
Please Remit within 10 days	s to:			Copy - PIMS	
			Pink Co	py- Environmentalist	



Child Care Program Review

		u care i rogiam kerisi		12/1
Facility Name	The Nest	License No3455	Date/	0/18/17
1.	□ Proof of Accident/Liability insurance is in effect {Rul □ Approved arrival and depa □ Letter of suitability for sta □ Attendance records for ch □ Current alphabetical roster □ Current staff roster (inclu □ Monthly records of fire/d □ Medication record with □ Immunization Records for □ Personnel records (attack □ Volunteer records (attack □ Children records (attack □ Communicable diseases □ Daily written reports program □ Required toys present in □ Required toys present in □ Required toys present program □ Required toys present program □ Pets present (proof of im. □ Appropriate discipline □ Appropriate transporta	arture procedures {Rule 1.4.1 (2)} taff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} hildren and staff {Rule 1.6.3 (1)} er of children (includes date of birth) {Rule udes date of birth & date of hire) {Rule 1.6.3 disaster drills {Rule 1.6.3 (5)} date, time, signature for 90 days {Rule 1.6.7 or Children and Staff {Rule 1.6.3 (8)} ch employee's records form) {Rule 1.6.4} 1.6.5 & Rule 1.6.6} h children's records form) {Rule 1.6.7} arences made as required {Rule 1.7.1} s reported as required {Rule 1.7.3} ovided to parents for infants and toddlers {Rule 1.6.4} and Gractivities posted in each room {Subchapting the first Aid Certification {Rule 1.10.1 (2)} toddler room {Rule 1.10.1 (2)} toddler room {Rule 1.10.1 (4)} ontractor {Rule 1.11.14} amunization as required, signed by veterinar policy followed {Subchapter 14} ation policy followed {Subchapter 15} s posted (Appendix C, VII)	a.1.6.3 (2)} 3 (3)} a.6.3 (6)} a.ule 1.7.4} a.ule 1.8.1 (4) & (5)} pter 9}	0
☐ Fail	se to be issued: Regular uw-up within days	Probational Restricted Clabbarana Director Designee	Child Care Represe	N MUL mtative

Child Care Licensure Playground Checklist

Cent	er Na	ıme _	1	Le Nest Inspection Date 12/19/189
*****	. NO	DT/A		
YES	NO	N/A	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
K			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
A			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
d			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
	П		6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
Ø			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
Ø			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4.3.5, pg.15)
A			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
		ď	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
П	П	rt	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Dire	ctor	(red	2.5.5) Let Licensing Official Welly Mult