



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County Hinds Date 9/24/19  
 Facility Name The Scholar's Academy (TSA) License Number 25CDPFA-6790  
 Purpose Renewal Inspection/TA Capacity 68

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

	In	Out	COS	N/A
Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
CR#1	1. 1 yr old / 15 / Caregiver #1 & #2
CR#2	2. 1 yr. old / 10 / Caregiver #3 & #4
CR#3	3. infants / 22 / caregiver #5, #6, #7, #8, #9
	4. _____
	5. _____
	6. _____
	7. _____

## Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

	In	Out	COS	N/A
Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>44</u> )	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Child Care Representative

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 5Date 9/24/19

Name The Scholar's Academy (TSA) Bldg. #1 License No. 25CDPFA-6792  
 Address 4660 McWillie Dr. Jackson, MS 39206  
 Center/Organization/Individual  
 Purpose Renewal Inspection/TA Director Lilruia White  
 Mileage Start N/A Mileage End N/A  
 County Hinds Telephone No. 601-487-6838  
 Time In 1:40pm Time Out 5:24pm Total Time N/A

Findings/Comments Upon arrival ~~to~~<sup>by</sup> licensing official Denise Love met with the office manager. ~~At~~ The director Ms. Lilruia White arrived to the facility at 2:05pm. The office manager took the LO around the facility until the director arrived. Ms. Jamie Reese the other director arrived to the facility at 1:50pm.

The facility records for children and staff were in order with no critical violations.

The kitchen which is off site at the facility across the street will receive a letter grade "A" with no critical violations.

Technical assistance was provided for the following: The thermometer ~~thermometer~~ in the 1 year old classroom ~~by the off~~<sup>on</sup> downstairs. The director will be responsible for making sure it's at the level of the child.

T.A. was also provided on sanitizing the diaper changing table between babies and staff washing their hands between the changing of the babies, even if ~~they~~<sup>caregivers</sup> wear gloves. While touring the facility L.O. observed caregiver #4 changing a baby and ~~she~~<sup>caregiver #4</sup> took ~~her~~ gloves off and proceeded to pick up another baby and place ~~them~~<sup>the</sup> child on the table without sanitizing between babies and not washing hands.

Please provide a copy of one child's 121 Form and Staff 121 Form or exemption letter within 14 days.

Lilruia White  
Center Director/Designee/Individual

Denise Love  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter  
(Continuation)

Date 9/24/14

Facility Name The Scholar's Academy (TSA)  
Bldg. # 1 License No. 25CDPFA-6792

Class I and II violations may result in a monetary penalty.  
Repeated violations may result in the doubling of a  
monetary penalty, suspension or revocation of license.

A green survey card was left with the director.

Items received includes: staff / children rosters, copy of  
pest control, Fire/disaster drill, menus (2 wks), and copy  
of vehicle insurance, and updated parent handbook.

IF you have any questions or need to submit items, you  
may reach me at 601-364-2827 or email [denise.love@healthymiss.com](mailto:denise.love@healthymiss.com).

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Program Review

Facility Name The Scholar's Academy (TSA) License No. 6792 Date 9/24/19  
Bldg #1

Yes	No	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Policies and procedures ( <i>Parent's Handbook</i> ) {Rule 1.4.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Approved arrival and departure procedures {Rule 1.4.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Attendance records for children and staff {Rule 1.6.3 (1)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Current alphabetical roster of children ( <i>includes date of birth</i> ) {Rule 1.6.3 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Current staff roster ( <i>includes date of birth &amp; date of hire</i> ) {Rule 1.6.3 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	9. Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Immunization Records for Children and Staff {Rule 1.6.3 (8)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. Personnel records ( <i>attach employee's records form</i> ) {Rule 1.6.4}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. Children records ( <i>attach children's records form</i> ) {Rule 1.6.7}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	14. Reports of serious occurrences made as required {Rule 1.7.1}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15. Communicable diseases reported as required {Rule 1.7.3}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. Staff present who hold valid <u>CPR</u> and <u>First Aid Certification</u> {Rule 1.8.1 (4) & (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Age appropriate program of activities posted in each room {Subchapter 9}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Required toys present in infant room {Rule 1.10.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20. Required toys present in toddler room {Rule 1.10.1 (3)}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	21. Required toys present preschool room {Rule 1.10.1 (4)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Licensed pest control contractor {Rule 1.11.14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	23. Pets present ( <i>proof of immunization as required, signed by veterinarian</i> ) {Rule 1.12.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. Appropriate discipline policy followed {Subchapter 14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	25. Appropriate transportation policy followed {Subchapter 15}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Infant feeding schedules posted ( <i>Appendix C, VII</i> )

Comments/Recommendations Fire inspection report or Form #333,  
updated zoning letter, all staff 15 contact hours,  
First Aid certification.

☒ Pass - Pending  
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted  
☐ Fail  
☐ Follow-up within \_\_\_\_\_ days

Diluviana  
☒ Director ☐ Designee

Denise Bone  
 Child Care Representative

# Food Service Facility Inspection Results

PIMS ID <b>6792</b>	Facility Name, Address <b>The Scholar's Academy (TSA)</b> <b>Bldg #1 4660 McWillie Dr. Jackson, MS 39206</b>	Date <b>9/24/19</b>
------------------------	---	------------------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

No Critical violations  
Were Found.

The Facility will receive a  
letter grade "A".

<input type="checkbox"/> 92020 Scheduled	<input type="checkbox"/> 92010 Permit No Charge
<input type="checkbox"/> 92030 Followup	<input type="checkbox"/> 92015 Permit 1 \$30.00
<input type="checkbox"/> 92040 Complaint	<input type="checkbox"/> 92011 Permit 2 \$100.00
<input type="checkbox"/> 92050 Consultation	<input type="checkbox"/> 92012 Permit 3 \$150.00
<input type="checkbox"/> 92070 Plan Review/Const.	<input type="checkbox"/> 92013 Permit 4 \$200.00
<input type="checkbox"/> 92080 No Inspection	
<input type="checkbox"/> 92090 Restaurant Training	
Permit Date	Environmental Code
Please Remit within 10 days to:	

Jade Reese  
Certified Manager

TummySafe  
Licence Number  
exp: 5/2022

Facility Signature <i>J. Reese</i>
Environmental Signature <i>Denise Bone</i>

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist



# Child Care Licensure Playground Checklist

Center Name The Scholar's Academy (TSA) Bldg #1 Inspection Date 9/24/19

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☐ ☐ ☒ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency \_\_\_\_\_ (CPSC 3.2, pg 2.5.2, pg 1 & 5.3.8.1, pg 3)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency \_\_\_\_\_ (CPSC 5.3.6.4-5 pg 3)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
- ☐ ☒ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate. Equipment is not age-appropriate for infants & 1 yr olds. (Rule 1.10.2, pg 4 & CPSC 2.2.6, pg 1)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. \_\_\_\_\_ (Rule 1.11.11 (1), pg 60 & CPSC 2.1.1, pg 4)
- ☐ ☒ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 4)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. \_\_\_\_\_ (2.5.5, pg 15)

Director

[Signature]

Licensing Official

[Signature]