Mississippi State Dr Child Care Faci	EPARTMENT OF HEALTH	
County MHUIPHE	Date 08-03-20	
Facility Name CRCHIVE LOOMMU CONE	License Number_52	$\left(\right)$
Purpose ///// ((hypectich Red	Padiroll 75	
All Items In Red Are Critical In Out COS N/A Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out COS N/A
Proper staff to child ratio present Image: Comparison of the state of the st	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning	
and functioning Food service approved $ \begin{array}{c} \hline \\ \hline \\ \hline \\ \hline \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \hline \\ \hline \\ \hline \\ \hline \hline \\ \hline \\ \hline \hline \\ \hline \hline \\ \hline \hline \\ $	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order	
$\frac{C_{12}}{C_{22}} \frac{B_{12}}{B_{12}} \frac{B_{12}}{B_{12}} \frac{B_{12}}{B_{12}} \frac{C_{12}}{C_{12}} - \frac{B_{12}}{B_{12}} - \frac{B_{12}}{B_$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	
$\frac{118}{20} \frac{3160}{1000} \frac{1000}{100} = 8 - \frac{1000}{100} \frac{1000}{100} \frac{1000}{100} = 9 - \frac{10000}{1000} \frac{1000}{1000} \frac{1000}{1000} \frac{1000}{1000} \frac{1000}{1000} \frac{1000}{1000} \frac{10000}{1000} \frac{1000}{1000} $	First aid kits stocked and easily accessible Playground area clean, shaded, well drained and equipped and fence in good	
	Playground equipment meets standards	
HART - 4 - Carequer 16, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	Bioper changing stations adequate in Bioper changing stations adequat	
Center Director/Individual	Child Care Representative	mika Pratage
White Copy - Facility FileYellow Copy - Facility OperatorMississippi State Department of Health12-10-0	8	Form No. 281

-

لر

لمر.

کر کر

۶

Z

۶Z

Z

A

К

7

K K K K

Direc

	10	Page of
	MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter	
District.	Child Care Encounter	Date_08-03-20
Name VOLIVE COMMU	License No.	5010
Address 304 CK TOT (XG	Center/Organization/Individual	2
Purpose BChCUXIL	Director	a Warren
Mileage Start	Mileage End	
County AUGULEHC		234-9903
	ime Out_10,25 Total	Time
Findings/Comments	NITHIAL Inspection with	ms. Warren
The following were	in compliance on tudays	Urtual Walk-through
Clument CPR + First Ald		
Ritchen Recicu ph A	("Impletect	
Contact his completed		
Read Duraments VICE	mai	
Fire Form 333		
Staff J Children Rusten		
Center Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator
Center Director/Designee/marviate	Revised 6-24-09	Form No. 287

1 Co

Mississippi State Department of Heal

MISSISSIPPI STATE DEPARTMENT OF HEALTH

P Child Care Program Review Campel (NPA License No. 521) Cative.

_ Date <u>1803-08</u>

-	-							
I		Yes	No	N/A				
I	1.	4			Policies and procedures (Parent's Handbook) {Rule 1.4.1}			
I	2.	ø			Proof of Accident/Liability Insurance or documentation that parent has been notified that no			
L		insurance is in effect {Rule 1.4.1 (i) & (j)}						
L	3.	Z,			Approved arrival and departure procedures {Rule 1.4.1 (2)}			
L	4.				Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}			
L	5.				Attendance records for children and staff {Rule 1.6.3 (1)}			
L	6.	Z			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}			
l	7.				Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}			
l	8.				Monthly records of fire/disaster drills {Rule 1.6.3 (5)}			
L	9.	\square			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}			
	10.	Ø			Immunization Records for Children and Staff {Rule 1.6.3 (8)}			
	11.	Z			Personnel records (attach employee's records form) {Rule 1.6.4}			
	12.			Þ	Volunteer records {Rule 1.6.5 & Rule 1.6.6}			
	13.				Children records (attach children's records form) {Rule 1.6.7}			
	14.				Reports of serious occurences made as required {Rule 1.7.1}			
	15.				Communicable diseases reported as required {Rule 1.7.3}			
	16.	-			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}			
	17.	-			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9}			
	18.				Required toys present in infant room {Rule 1.10.1 (2)}			
	19.				Required toys present in infant form {Rule 1.10.1 (2) }			
	20 21				Required toys present in toddler room {Rule 1.10.1 (3)}			
	21.	-			Required toys present preschool room {Rule 1.10.1 (4)}			
	23.				Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}			
	23. 24	_			Appropriate discipline policy followed {Subchapter 14}			
	25.			ā	Appropriate transportation policy followed {Subchapter 15}			
	26.		ā	 Infant feeding schedules posted (Appendix C, VII) 				
		~	_	_				
(Cor	nme	ents/	Reco	ommendations			
_								
_								
_								
_		1000						
Pass - License to be issued: Regular Probational Restricted								
			w-up	withir	ndays			
			-		Director Designee Child Care Representative			

Facility Name

Form 289

	Mative Lamine	Penter.	08-03-120
CRITICAL VIO	10 00 0	CORRECTION PLA	N AND SCHEDULE
No Critical VI Cited on tod Jacinty Ri A	iolations ays Dizit.		
 92020 Scheduled 92030 Followup 92040 Complaint 92050 Consultation 92070 Plan Review/Const. 92080 No Inspection 92090 Restaurant Training Permit Date 	 92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00 	Certified Manager 07-06-25 eX Facility Signature Environmentalist Signature	Licence Number
Permit Date Please Remit within 10 days to:	TP (White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	tratcher

				Child Care Licensure Playground Checklist
Ce	nter	Name	=_{Y_=	Pative Leanny (Phile Inspection Date
YE.	S NO) N/	A	
			l.	Playground fence less than 3 1/2" from surface. (Rule 1 11 9 (8) pg 60) In good repair, with no gaps? (Rule 1 11 9 (8) pg 60)
Z			2	2 entrances exits, with one being remote from the building? (Rule 1.11 9 (8), pg 60)
Z			3	Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 9-10 & 43)
7			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1 11 9 (5), pg 59)
		, ,	5	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2 4.2.2(5), pg 10 & Rule 1 11.11 (4), pg 61)
7			6	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2). pg 46)
ø			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
, P			8	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1 11 9 (5) pg 59)
Z			9	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3 4. 3.5. pg 16)
A			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9. pg 41)
		Z	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14)
4	_	_		2 5.2, pg 1 & 5.3.8.1. pg 37)
			12	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3 6.4-5 pgs 34-35)
		Ø	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7 pg 36-37)
7			[4]	Is age-appropriate equipment being used? If not, state which pieces are inappropriate [Rule 1 10.2 pg 46]
6			15	& CPSC 2 2.6, pg 6)
/-				Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
Ø			16	Is adequate shade present on the playground? (Rule 1.11 9 (7), pg 60 & CPSC 2 1 1, pg 5)
P			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1. 10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
		Ż	18	Is wood smooth? Documentation provided that wood bas been properly treated. (CPSC 2 5 5. pg 15)
Direct	or			Licensing Official TAMIKE Shuth