

#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Facility Inspection**

County Newton					Date_	11 - 8	20-19				
Facility Name_Union_					Lice	nse Number_	BD	96	)		
Purpose Acrewal				Capacit	y	38					
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out	cos	N/A	Chi Eva Me	ldren's be cuation pl	s - Must be co longings separate lans posted t and served ties			Out	COS	<b>N/A</b>
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	NANN			Wa	lls, ceiling	nd Grounds gs, floors, toys, eq good repair	uipment	Ø			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved				Hea Ver Gla Tel	tilation ac	ing approved lequate ed and shielded premises, availal	ole,	DA STANDS			
and functioning Food service approved  Possible Monetary Penalty				Lar Sin	ge applian ks and toil	lets protected nces located prope lets working prop		NO NO			
1.	Monetar \$	y Pena	lty	exc Chi	eed 120 <sup>0</sup> ldren barr	all sinks, not to red from kitchen hine snacks meet		7			
3	\$\$			nut Exi sin	ritional gu ts, doors a	idelines, if preser and fastening devi approved and in a	ces	Ø			
5	\$ \$			Exi Rec	ts unobstr juired smo			Ø			
Age/Child/Staf	f Name				thermom good work	eters placed propi ing order	erly and	Ø			
2.						stocked and easil		е 🗖			
3. 4.					ined and e	rea clean, shaded equipped and fend		4			
5.				Pla	yground e	quipment meets s	tandards	d			
6. 7.					ol area clea intained	an, fenced, and ac	lequately				4
Center Director/Individual	lrei Stei	Telef.	lle	nui (nu	nber and e	ring stations adequeach fully supplie	d	m	u 1		

White Copy - Facility File Yellow Cop Mississippi State Department of Health

Yellow Copy - Facility Operator



### **Child Care Encounter**

District		Date 11-20-19
Name Union United Met	hodist Church License No.	0996
Address 303 E 5 Cickson	Center/Organization/Individual	
Purpose_ Renewal	Director	
Mileage Start	Mileage End	
County Newton	Telephone No	14-8000
Time In_\\D\Co\\\	Out Total Time_	
Findings/Comments No violation	observed & Great Jobs	
Please submit con	toot hours, fireform and mer	nus.
0		
Sake Stubblefill 11/20/1	Child Care Representative	White Copy - Facility File Yellow Copy - Operator

# **Food Service Facility Inspection Results**

PIMS ID	Facility Name, Address		Date
0496	Union United The	thodist	11-20-19
CRITICAL	VIOLATIONS	CORRECTION PLAN AN	D SCHEDULE
Mo riolation	Observed during		
this inspection	(W)		
1			
7			
i'			
-			
			I way.
		-Alisa Jachroten	Turning sofe
92020 Scheduled	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00	Certified Manager	Licence Number
☐ 92030 Followup ☐ 92040 Complaint	92013 Permit 1 \$30.00		
92050 Consultation	☐ 92012 Permit 3 \$150.00		
☐ 92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00		
☐ 92080 No Inspection		Facility Signature	100110
92090 Restaurant Training		Lake / Ste	elelfuld
Permit Date	Environmentalist Code	Environmentalist Signature  Mic Bran	
Please Remit within 10 days	to:	White Copy - Facility	
		Yellow Copy - PIMS Pink Copy- Environmentalist	
		•	



#### **Child Care Program Review**

Facility Name	union United Methodist. License No. 0996 Date 11-20-19
2.	icies and procedures (Parent's Handbook) (Rule 1.4.1) of of Accident/Liability Insurance or documentation that parent has been notified that no trance is in effect (Rule 1.4.1 (i) & (j)) trooved arrival and departure procedures (Rule 1.4.1 (2)) ter of suitability for staff (Rule 1.5.2 & Rule 1.6.4 (1) (f)) endance records for children and staff (Rule 1.6.3 (1)) trent alphabetical roster of children (includes date of birth) (Rule 1.6.3 (2)) trent staff roster (includes date of birth & date of hire) (Rule 1.6.3 (3)) dication record with date, time, signature for 90 days (Rule 1.6.3 (6)) munization Records for Children and Staff (Rule 1.6.3 (8)) sonnel records (attach employee's records form) (Rule 1.6.4) inter records (Rule 1.6.5 & Rule 1.6.6) Idren records (attach children's records form) (Rule 1.6.7) borts of serious occurences made as required (Rule 1.7.1) mnunicable diseases reported as required (Rule 1.7.1) mnunicable diseases reported as required (Rule 1.7.4) Iff present who hold valid CPR and First Aid Certification (Rule 1.8.1 (4) & (5)) appropriate program of activities posted in each room (Subchapter 9) uired toys present in infant room (Rule 1.10.1 (2)) uired toys present in toddler room (Rule 1.10.1 (3)) uired toys present in toddler room (Rule 1.10.1 (4)) ensed pest control contractor (Rule 1.11.14) is present (proof of immunization as required, signed by veterinarian) (Rule 1.12.6) propriate discipline policy followed (Subchapter 14) propriate discipline policy followed (Subchapter 14) propriate grant procedure (Rule 1.10.1) mendations
□ Pass − License to be issued □ Fail □ Follow-up within	On Stranger Min D.

VES NO N/A  Play ground tence less than 3 ½" from surface (Rule 1 11 9 /8) pg 48) In good represent no gaps? (Rule 1 11 9 /8) pg 48)  Play ground tence less than 3 ½" from surface (Rule 1 11 9 /8) pg 48) In good represent no gaps? (Rule 1 11 9 /8) pg 48)  Play ground tence less than 3 ½" from surface (Rule 1 11 9 /8) pg 48) In good represent no gaps? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface (Rule 1 11 9 /8) pg 48) In good represent no gaps? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface (Rule 1 11 9 /8) pg 48) In good represent no gaps? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play ground tence less than 3 ½" from surface? (Rule 1 11 9 /8) pg 48  Play g
Playground tence less than 3 ½ from surface (Rule 1 11 9 (8) pg 48) In good representation of the gaps? (Rule 1 11 9 (8) pg 48)  2 entrances/exits, with one being remote from the building? (Rule 1 (11 9 (8) pg 48)  3 Is surfacing adequate? If not, where is it inadequate? (CPSC 2 4 2 pg8)  4 AC units, high-voltage cabling/wires inaccessible? (Rule 1 11 9 (5) pg 47)  5 No standing water present on playground or in/on playground equipment or walkwing (CPSC 2 4 2 2-5, pg 10)  6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2) pg 2 1 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
☐ ☐ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 2 4 2 pg8)  ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 1 11 9 (5), pg 47)  ☐ ☐ 5 No standing water present on playground or in/on playground equipment or walkwing (CPSC 2 4 2 2-5, pg 10)  ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2) pg  ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3 6, pg 15)  ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1 11 9 (5) pg 47)  ☐ ☐ 9
AC units, high-voltage cabling/wires inaccessible? (Rule 1 11 9 (5), pg 47)  No standing water present on playground or in/on playground equipment or walkwing (CPSC 2 4 2 2-5, pg 10)  Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2) pg  Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2) pg  All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencin twists/wires facing away from the playground area? (Rule 1 11 9 (5), pg 47)  Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CP 3 4, 3 5, pg 15)
No standing water present on playground or in/on playground equipment or walkway (CPSC 2 4 2 2-5, pg 10)  1
(CPSC 2 4 2 2-5, pg 10)  ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2) pg ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3 6, pg 15) ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencin twists/wires facing away from the playground area? (Rule 1 11 9 (5) pg 47) ☐ ☐ 9    Tree limbs at least 7ft, above play surfaces? Is fence free of brush/overgrowth? (CP 3 4, 3 5, pg 15)
☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3 6, pg 15) ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencin twists/wires facing away from the playground area? (Rule 1 11 9 (5), pg 47) ☐ ☐ ☐ 9 1. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CP 3 4, 3 5, pg 15)
All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencin twists/wires facing away from the playground area? (Rule 1 11 9 (5) pg 47)  Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CP 3 4, 3 5, pg 15)
twists/wires facing away from the playground area? (Rule 1 11 9 (5) pg 47)
☐ ☐ 9 • Tree limbs at least 7ft, above play surfaces? Is fence free of brush/overgrowth? (CP 3.4.35, pg. 15)
a a to the me south and and and the many that a mental and the second and a second a second and
☐ ☐ ☐ ☐ If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3 2)
☐ ☐ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5 3 6 4-5 pgs 3
☐ ☐ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 9 5.1 2 pg 15)
☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate [Rule 1 10 2. ]
☐ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency  [Rule
☐ ☐ 16 Is adequate shade present on the playground? (CPSC 2 ( pg 5)) ☐ ☐ ☐ 17 Are concrete footings located at least 6" beneath the surface? (Rule 1 10 2 (2) pg 36) ☐ ☐ ☐ 18 Is wood smooth? Documentation provided that wood has been properly treated. (CP
☐ ☐ [8] Is wood smooth? Documentation provided that wood has been properly treated. (CP
rivector Salver Stubblefuld Licensing Official Min Buren