



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Alfalfa</u>	Date <u>06-16-21</u>
Facility Name <u>Dee Dee Learning Center</u>	License Number <u>5210</u>
Purpose <u>Renewal</u>	Capacity <u>75</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number _____)	☒	☐	☐	☐

	Age/Child/Staff Name
1.	<u>See Enclosure</u>
2.	
3.	
4.	
5.	
6.	
7.	

Center Director/Individual

Child Care Representative



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IIDate 06-16-21

Name Creative Learning Center License No. 5216
 Address 304 CR 101 Oxford, MS 38655
 Center/Organization/Individual
 Purpose Renewal Director Cynthia Warren
 Mileage Start _____ Mileage End _____
 County Leflore Telephone No. 662-534-9703
 Time In 8:15 Time Out 11:34 Total Time _____

Findings/Comments Here to conduct a renewal inspection
Upon arrival the licensing official met with Ms Warren
Please login to the licensing Portal to submit the following:
Renewal application. Due Date July-16, 2021
Payment
Fire form 333
Direct menus
Contact hours

The following were in compliance on today's visit:
Current CPR + First
Current Records for Staff and Children
Current MSDH 101 forms for Staff & Children
Playground Check List Completed
Kitchen Record All

measured the following classrooms for ~~the~~ After-school
Classroom

Classroom

Cynthia Warren
 Center Director/Designee/Individual

Tamika Bralcher
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 06-16-21

Facility Name

Creative Learning Center

License No.

5210Classroom 109
8mths - 1 year old

4

①

②

Classroom 110
1 year old

17

③

④

Classroom 111
1-2 year old

10

⑤

⑥

Classroom 113
2 year old

10

⑦

⑧

Classroom 115
2-3 year old

17

⑨

⑩

Classroom 117
2-3 year old

6

⑪

Classroom 119
2-3 year old

18

⑫

Classroom 121
3-4 year old

8

⑬

Classroom 210
5-7 year old

11

⑭

Classroom 213
7-10 year old

5

⑮

Classroom 214
3 year old

4

⑯

Center Director/Designee/Individual

Child Care Representative

 White Copy - Facility File
 Yellow Copy - Operator

Classroom




MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 06-16-21

Facility Name	License No.
<u>Creative Learning Center</u>	<u>5211</u>
<u>Classroom 216</u> <u>2 year old</u>	<u>18</u> <u>19</u>
<u>Classroom 217</u> <u>3+4 year old</u>	<u>20</u> <u>21</u>

 Center Director/Designee/Individual	 Child Care Representative	White Copy - Facility File Yellow Copy - Operator
---	---	--



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name

Creative Learning Center

License No.

5210

Date

06-16-21

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|-------------------------------------|--|
| 1. | ☒ | ☐ | ☐ | Policies and procedures (Parent's Handbook) {Rule 1.4.1} |
| 2. | ☒ | ☐ | ☐ | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | ☒ | ☐ | ☐ | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | ☒ | ☐ | ☐ | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | ☒ | ☐ | ☐ | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | ☒ | ☐ | ☐ | Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} |
| 7. | ☒ | ☐ | ☐ | Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} |
| 8. | ☒ | ☐ | ☐ | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | ☐ | ☐ | ☒ | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | ☒ | ☐ | ☐ | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | ☒ | ☐ | ☐ | Personnel records (attach employee's records form) {Rule 1.6.4} |
| 12. | ☐ | ☐ | ☒ | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | ☒ | ☐ | ☐ | Children records (attach children's records form) {Rule 1.6.7} |
| 14. | ☐ | ☐ | ☒ | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | ☐ | ☐ | ☒ | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | ☒ | ☐ | ☐ | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | ☒ | ☐ | ☐ | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | ☒ | ☐ | ☐ | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | ☒ | ☐ | ☐ | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | ☒ | ☐ | ☐ | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | ☒ | ☐ | ☐ | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | ☒ | ☐ | ☐ | Licensed pest control contractor {Rule 1.11.14} |
| 23. | ☐ | ☐ | ☒ | Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} |
| 24. | ☒ | ☐ | ☐ | Appropriate discipline policy followed {Subchapter 14} |
| 25. | ☒ | ☐ | ☐ | Appropriate transportation policy followed {Subchapter 15} |
| 26. | ☒ | ☐ | ☐ | Infant feeding schedules posted (Appendix C, VII) |

Comments/Recommendations

- ☒ Pass –
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

☒ Director ☐ Designee

 Kimika Bratcher
 Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address <i>Greenville Learning Center 501 Chitoy Oxford MS 38655</i>	Date <i>06-16-21</i>
---------	--	-------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<i>NO CRITICAL VIOLATIONS Cited on today's visit. Facility Rec'd an A"</i>	
---	--

- | | |
|---|---|
| ☐ 92020 Scheduled
☐ 92030 Followup
☐ 92040 Complaint
☐ 92050 Consultation
☐ 92070 Plan Review/Const.
☐ 92080 No Inspection
☐ 92090 Restaurant Training | ☒ 92010 Permit No Charge
☐ 92015 Permit 1 \$30.00
☐ 92011 Permit 2 \$100.00
☐ 92012 Permit 3 \$150.00
☐ 92013 Permit 4 \$200.00 |
|---|---|

Permit Date

Environmental Code
FPI

Please Remit within 10 days to:

Cynthia Warren *Timmy Sale*
 Certified Manager Licence Number
Ex 017-06-25

Facility Signature
[Signature]

Environmental Signature
[Signature]

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist

Center Name

Creative Learning Center


Inspection Date

06.16.21

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1119 (8), pg 60) In good repair, with no gaps? (Rule 1119 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1119 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 9-10 & 43)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 242.2(5), pg 10 & Rule 1111 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 110.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg 14
2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7 pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 110.2 pg 46
& CPSC 2.2.6, pg 6)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1119 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director



Licensing Official

