



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility InspectionCounty Pearl RiverPicayune School District EHS
1620 Rosa Street., Picayune, MS 39466e 11.18.20

Facility Name _____

601-799-4702 Lic. No.: 55CDGE-3684

License Number _____

Director: Pamela Thomas

Purpose Renewal90**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

Age/Child/Staff Name

1.	
2.	
3.	<u>See 2nd Encounter</u>
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number _____)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual _____

Child Care Representative _____

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 9Date 11.18.20

Name	Picayune School District EHS	
Address	1620 Rosa Street., Picayune, MS 39466	
	601-799-4702	Lic. No.: 55CDGE-3684
Purpose	Director: Pamela Thomas	
Mileage Start		Mileage End
County	Pearl River	Telephone No.
Time In	9:30	Time Out
		11:00
		Total Time

Findings/Comments Renewal inspection conducted.

All in compliance. No deficiencies observed during inspection.

* Please submit menus and fire form.

Good Job!

"Class I and II violations may result in a monetary penalty. Repeated violation may result in the doubling of a monetary penalty, suspension or revocation of the license."

Pamela Thomas
Center Director/Designee/Individual

Shanetha Benja
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 11.18.20

Picayune School District EHS
1620 Rosa Street., Picayune, MS 39466
601-799-4702 Lic. No.: 55CDGE-3684
Director: Pamela Thomas

Facility Name _____ License No. _____

Room	Age	# Child	Staff
1	infant	7	
2	infant	8	
3	2	8	
4	infant	7	
5	2	7	
6	3	6	
7	infant	7	
8	infant	8	
9	infant	7	
10	2	8	

Pamela Thomas
Center Director/Designee/Individual

Shoretha Benson
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Picayune School District EHS
 1620 Rosa Street., Picayune, MS 39466
 601-799-4702 Lic. No.: 55CDGE-3684
 Director: Pamela Thomas



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name _____ License No. _____ Date 11.18.20

Yes	No	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Policies and procedures (<i>Parent's Handbook</i>) {Rule 1.4.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Approved arrival and departure procedures {Rule 1.4.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Attendance records for children and staff {Rule 1.6.3 (1)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Current alphabetical roster of children (<i>includes date of birth</i>) {Rule 1.6.3 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Current staff roster (<i>includes date of birth & date of hire</i>) {Rule 1.6.3 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9. Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Immunization Records for Children and Staff {Rule 1.6.3 (8)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. Personnel records (<i>attach employee's records form</i>) {Rule 1.6.4}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. Children records (<i>attach children's records form</i>) {Rule 1.6.7}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	14. Reports of serious occurrences made as required {Rule 1.7.1}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15. Communicable diseases reported as required {Rule 1.7.3}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Age appropriate program of activities posted in each room {Subchapter 9}
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Required toys present in infant room {Rule 1.10.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20. Required toys present in toddler room {Rule 1.10.1 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Required toys present preschool room {Rule 1.10.1 (4)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Licensed pest control contractor {Rule 1.11.14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	23. Pets present (<i>proof of immunization as required, signed by veterinarian</i>) {Rule 1.12.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. Appropriate discipline policy followed {Subchapter 14}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. Appropriate transportation policy followed {Subchapter 15}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Infant feeding schedules posted (<i>Appendix C, VII</i>)

Comments/Recommendations _____

☒ Pass - Pending

License to be issued: ☐ Regular ☐ Probational ☐ Restricted

☐ Fail

☐ Follow-up within _____ days

Pamela Thomas Shavetha Benson

☒ Director ☐ Designee *Child Care Representative*

Food Service Facility Inspection Results

PIMS ID	Facility Name: Picayune School District EHS 1620 Rosa Street., Picayune, MS 39466 601-799-4702 Lic. No.: 55CDGE-3684 Director: Pamela Thomas	Date
		11.18.20

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No critical violations

NA
Facility issued an
"A"

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
	368
Please Remit within 10 days to:	

Signature: <u>Jessica Malley</u> Certified Manager	Signature: <u>Seny Gote</u> Licence Number exp. 8.2.24
Facility Signature: <u>Pamela Thomas</u>	
Environmentalist Signature: <u>Donna Bennis</u>	

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Inspection Date 11.18.20

Center Name _____

- | YES | NO | NA | | |
|-------------------------------------|--------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (3), pg 48) In good repair with no gaps? (Rule 1.11.9 (3), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (3), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 38) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkway? (CPSC 2.4.2.2-5, pg 40) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 11) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 3.6.4-5 pgs 3) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 11) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director: _____

Licensing Official: _____

Sharon Bennis