

MISSISSIPPI STATE DEPARTMENT OF HEALTH

### **Child Care Facility Inspection**

County dinds Date 9/16/2020					
Facility Name Learning	License Number <u>35</u> C	DPFA-	-56	99	
Purpose Virtual Renewal Inspection / TA Cap	pacity 40				
All Items In Red Are Critical Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted TA provided Menus posted and served Plan of activities TA provided	in Out	COS	N/A	
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager  Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning				
and functioning Food service approved  Possible Monetary Penalty  Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to exceed 120°				
1\$	Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				
4\$ 5\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and				
1. Infant   5   Caregiver #	in good working order  First aid kits stocked and easily accessibl	e T			
2. I-2 year old 12 caregiver #2 = #3 3. 3 year old 7 caregiver #4 4. 4 year old 6 caregiver #5	Playground area clean, shaded, well drained and equipped and fence in good repair				
5.	Playground equipment meets standards				
6. 7.	Pool area clean, fenced, and adequately maintained				
Center Director/Individual_	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative	Ouisi	24	ם ו מולוים -	
Comer Director/High Hadin	_ Shire Sare Representative				



# MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

District	5		Date 9 19 2020
Name Jac	cob's Ladder Center F	or Learning License No. 25CDP	FA-5699
Address_5	753 Angle St. 3	Tackson, MS 39206 Center/Organization/Individual	
		ion/TA Director Linda Stu	ickey
Mileage Sta	art_NJA	Mileage End N/A	
County	Hinds	Telephone No. 601-316-	0278
Time In	<b>Dam</b> Time	Out Total Time	1/A
Findings/C	comments During the Sing official Den Stackey and sta	Virtual Renewal Inspection ise Love met with the dited the purpose of the	via Zoom meeting, wher director
-No	critical viola	tions were observed on	the Facility playgrou
- No The	critical violation	ns were observed in the foreive a letter grade "A".	icility Kitchen.
- Tec	hnical Assistance rack in the Ceilin ated a work order mage. The facili	g in the 3 year old class will be submitted to fee the has 7 days to have	observed a room. The director lace da repair made,
-T	A: During Virtu missing From Evacuation	n the 3 years old classrood plan not posted in the	a daily schedule m and lan tyear old classroom
-	The director	'stated b'oth will be post	ed by the end of
2	ease see form# a ument copies ne	1 1 1	eview) for all ity license.
Repe Pena	ated violations ma	ations may result in a mon my result in the doubling of a or revocation of the lice	etary penalty. a monetary nse, "
Center Dir	ector/Designee/Individual	Co. in Amo	White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Program Review** 

Facility Name Jacob's Ladder Center for License No. 5699 Date 9/16/203	0
Yes No N/A  1.	
Comments/Recommendations The Following document copies are needed to	0
process license: Virtual Renewal Acknowledgement Form, Zoning letter Fire inspection report, monthly Fire/diaster drills, pest control bill, Staff and Children rosters, 6-8 weeks menus, and staff 15 contact hours. It expired CPR/First Aid certification.	rj
Pass - Pending License to be issued: Probational Restricted Fail Follow-up within days	

☐ Designee

☐ Director

Child Care Representative



Corrective Action Required: Yes No
Corrections required by (Date)

Food	l Establishment Insp	pection Report	
acob's Ladder Cent	er For Learning	Time in 10:44 am	
ress 53 Angle St. nse/Permit#	City/State Jackson, MS	Zip Telephone 39206 601-316-0278	
	5699	Center for Learning Risk Level	

Circle designated compliance status (IN, OUT, N/O, N/A) for each numbered item IN = in compliance OUT = not in compliance N/O = not observed N/A = not applicable

Mark "X" in appropriate box for COS and R
COS = corrected on-site during inspection R = repeat violation

#### FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

**Risk Factors** are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. **Public health interventions** are control measures to prevent foodborne illness or injury.

Compliance	Status	cos	1
	Supervision	A160.99	7
OUT	Person in charge present, demonstrates knowledge, and performs duties		
2 IN OUT N	//A Manager certification	199	Г
	Employee Health	7	
3 INOUT	Management awareness; policy present	19	
4 IN OUT	Proper use of reporting, restriction & exclusion	7	
	Good Hygienic Practices		
5 IN OUT	Proper eating, tasting, drinking, or tobacco use		
6 IN OUT N	No discharge from eyes, nose, and mouth		
	Preventing Contamination by Hands		
NOUT N	/O Hands clean and properly washed		
8 IN OUT N/A	No bare hand contact with ready-to-eat foods		
INDUT	Adequate handwashing facilities supplied & accessible		
	Approved Source	THE T	
TUONI	Food obtained from approved source	1 July 1	
IN OUT N/A	Food received at proper temperature	15 -18	-
2 IN DUT	Food in good condition, safe, and unadulterated		Г
3 IN OUT N/A	N/O Required records available: shellstock tags, parasite destruction		
	Protection from Contamination		-
4 IN OUT N	/A Food separated and protected		
5 OUT N	/A Food - contact surfaces: cleaned & sanitized		Г
	AND THE RESERVE OF THE PERSON		Г
	Asset		Г
OUT	Proper disposition of returned, previously served, reconditioned, and unsafe food		
	Potentially Hazardous Food (TCS food)	1	_
7 IN OUT N/A	Proper cooking time and temperatures		
IN OUT N/A	*		
IN OUT N/A	*		
IN OUT N/A	Proper hot holding temperatures		
OUT N	/A Proper cold holding temperatures		
2 IN OUT N/A	Proper date marking and disposition		
IN OUT N/A			

Compliance Status		COS	R
	Consumer Advisory		
24 IN OUT NA	Consumer advisory provided for raw or undercooked foods		
	Highly Susceptible Populations		
25 IN OUT NA	Pasteurized foods used; prohibited foods not offered		
	Chemical		
26 IN OUT (N/A)	Food additives: approved and properly used		
27 BYOUT	Toxic substances properly identified, stored, used		
	Conformance with Approved Procedures	265	
28 IN OUT	Compliance with variance, specialized process, and HACCP plan		
29 IN OUT WA	Risk control plan as required		
The state of the s	Other Critical Factors		
	chattive measures to control the introduction chogens, chemicals and physical objects cods.	724	
30 <b>(NO</b> UT )	Water and ice from approved source		
OUT OUT	Insects, rodents, and animals not present		
32 NOUT N/A	Hot and cold water available; adequate pressure		
OUT N/A	Plumbing installed; proper backflow devices		
34 OUT N/A	Sewage and waste water properly disposed		
35 NOUT	Toilet facilities: properly constructed, supplied		
36 INOUT N/A	Permit/Last inspection posted		

Date 9	16/2020	
Person in C	Charge (Signature)	
Inspector (S	Signature) Quisa Hore	

### **Food Service Facility Inspection Results**

	Facility Name, Address Jacs	b's Ladder Center for Date
5699	Learning 5753 Angli	e St. Jackson, MS 39206 9/16/2020
CRITICAL VI	0	CORRECTION PLAN AND SCHEDULE
No critical	Violations Observed.	The Facility will receive letter grade "A"
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00  Environmentalist Code	Linda D. Stuckey TummySafe Certified Manager Licence Number  Expires: September 9, 2024  Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS
		Pink Copy- Environmentalist

## Child Care Licensure Playground Checklist

Center Name Jacob's Ladder Center For Learning Inspection Date 9/14/2020

YES	₩O	N/A □	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
	П		2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)  No Composite equipment
/		П	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways?
1			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 50)
1			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
	0		8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
			10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)  Composite Equipment
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
	П		13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
V			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 36)
			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 49)
1			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
<u>**</u>		102	17	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Dire	ector	4	10.	2.5.5)  Licensing Official Luise Long