TLC Daycare & Learning CenterName

221 Rushingtown Road Tylertown, MS 39667

601-222-2319 License#6717



Child Care Facility Inspection

| County Walthall | Date 3 . 5 . 20 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Facility Name | License Number |
| Purpose Renewal | Capacity |
| All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met | Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities |
| Center capacity met License/complaint visible Certified food manager | Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair |
| Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning | Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning |
| Possible Monetary Penalty Monetary Penalty | Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to |
| 1 | exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good |
| 5\$ | working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers |
| 1. 43-548/6 Caregiver 2. 2-348/6/11 11 2 3. 40-600+/3/11 11 3 | nd thermometers placed properly and good working order |
| 4. | 'layground area clean, shaded, well rained and equipped and fence in good epair |
| 6. | 'layground equipment meets standards |
| 7. | Pool area clean, fenced, and adequately maintained |
| Center Director/Individual Mudley Smi | Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative |

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



Child Care Encounter

| District | TLC Daycare & Learning CenterName | e care Lincounter | Date 3.5.20. |
|-------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| | 221 Rushingtown Road Tylertown, MS 39667 | Liamas No. | |
| Name | 601-222-2319 License#6717 | License No | |
| Address | | ganization/individual | |
| Purpose C | newal | Director_A. Smith | |
| Mileage Start | | Mileage End | |
| County Wal | thall | Telephone No | |
| Time In 10.4 | Time Out | Total Time | |
| Findings/Comme | nts Arrived at H | ne facility and | met with |
| direct | or lowner A. | . Smith. Stated | 1 purpose |
| tor Vi | 5it. II Renewal | Inspection". | <u> </u> |
| NO CE | itical violation | ons at the tir | neof |
| Visit. | | | |
| | - | | |
| LO Opt | erved 2nd pl | layaround heino | installed. |
| Directo | or had emaile | d informing L | Oof |
| playgr | and once a | mplete LOWI | 11 Come |
| inspe | CF NEW EQUIP | mentito ensur | e compiance. |
| 10 CO | lected #333 | and 2 monus | · · |
| | | irector submit | 2 |
| more 1 | menus loctore | 5.31.2020. | |
| , <u>1</u> | | | |
| "Th | ianks for a | 11 you do!" (| |
| A ave | en Simpli (| ard was given t | o director. |
| r gic | i alivoy co | and was give in | o analor. |
| | | "Class I and II violations may penalty. Repeated violations doubling of a monetary penarevocation of the license." | may result in the |
| | , n | | |
| Center Director/D | esignee/Individual Child Ca | are Representative | White Copy - Facility File Yellow Copy - Operator |

TLC Daycare & Learning CenterName

221 Rushingtown Road Tylertown, MS 39667 601-222-2319 License#6717



Child Care Program Review

| E W. M. | 3.5.20 |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Facility Name | License No Date |
| 2. | Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in infant room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate discipline policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII) |
| | |
| i ki | |
| · | |
| is | |
| | |
| | |
| □ Pass − License to □ Fail □ Follow-up v | Mud S in Luchadand |

Food Service Facility Inspection Results

| PIMS ID | Facility Name, Ad | 221 Rushingto | k Learning CenterName wn Road 5 39667 License#6717 | Date 3.5.20 |
|---------|-------------------|---------------|-------------------------------------------------------------|----------------------|
| CRIT | TICAL VIOLATIONS | | LUKKELI | ON PLAN AND SCHEDULE |
| No Cri | ticalviolo | itions | | |
| @the- | time of | | | |

☐ 92020 Scheduled ☐ 92010 Permit No Charge Certified Manager Licence Number ☐ 92030 Followup ☐ 92015 Permit 1 \$30.00 5.8.2024 ☐ 92040 Complaint 92011 Permit 2 \$100.00 ☐ 92050 Consultation \$150.00 ☐ 92012 Permit 3 ☐ 92070 Plan Review/Const. 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature 92090 Restaurant Training Environmentalist Signature Permit Date Environmentalist Code White Copy - Facility Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

Unua Care Licensure Playground Checklist

| Center Name | Inspection Date 3.5.20. |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| YES NO N/A | |
| | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| □ □ 2. | 2 entrances/exits, with one being remote from the building? (Rule I.11.9 (8), pg 60) |
| □ □ 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) |
| 0 0 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) |
| <u> </u> | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| <u> </u> | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| 0 0 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| 0 0 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| <u> </u> | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| <u> </u> | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| 0 0 2 11. | If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) |
| ☐ ☐ 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35) |
| □ □ □ 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) |
| ☐ ☐ 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 |
| | & CPSC 2.2.6, pg 6) |
| <u> </u> | Is playground area clean & free of hazards? If not, state deficiency. (Rade 1.11.11 (1), pg 51) |
| □ □ □ 16. | |
| <u> </u> | Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| 7 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) Licensing Official Subsuppose Sandylar |
| Director Muche | Licensing Official Outhor Sandyla |
| | \cup |