



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Facility Inspection

County Harrison

Date 02-22-2021

Facility Name Wee Ones

License Number 3376

Purpose mid-year

Capacity 99

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	
5. _____	

	Age/Child
1.	<u>Three-four   18  </u>
2.	
3.	<u>Two   10  </u>
4.	
5.	<u>One   8  </u>
6.	
7.	<u>Infants   5  </u>

## Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number _____)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Aimee Triplett

Child Care Representative Amanda



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter

District IXDate 02-22-2021

Name \_\_\_\_\_

Wee Ones Child Care  
11376 Three Rivers Road, Gulfport, MS 39503

Address \_\_\_\_\_

228-832-7272 Lic. No.: 3376

Director: Katie Aschenbach

Purpose mid year

Mileage Start \_\_\_\_\_

Mileage End \_\_\_\_\_

County Harrison

Telephone No. \_\_\_\_\_

Time In \_\_\_\_\_

Time Out \_\_\_\_\_

Total Time \_\_\_\_\_

## Findings/Comments

All in Compliance for Mid-Year Inspection;  
no deficiencies observed.

TA provided on unitary Surfacing

Mike T. Platt  
Center Director/Designee/Individual

Amber K. S. S.  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

# Food Service Facility Inspection Results

Wee Ones Child Care

11376 Three Rivers Road, Gulfport, MS 39503

228-832-7272 Lic. No.: 3376

Director: Katie Aschenbach

PIMS ID

Facility

Date

02-22-2002

CRITICAL VIOLATIONS

PLAN AND SCHEDULE

None

A

☐ 92020 Scheduled

☐ 92030 Followup

☐ 92040 Complaint

☐ 92050 Consultation

☐ 92070 Plan Review/Const.

☐ 92080 No Inspection

☐ 92090 Restaurant Training

☐ 92010 Permit No Charge

☐ 92015 Permit 1 \$30.00

☐ 92011 Permit 2 \$100.00

☐ 92012 Permit 3 \$150.00

☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

J. Marsland  
Certified Manager

Tummy safe  
Licence Number

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy - Environmental



## Child Care License Playground Checklist

Center Name Wee Ones

Inspection Date 02-22-2021

YES NO N/A

- |                                     |                          |                                     |     |  |
|-------------------------------------|--------------------------|-------------------------------------|-----|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 1.  | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)                                  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 2.  | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 3.  | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 8)<br><u>TA provided; Add mulch</u>  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 4.  | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 5.  | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 6.  | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 7.  | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 8.  | All bolts on equipment & fence < 2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 9.  | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)   |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency<br><u>(CPSC 3.2, pg 13)</u>  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency<br><u>(CPSC 5.3.6.4-5 pgs 34-35)</u>  |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate<br><u>(Rule 1.10.2, pg 36)</u>   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 15. | Is playground area clean & free of hazards? If not, state deficiency.<br><u>(Rule 1.11.11 (1), pg 49)</u>  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)   |

Director Kim Triplett

Licensing Official Amanda H. [Signature]