

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County_UNION		Date_ 9-17-20			
Facility Name Union C	outy HS	License Number_ 3 5	574		
Purpose_PR	Ca	pacity			
All Items In Red Are Critical	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Ou	t COS	N/A
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded			
Vector control maintained Water system approved and functioning		Telephone on premises, available, and functioning			
Waste water system approved and functioning Food service approved	200	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to			
Possible Monetary Penalty	Monetary Penalty	exceed 120° Children barred from kitchen	# 1		
2	\$\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
3	\$	working order			
5	\$\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	a 0		
Age/Child/Sta	ff Name	in good working order	10		
1.		First aid kits stocked and easily accessib	led 0		
2.	dren	Playground area clean, shaded, well drained and equipped and fence in good repair			
4.		Playground equipment meets standards	0		
5.		Pool area clean, fenced, and adequately maintained			1
7.		Diaper changing stations adequate in number and each fully supplied (number)			
Center Director/Individual		_ Child Care Representative _	jar		nat
White Copy - Facility File Yellow Co Mississippi State Department of Healt	ppy - Facility Operator h 12-10	0-08	()	form No	. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

T Child Care Encounter
District Date 7-17-20
Name Mion Courty Head Start License No. 3574
Address 501 Oak Street New Albert MS 38652
Purpose PR Virtual Director Deloise Nesbit
Mileage Start Mileage End
County Union Telephone No. 42-534-2481
Time In 10.00 Time Out 11.15 Total Time
Findings/Comments Here to Conduct a virtual program renewal inspection. Application and fee must be paid online out www. healthyms. com. Fire form and menus can be sat to Shenika. Pratt a most menus con be sat to the director polly peterson and Deloise Nesbit.
All Contact hours are due by November 30, 2020 at noon. Please Submit a copy of Staff roster along with a Copy of each earned Certificate to the email address listed above.
there were no Children present on foday's visit due to virtual Learning taking place online. (Col
Kitchen rec'd an Aj ND Critical violations on teday's visit Playmond in Complians Facility will pass to a regular license.
Lo recid all required does for Virtual inspection. Lo Currally Still writing on fire form #333, menus, and Conta
"Class I and II violations may result— in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license"
Center Director/Designee/Individual White Copy - Facility File Yellow Copy - Operator White Copy - Facility File Yellow Copy - Operator
Mississippi State Department of Health Revised 6-24-09 Form No. 287



Facility Name Wion Couly HS License No. 3574

Facility Name Min Couly HS License No. 3574 Date 9-17-20
Yes No N/A 1.
Pass – License to be issued: Regular Probational Restricted Fail Pollow-up within days Policetor Designee Policetor Poli
Mississippi State Department of Health Revised 12-19-13 Form 28

White Copy - Facility File Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address I In	County Head Start Date		
	Willon	County Head Start Date 9-17-20		
CRITICAL VIOLATIONS		CORRECTION PLAN AND SCHEDULE		
-ND Critical Violations				
-ND Critical violations on today's visit.				
"A	11			
Pass				
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager Licence Number Facility Signature Environmentalist Signature		
Please Remit within 10 days to	502	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist		

Child Care Licensure Playground Checklist

Center Name Uh	ion Country Head Stent Inspection Date 9-17-20				
YES NO N/A					
	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)				
□ □ 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)				
□ □ Ø 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)				
0 0 2 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)				
□ □ □ 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)				
□ □ Æ 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)				
0 0 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)				
☑ □ □ 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)				
<u></u> 夕 口 口 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)				
·	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pgl3)				
o o 6 12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)				
□ □ □ 13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)				
O O Z 14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)				
Z 0 0 15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)				
Z 0 0 16.	Is adequate shade present on the playground? (CPSC 2.1.1. pg 5)				
2 0 0 17.	Are concrete footings located at least 6" beneath the surface? (Rule 1 10 2 (2), pg 36)				
□ □ □ 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)				
Director	Licensing Official Gara Aut				