



# Facility Inspection

County Copiah Date 2.5.21  
Facility Name \_\_\_\_\_ License Number \_\_\_\_\_  
Purpose MYI Capacity \_\_\_\_\_

## All Items In Red Are Critical

|                                     | In                                  | Out                      | COS                      | N/A                      |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|
| Qualified director present          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Proper staff to child ratio present | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Room and playground capacity met    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Center capacity met                 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| License/complaint visible           | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Certified food manager              | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

## Sanitation Approved

|   |                                     |                          |                          |                          |
|---|-------------------------------------|--------------------------|--------------------------|--------------------------|
| Garbage and garbage bins maintained         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Vector control maintained                   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Water system approved and functioning       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Waste water system approved and functioning | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Food service approved                       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

## Possible Monetary Penalty

|          | Monetary Penalty |
|----------|------------------|
| 1. _____ | \$ _____         |
| 2. _____ | \$ _____         |
| 3. _____ | \$ _____         |
| 4. _____ | \$ _____         |
| 5. _____ | \$ _____         |

|    | Age/Child/Staff Name |
|----|----------------------|
| 1. | Infant (4)           |
| 2. |                      |
| 3. | 1yrs old (4)         |
| 4. |                      |
| 5. | 2yrs old (6)         |
| 6. |                      |
| 7. | 4/5yrs old (8)       |

Center Director/Individual Melissa Kipin

## Other Items - Must be corrected

|  | In                                  | Out                      | COS                      | N/A                      |
|--|-------------------------------------|--------------------------|--------------------------|--------------------------|
| Children's belongings separated/stored | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Evacuation plans posted                | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Menus posted and served                | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Plan of activities                     | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

## Building and Grounds

|   |                                     |                          |                          |                                     |
|---|-------------------------------------|--------------------------|--------------------------|-------------------------------------|
| Walls, ceilings, floors, toys, equipment clean and in good repair   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Lighting approved   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Heating/cooling approved  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Ventilation adequate  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Glass approved and shielded   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Telephone on premises, available, and functioning   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Electrical outlets protected  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Large appliances located properly   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Sinks and toilets working properly  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Hot water at all sinks, not to exceed 120°  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Children barred from kitchen  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Vending machine snacks meet nutritional guidelines, if present  | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Exits, doors and fastening devices single action approved and in good working order   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Exits unobstructed  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| First aid kits stocked and easily accessible  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Playground area clean, shaded, well drained and equipped and fence in good repair   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Playground equipment meets standards  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| Pool area clean, fenced, and adequately maintained  | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Diaper changing stations adequate in number and each fully supplied (number <u>1</u> )  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |

Child Care Representative [Signature]



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

District 5

Colin Lincoln Community College Child Care Center

1004 Oak St

Wesson MS

39191

(601) 643-8393 Lic #6897

Capacity: 60

Inspector

Date 2.5.21

Name \_\_\_\_\_

License No. \_\_\_\_\_

Address \_\_\_\_\_

Center/Organization/Individual

Purpose

MYT

Director

Melissa Kyzar

Mileage Start \_\_\_\_\_

Mileage End \_\_\_\_\_

County

Copiah

Telephone No. \_\_\_\_\_

Time In 11:00

Time Out \_\_\_\_\_

Total Time \_\_\_\_\_

Findings/Comments

Arrived at the facility, met with director  
Mrs. Kyzar, acknowledge reason for today's visit was  
to conduct a mid year inspection.

After a tour of the facility, no critical violations  
were observed during this inspection.

"Class I and II violations may  
 result in a monetary penalty.  
 Repeated violations may result in  
 the doubling of a monetary penalty,  
 suspension, or revocation of the license."

Melissa Kyzar  
 Center Director/Designee/Individual

[Signature]  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator

Colin Lincoln Community College Child Care Center  
1004 Oak St  
Wesson MS  
39191  
(601) 643-8393 Lic #6897  
Capacity: 60

# ility Inspection Results

Date

8.5.21

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

No critical violations  
during my inspection

Assured

☒ 92020 Scheduled

☐ 92030 Followup

☐ 92040 Complaint

☐ 92050 Consultation

☐ 92070 Plan Review/Const.

☐ 92080 No Inspection

☐ 92090 Restaurant Training

☐ 92010 Permit No Charge

☐ 92015 Permit 1 \$30.00

☐ 92011 Permit 2 \$100.00

☐ 92012 Permit 3 \$150.00

☐ 92013 Permit 4 \$200.00

Permit Date

Environmentalism Code

Please Remit within 10 days to:

Melissa Kyzar  
Certified Manager

TS exp 10/25  
Licence Number

Facility Signature

Environmentalism Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy - Environmentalism

# Food Service Facility Inspection Results

|         |                        |                |
|---------|------------------------|----------------|
| PIMS ID | Facility Name, Address | Date<br>8.5.21 |
|---------|------------------------|----------------|

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

|   |  |
|---|--|
| <p>No critical violations during my inspection</p> <p style="text-align: center; border: 1px solid black; border-radius: 50%; padding: 20px; display: inline-block;">A-issued</p> |  |
|---|--|

|  |  |
|--|--|
| <input checked="" type="checkbox"/> 92020 Scheduled<br><input type="checkbox"/> 92030 Followup<br><input type="checkbox"/> 92040 Complaint<br><input type="checkbox"/> 92050 Consultation<br><input type="checkbox"/> 92070 Plan Review/Const.<br><input type="checkbox"/> 92080 No Inspection<br><input type="checkbox"/> 92090 Restaurant Training | <input type="checkbox"/> 92010 Permit No Charge<br><input type="checkbox"/> 92015 Permit 1 \$30.00<br><input type="checkbox"/> 92011 Permit 2 \$100.00<br><input type="checkbox"/> 92012 Permit 3 \$150.00<br><input type="checkbox"/> 92013 Permit 4 \$200.00 |
| Permit Date  | Environmentalism Code  |
| Please Remit within 10 days to:  |  |

Melissa K. 1212  
Certified Manager

TS exp 10/25  
Licence Number

|  |
|--|
| Facility Signature<br><i>Melissa K</i>           |
| Environmentalism Signature<br><i>[Signature]</i> |

White Copy - Facility  
 Yellow Copy - PIMS  
 Pink Copy - Environmentalism



## re Playground Checklist

Inspection Date 2.5.21

YES NO N/A

- |                                     |                          |                                     |     |   |
|-------------------------------------|--------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 1.  | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 2.  | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 3.  | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 4.  | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 5.  | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 6.  | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 7.  | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 8.  | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 9.  | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)  |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)   |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 15. | Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)  |

Director

Melissa Kpr

Licensing Official

[Signature]