Kimery Martial Arts License No.: 61CEPSA-3983 Director: Kevin Kimery 306 Babin-Wells Road

Pearl, MS 39208

Phone No.: 601-832-0341

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

Center capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved				Date 20 202			17-YE-WALLE	
All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved Waste water system approved				License Number				
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved			Ca _l	pacity 97	Owen a			
Room and playground capacity met Center capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	7 0			Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	加色白白色		cos	N/A
Ganitation Approved Garbage and garbage bins maintained Vector control maintained Vater system approved and functioning Vaste water system approved				Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair				
Water system approved and functioning Waste water system approved				Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded				
, and of our of the same of th				Telephone on premises, available, and functioning				
Food service approved				Electrical outlets protected Large appliances located properly Sinks and toilets working properly				
	Monetary \$			Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet				
	\$			nutritional guidelines, if present Exits, doors and fastening devices				
3	\$			single action approved and in good working order				
5.	\$		20 20 20 20 20 20 20 20 20 20 20 20 20 2	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	8			
Age/Child/Staff Na	lame			and thermometers placed properly and in good working order				
2. 210 AS Ca.3, 4				First aid kits stocked and easily accessible	e 💟	"□		
3. 4.		32		Playground area clean, shaded, well drained and equipped and fence in good repair				
5.				Playground equipment meets standards				
5.				Pool area clean, fenced, and adequately maintained				
7	1			Diaper changing stations adequate in number and each fully supplied (number)	, 🗆	7) 7.	75
Center Director/Individual White Copy - Facility File Yellow Copy Mississippi State Department of Health		Opera		_ Child Care Representative 0-08	1 gr	y	orm No	1000



District 5	Child Care Encounter	121
NameAddress	Kimery Martial Arts License No.: 61CEPSA-3983 Director: Kevin Kimery 306 Babin-Wells Road	
Purpose Renewal	Pearl, MS 39208 Phone No.: 601-832-0341	
Mileage Start	Mileage End	
County Rankin	Telephone No	
Time In 2:09pm	Time Out 3:25pm Total Time	•
Findings/Comments Upon Kimeny alrector a henewal inspec		conduc
No violations	uted on today's visit.	
Phase perivery Information to	complete renewal.	eq vestac
licensing office	as received a copy of CPR-First Ald C	ands
go only to	my license fee and complete applica	4102
Licensma official	reen survey card.	
acility has 2 If and waiting Explain to alth	new hires. Finant prints have been 8 for clarence lefter. Licensing official did stor that staff may never be left a	ant d lone.
Yass and 11 violati	ions may result in a monetary perouty. Remark	d USha
Tay Mesuty in the a	oubling of a monetary penalty, SUSPENSION of very White Copy - Facility Yellow Copy - Opera	a Milder De la Contraction De

Child Care Representative

100/2021

License No.: 61CEPSA-3983 Director: Kevin Kimery 306 Babin-Wells Road Pearl, MS 39208

Phone No.: 601-832-0341



Child Care Program Review

acility Name_	License No Date 1 20 20
Yes No 1.	N/A Policies and procedures (Parent's Handbook) {Rule 1.4.1} Qed
☐ Fail	to be issued: Regular Probational Restricted up within days

Food Service Facility Inspection Results

PIMS I Director: Kevin Kimery 306 Babin-Wells Road Pearl, MS 39208 Phone No.: 601-832-0		Date 20/202
CRITICAL VIO		CORRECTION PLAN AND SCHEDULE
No violations e in th	ited e then!	Maria Maran a Statismi to Ohoo
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager Licence Number Facility Signature
Permit Date Environmentalist Code W5 Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Kimery Martial Arts License No.: 61CEPSA-3983 Director: Kevin Kimery 306 Babin-Wells Road

Pearl, MS 39208 Phone No.: 601-832-0341

Chi Care Licensure Playground Checklist

	Inspection Date 12020
Center Name	
YES NO N/A □ □ □ 1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
№ □ □ 2.	2 with one being remote from the building! (Kate 1.11) (9,78
	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 7.3)
	No lqupment (Rule 1.11.9 (5), pg 59) AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
	AC units, high-voltage caping/when had a control of the control of
□ □ □ 5.	No standing water present on playground of the pay general pay (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
И п 🗆 6.	Toys & equipment in good repair? (none bloken detailed
	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing
	twists/wires facing away from the playground areas (CPSC Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
□ □ □ 9. □ □ □ 10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
р п р / 11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
	That state deficiency
□ □ □ 12.	If slide is present, is exit height/exit zone adequate? If not, state domestry (CPSC5.3.6.4-5 pgs 34-35)
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
	Are spring rockers a minimum of one aparts (normal state which pieces are inappropriate Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	Are concrete footings located at least 6" beneath the surface: (Account the String CPSC 3.6, pg 16-17)
	2.5.5, pg 15)
Director	Licensing Official Opposition