







MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District VIII

Date 11/8/17

Name	Tunjia's Little Ones CDC	License No.	
Address	104 N. 39th Ave., Hattiesburg, MS 39401 601-336-8435; Lic. #6576	n/Individual	
Purpose	Midyear	Director	
Mileage Start		Mileage End	
County	Forrest	Telephone No.	
Time In	2:20	Time Out	4:50
		Total Time	

## Findings/Comments

Upon arrival, I met w/ director Shanee Gray. She is recent to the director position. Tunjia Felts, owner, arrived on site after walk through was conducted. TA was given on unapproved foods, i.e. sausage, pop tarts, hotdogs, etc. as well as labeling only foods that are no longer in their original packaging.

TA was also given on 1 yr. old room being too dark during nap. Additionally, daily reports are to be completed as they occur throughout the day.

TA was given on center capacity and room capacity, too.

A survey card was given to the owner, Tunjia Felts.

"Class I & II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."

Linsey Toussaint - 601-736-2676 (closed M/Th.)

fax: 601-731-2417

email: linsey.toussaint@msdh.ms.gov

Linsey Toussaint

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



# Food Service Facility Inspection Results

"A" given

Tunjia's Little Ones CDC  
104 N. 39th Ave., Hattiesburg, MS  
39401 601-336-8435; Lic. #6576  
Director: Eddenna Lockhart

PIMS ID

Date

11/8/17

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

all in compliance;  
~~no~~ deficiencies  
no  
observed.

none required.

A

- ☒ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Ella Winford  
Certified Manager

Tummy Safe  
Licence Number

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist

# Child Care Licensure Playground Checklist

Center Name

Tanjia's little Ones CDC

Inspection Date

11/8/17

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 1)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-3)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg .)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg .)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☐ ☐ ☒ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director

Licensing Official

Rmsey Jonsen