

MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Facility Inspection** 

County Washington			Date 9/19/2018			
Facility Name Happy Smiles Baymmer Camp License Number 3864						
Purpose Renewal Ins		,				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out CC	OS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	<b>N/A</b>
Room and playground capacity met Center capacity met License/complaint visible Certified food manager			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved and functioning Food service approved			and functioning  Electrical outlets protected  Large appliances located properly			
Possible Monetary Penalty  1	Monetary P	enalty	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen			
2.     3.	\$\$ \$		Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4.     5.	\$\$ \$	-	working order  Exits unobstructed Required smoke detectors, carbon			
1. Schoolage 6/2.	off Name	y#1	monoxide monitors, fire extinguishers and thermometers placed properly and in good working order  First aid kits stocked and easily accessib			
3. 4.			Playground area clean, shaded, well drained and equipped and fence in good repair			
5.			Playground equipment meets standards			
6. 7.		5	Pool area clean, fenced, and adequately maintained			
Center Director/Individual	Gul	Old	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative	Jere,	D a L	i gern

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



## MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

District		Date 9/19/2018
Name Happy Smiles Summer Ca	mp License No. 76CBPF	A-3864
Address 1141 South Delesseps Street		) ]
Purpose Renewal Inspection/TA	Director Irene Cole	
Mileage Start	Mileage End	
County Washington	Telephone No	5994
Time In 3:36 pim. Time Out 4:	10 p.m. Total Time	
Findings/Comments The licensing of	Picial met with directo	v, Irene Cole
The purpose for this Visit wa		And the second s
The purpose for their visit was	)	2001-111 (2000)
There were no defining note	I on todayer visit.	
	0	
a green child care survey car	d was left with, In	ere Cole,
Class I and II Violations m		
Repeated Violations) may res	It in the doubling of	) a monetary
	evocation of the like	ye d
		And the state of t
Atoms received a copy of cu	wrest Children's Rotter	
Items left: a fire Inspert	ion From # 333	<u></u>
a Zwk cycle,		
a complaint	Card	
TA: And A day to	will be provided it	H D. net ha
any Luture guestion or ci	ncery contact:	he facility is
The frame greaters of a	Hera's	Piggin, Child care
	offic	\$ 662-332-817-
and the second s	VIFa	X# 662-378-2620
	V	.g
	Control of the Contro	La contrata de la contrata del contrata del contrata de la contrata del contrata del contrata de la contrata del contrata del contrata de la contrata de la contrata del contrata del contrata de la contrata del contrata de la contrata del contrata del contrata d
the 10000 1	treso Lini	White Copy - Facility File ellow Copy - Operator
Center Director/Designee/Individual Child	Care Representative	mon copy operator



**Child Care Program Review** 

Facility Name Happy Smiles Summer Camplicense No. 3864 Date 9/19/2018
Yes   No   N/A   Policies and procedures (Parent's Handbook) (Rule 1.4.1)   Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect (Rule 1.4.1 (i) & (i))   Approved arrival and departure procedures (Rule 1.4.1 (2))   Approved arrival and departure procedures (Rule 1.6.3 (1))   Approved arrival and departure procedures (Rule 1.6.3 (1))   Attendance records for children and staff (Rule 1.6.3 (1))   Current alphabetical roster of children (includes date of birth) (Rule 1.6.3 (2))   Current staff roster (includes date of birth) (Rule 1.6.3 (3))   Monthly records of fire/disaster drills (Rule 1.6.3 (5))   Medication record with date, time, signature for 90 days (Rule 1.6.3 (6))   Immunization Records for Children and Staff (Rule 1.6.3 (8))   Personnel records (Rule 1.6.5 & Rule 1.6.6)   Personnel records (Rule 1.6.5 & Rule 1.6.6)   Personnel records (Rule 1.6.5 & Rule 1.6.6)   Children records (attach children's records form) (Rule 1.6.7)   Reports of serious occurences made as required (Rule 1.7.1)   Communicable diseases reported as required (Rule 1.7.3)   Children records (attach children's records form) (Rule 1.1.7.3)   Age appropriate program of activities posted in each room (Subchapter 9)   Required toys present in infant room (Rule 1.10.1 (3))   Required toys present in toddler room (Rule 1.10.1 (3))   Required toys present in toddler room (Rule 1.10.1 (3))   Required toys present in toddler room (Rule 1.10.1 (4))   Children (provide discipline policy followed (Subchapter 15)   Appropriate discipline policy followed (Subchapter 15)   Infant feeding schedules posted (Appendix C, VII)   Sechology and sech
Pass – License to be issued: Probational Restricted  Fail Follow-up within days  Probational Restricted  Child Care Representative

## Food Service Facility Inspection Results

PIMS ID Fac	ility Name, Address Happy S	miles Summer Camp	Date
3864 114	H South Delessen	s.St. Greenville, MS	9/19/2018
CRITICAL VIO	1	CORRECTION PLAN AND	SCHEDULE
- observed no			
□ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00  Environmentalist Code	Ceruirea I.a	Serv Safe Licence Number Exp. 11/15/2022

## Child Care Licensure Playground Checklist

Cen	ter N	ame _	Hap	py Smiles Summer Camp Inspection Date 9/19/18
YES	NO	N/A		
0			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
D			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
		D/	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)  No equipment present
Ø			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
Ø			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
			5,045	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC)
			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
$\Box$ .		P	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14;
				2.5.2, pg 1 & 5.3.8.1, pg 37)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  No equipment present (Rule 1.10.2, pg 46)
			15.	& CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
		,		(Rule 1.11.11 (1), pg 61)
			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Direct	or C	1	Ale	Licensing Official Area figgin