As. Naomi's Stay & Play Learning Center 3407 Old Brandon Road Pearl, MS 39208

h.: 601-939-5380 ic.: 61CCPFA-3433

Director: Naomi Cumberland



**Child Care Facility Inspection** 

County Rankin			Date 7.09.208	3		
Facility Name			License Number			
Purpose MIA - Year	TA	_ Cap	acity_34			
All Items In Red Are Critical Qualified director present	In Out COS N/	'A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Certified food manager  Sanitation Approved Garbage and garbage bins maintained			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded	0000		
Vector control maintained Water system approved and functioning Waste water system approved			Telephone on premises, available, and functioning			
and functioning Food service approved		]	Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
Possible Monetary Penalty  1	Monetary Penalty	N	Hot water at all sinks, not to exceed 120° Children barred from kitchen			
2	\$		Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices			
3	\$		single action approved and in good working order			
5	\$		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers			
Age/Child/Staf	f Name CPOINTY		and thermometers placed properly and in good working order			
	wegiver	2	First aid kits stocked and easily accessib Playground area clean, shaded, well	le 🔲 🗌		
3. 4 year. 10. C	aregiver.	3	drained and equipped and fence in good repair			
5.			Playground equipment meets standards			
6,			Pool area clean, fenced, and adequately maintained			
7.	R and San A		Diaper changing stations adequate in number and each fully supplied (number)	W K	) PAN	ie
Center Director/Individual \(\frac{1}{\lambda}\)		lane	Child Care Representative	7. 00	WV	S
White Copy - Facility File Yellow Co Mississippi State Department of Health	ppy - Facility Operator h	12-10	J-08	F	orm No	. 281

Mississippi State Department of Health

Pearl, MS 39208 Ph.: 601-939-5380 Lic.: 61CCPFA-3433

Director: Naomi Cumberland



Form No. 287

**Child Care Encounter** 

District Child	Care Encounter	Date 07.09.2018
Name	License No	
Address	Organization/Individual	
Purpose MO TA	Director	
Mileage Start	Mileage End	
County MIN II	Telephone No	
Time In 10:15 a.m Time Out	15 9.M Total Time	t mot tother
Findings/Comments (1/0) UTTVAL. TO MINER AND COMMENTAL MADERIAL OF MYS. NAOMI	cumberiand	H MICH VOLIVO
the bur pose of this visit	tis to conduct a	Mo-year
Inspection and provide tec	HILLAL ASSISTATION	*
		r : 1
No violations were observ	rea on today's 1	lisit.
		# # # # # # # # # # # # # # # # # # #
		8
	Maria Rano	
Center Director/Designee/Individual	Care Representative	White Copy - Facility File Yellow Copy - Operator

Revised 6-24-09

Ms. Naomi's Stay & Play Learning Center

3407 Old Brandon Road Pearl, MS 39208 Ph.: 601-939-5380

Lic.: 61CCPFA-3433

Director: Naomi Cumberland



Page 2 of 2

## Child Care Encounter (Continuation)

Facility Name		License No	
<del>y</del>			
Green Survey o	and provided -	to, Mrs. naor	ni Cumberland.
	"Class I and II violations may resumentary penalty. Repeated violemay result in the doubling of a menalty, suspension, or revocation license"	lations nonetary	
Carni Cumbelland	Child Care Representative	Pavis	White Copy - Facility File Yellow Copy - Operator

## **Food Service Facility Inspection Results**

	Ms. Naomi's Stay & Play Le lity Na 3407 Old Brandon Road Pearl, MS 39208 Ph.: 601-939-5380 Lic.: 61CCPFA-3433 ATION Director: Naomi Cumberla	67.09.2018
Observed no attical Violations		
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	□ 92010 Permit No Charge □ 92015 Permit 1 \$30.00 □ 92011 Permit 2 \$100.00 □ 92012 Permit 3 \$150.00 □ 92013 Permit 4 \$200.00  Environmentalist Code	Certified Manager  Licence Number  Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

## Child Care Licensure Dlayground Checklist Ms. Naomi's Stay & Play Learning Center 3407 Old Brandon Road Inspection Date Pearl, MS 39208 Center Name Ph.: 601-939-5380 Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, NO N/A 1. with no gaps? (Rule 1.11.9 (8), pg 48) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) 3. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) No standing water present on playground or in/on playground equipment or walkways? 4. 5. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) 6. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing 7. twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) 8. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 9. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) 10. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13, 11. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35 12. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) Is age-appropriate equipment being used? If not, state which pieces are inappropriate 13. anulla equipment (Rule 1.10.2, pg 3 14. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 4 15. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) 16. Is wood smooth? Documentation provided that wood has been properly beated. (CPSC 17. 18.

Licensing Official

2.5.5)