



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County <u>Chickasaw</u>	Date <u>5-6-19</u>
Facility Name <u>Kids First Preschool</u>	License Number <u>6817</u>
Purpose <u>6 mo.</u>	Capacity <u>90</u>

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present <u>Rubric Jenkins</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>3, 10, Caregiver 1</u>
2.	<u>Infants, 6, Caregiver 2, Caregiver 3</u>
3.	<u>4, 10, Caregiver 4</u>
4.	<u>2, 7, Caregiver 5</u>
5.	
6.	
7.	

## Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>2</u> )	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Rubric Jenkins

Child Care Representative

Janay Pratt

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District IVDate 5-6-19

Name	<u>Kids First Preschool</u>	License No.	<u>6817</u>
Address	<u>110 Mabry Dr. Okolona, MS</u>		
	Center/Organization/Individual		
Purpose	<u>Lemo.</u>	Director	<u>Rubbie Jenkins</u>
Mileage Start		Mileage End	
County	<u>Chickasaw</u>	Telephone No.	<u>662-447-3600</u>
Time In	<u>9:00</u>	Time Out	<u>11:00</u>
		Total Time	

**Findings/Comments** Here to conduct a six month inspection. Upon arrival LO met with the director, Rubbie Jenkins.

- Staff-to-child ratio in Compliance
- Staff 121's and LOS's in Compliance
- Kitchen rec'd an A, No critical violations on today's visit
- Children 121's in Compliance.

T.A. provided on Rule 1.11.9 Outdoor Playground Area. States in part, "All licensed child care facilities are required to have and adequate outdoor playground area. All playgrounds and playground equipment intended for use by children 2-12 yrs of age shall meet the standards set forth in the Handbook for Public Playground Safety.

Findings. Based on observations made while touring the facility, the licensing observed some surfacing, but inadequate amount required for compliance. Facility will need to spread surfacing and add more if needed to ensure adequate amount.

POC:

The director, Rubbie Jenkins will be responsible for ensuring adequate amount of surfacing. She will have it complete by May 30, 2019. To prevent future recurrence, LO recommends a daily/weekly checklist be established and this will help to get all repairs corrected in a timely manner.

Rubbie Jenkins  
Center Director/Designee/Individual

Jan Pratt  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date 5-6-19

Facility Name Kids First Preschool License No. 6917  
 Upon Completion the Facility will send pictures or  
 a follow up will be scheduled to ensure compliance  
 X df

T.A. was provided on Appendix C pg 8 "Breast  
 Milk or formula shall be brought to the facility daily,  
 ready to be warmed and fed. Each bottle shall be  
 labeled with the infants name and the date.

POC

The director understands that all formula must  
 be brought to the facility daily, ready to be warmed and fed.  
 She also understands the importance of following the  
 MSDH Regulations and guide lines. To correct the  
 deficiency the director will submit parents and  
 licensing a letter that states the preparation of  
 bottle already prepared and brought to the facility in  
 Appendix C terms. The letter will be very  
 informative to parents and the awareness of Appendix C.  
 To prevent from future recurrence the director states  
 that NO child will be accepted or allowed to stay  
 if bottles are not properly prepared and ready to be served.  
 X df

T.A. provided on Appendix G Procedure for  
 diapering a child (2) Diapering Surfaces should be  
 smooth, non absorbent, and easy to clean. LO observed  
 changing pad that needs replacing without covering, to  
 ensure that it's properly cleaned and sanitized.

POC 1

The director, Rubbie did replace the changing pad  
Rubie  
 Center Director/Designee/Individual  
Gary Pruitt  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date 5-6-19

Facility Name

Kids First Preschool

License No.

6817

and will review Appendix G with Staff to ensure compliance. To prevent future recurrence the facility director will have meetings to ensure ~~the~~ compliance. Facility director corrected this violation on site. SPD X ht

Questionnaire provided to the director, Rubbie Jenkins.

Facility Staff records and children records look G-r-e-at! 😊

"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary, suspension, or revocation of the license."

Rubie Jenkins  
Center Director/Designee/Individual

Sam Pratt  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

# Food Service Facility Inspection Results

PIMS ID 6817	Facility Name, Address KRS First Preschool Childcare 110 Mabry Dr. Okolona, MS	Date 5-6-19
-----------------	--	----------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p>No Critical Violations on today's visit.</p> <p>"A"</p> <p>Pass</p>	
--	--

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmentalism Code SP2
Please Remit within 10 days to:	

Rubbie Jenkins 6817  
 Certified Manager Licence Number

\* Tummy Safe

Facility Signature <i>[Signature]</i>
Environmentalism Signature <i>[Signature]</i>

White Copy - Facility  
 Yellow Copy - PIMS  
 Pink Copy - Environmentalism



# Child Care Licensure Playground Checklist

Center Name

Kids First Preschool

Inspection Date

5-6-19

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☐ ☒ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)  
*Spread Surfacing to ensure adequate amount*
- ☐ ☐ ☒ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)  
*in depth left all the way around.*
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency  
\_\_\_\_\_  
(CPSC 3.2, pg 13)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency  
\_\_\_\_\_  
(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate  
\_\_\_\_\_  
(Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.  
\_\_\_\_\_  
(Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.2)

Director

*Public In*

Licensing Official

*Gary Pratt*