



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County LeeDate 1-6-2020Facility Name Giggles-n-GunsLicense Number 66616Purpose mid yearCapacity 125

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present <u>director</u>	☒	☐	☐	☐
Proper staff to child ratio present	☐	☐	☒	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. <u>Rule 1.8.1(C)</u>	\$
2. _____	\$
3. _____	\$
4. _____	\$
5. _____	\$

Age/Child/Staff Name

1.	<u>See child care encountered</u>
2.	<u>dated 1-6-2020</u>
3.	<u>page 5 of 5</u>
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☐	☒	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☐	☒	☐	☐
Hot water at all sinks, not to exceed 120°	☐	☒	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number <u>3</u>)	☒	☐	☐	☐

Center Director/Individual

[Signature]

Child Care Representative

[Signature]White Copy - Facility File Yellow Copy - Facility Operator
Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IIDate 1-6-2020

Name Giggles-n-Guns License No. 6610
 Address 2651 Traceland Dr. Tupelo 38801
 Center/Organization/Individual
 Purpose Mid-year Director James Floyd
 Mileage Start _____ Mileage End _____
 County Lee Telephone No. 662-842-7100
 Time In 9:52 Time Out 12:10 Total Time _____

Findings/Comments Here for a mid-year inspection.
The licensing official met with the director upon
arrival. Questionnaire provided to the director.

Kitchen received an "A"-no critical violations in
the kitchen.

Playground in compliance.

Children's MSDH Form #121 in compliance.

Subchapter II: Buildings and Grounds

Deficiency: Rule 1.11.1(8) states in part, "Floor, and/or
Floor covering shall be ... kept clean."

Deficiency: Rule 1.11.1(12) states in part, "Walls shall
be kept clean."

Findings: Based on observation while touring the
facility, all the cubbies in room #1 (infant room)
need to be wiped down and cleaned.

Plan of Correction

The cubbies in room #1 will be wiped down and
cleaned by Wednesday, January 8, 2020 and weekly
after that to ensure cubbies are always clean. JS

James Floyd
 Center Director/Designee/Individual

Kimberly Clark
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 1-6-2020Facility Name Giggles-n-GrinsLicense No. 6610

Subchapter 11: Buildings and Grounds

Deficiency: Rule 1.11.5(4) states in part, "Both hot and cold water."

Deficiency: Rule 1.11.5(5) states in part, "Sinks shall be operational."

Findings: Based on observation while touring the facility, the sink in room #4 does not have hot running water and is not operational for proper hand washing.

Plan of Correction

The sink in room #4 will be repaired and operational with hot running water by Friday, January 17, 2020. A weekly inspection will be conducted by staff weekly to ensure all sinks are operational with hot running water.

Subchapter 11: Buildings and Grounds

Deficiency: Rule 1.11.1(8) states in part, "Floor and/or floor covering shall be... good condition and maintained."

Finding: Based on observation while touring the facility, the floor covering is torn in room #4.

Plan of Correction

The floor covering will be repaired by Friday, January 31, 2020. A weekly inspection will be conducted weekly to ensure all floors and/or floor coverings are maintained in good condition.

Subchapter 6: Records

Deficiency: Rule 1.6.3(2) states in part, "MSDH Form #121 for both staff and children at the facility."

Findings: Based on observation while reviewing records, one employee needs an updated MSDH Form #121 and

Center Director/Designee/Individual

Child Care Representative

 White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 1-6-2026

Facility Name Giggles-n-Grins

License No. 66616

one employee doesn't have a MSDH Form #121 on file at the facility.

Plan of Correction

One employee has a scheduled doctor's appointment for 1-7-2026 and will get an updated MSDH Form #121 at the appointment. Please submit to the licensing official within 14 days.

The other employee cannot return to work without a valid letter of state MSDH Form #121. Please submit to the licensing official within 14 days. *[Signature]*

Subchapter 8: Staffing

Deficiency: Rule 1.8.1(1) states, "The staff-to-child ratio shall be maintained at all times, to include when children are arriving and departing the facility."

Findings: Based on observation while touring the facility, the facility failed to maintain the minimum staff-to-child ratio on playground space 2. There was one staff with twenty-five children on playground space 2. Per regulations the minimum staff-to-child ratio for a 5 year old child is one caregiver to twenty children. This resulted in 5 children over ratio.

Plan of Correction

Per director two people called in sick due to illness. Around 10:30 am, a new employee arrived at the facility. At 10:50 am, the new employee joined the children and caregiver #7 on playground space 2. Corrected on site. *[Signature]*

[Signature]
Center Director/Designee/Individual

Kimberly Clark
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 1-6-2020

Facility Name Giggles-n-Grins

License No. 16610

Technical Assistance

- One employee's documentation has not been submitted to the Fingerprint unit at this time. Caregiver #8 hire date is 1-6-2020. Please submit within 10 days to the Fingerprint unit!

Fingerprint Card

Fees

Child Abuse Registry

Rule 1.5.2 (1,a) and 1.5.2 (1, b)

- Facility has 3 playgrounds.

Playground Space 1 Capacity is 30 children.

Playground Space 2 Capacity is 78 children.

Playground Space 3 Capacity is 14 children.

Ratio child capacity must be maintained on each playground at all times just like the classroom.

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of license.

[Signature]
Center Director/Designee/Individual

[Signature]
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Encounter
(Continuation)**Date 1-6-2020Facility Name Giggles-n-GinisLicense No. 66169:52
Rm #1 Infant-10-Caregiver #1
Caregiver #2

Rm #6 3-12-Caregiver #3

Rm #5 2-11-Caregiver #4

Rm #4 1-9-Caregiver #5

Rm #3 4-13-Caregiver #6

Playground 5-25-Caregiver #7

10:50
Playground 5-25-Caregiver #7
Caregiver #8
Center Director/Designee/Individual
Child Care RepresentativeWhite Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 66610	Facility Name, Address Biggles - n Grins 2651 Traxland Dr. Tupelo	Date 1-6-2020
------------------	---	------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

Kitchen received an "A" - no critical violations in the kitchen	
---	--

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☒ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code KP2
Please Remit within 10 days to:	

<u>J. Floyd</u> Certified Manager	<u>66610</u> Licence Number
Facility Signature <u>[Signature]</u>	
Environmentalist Signature <u>[Signature]</u>	
White Copy - Facility Yellow Copy - PIMS Pink Copy - Environmentalist	

Child Care Licensure Playground Checklist

Center Name Giggles-n-Grins

Inspection Date 1-6-2020

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director [Signature]

Licensing Official Kimberly Clark