



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County LeakeDate 1-15-20Facility Name Red WaterLicense Number 3702Purpose midyearCapacity 92

All Items In Red Are Critical

Qualified director present
 Proper staff to child ratio present
 Room and playground capacity met
 Center capacity met
 License/complaint visible
 Certified food manager

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained
 Vector control maintained
 Water system approved and functioning
 Waste water system approved and functioning
 Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

Children's belongings separated/stored
 Evacuation plans posted
 Menus posted and served
 Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment
 clean and in good repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Lighting approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Heating/cooling approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Ventilation adequate

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Glass approved and shielded

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Telephone on premises, available,
 and functioning

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Large appliances located properly

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sinks and toilets working properly

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Hot water at all sinks, not to
 exceed 120°

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Children barred from kitchen

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Vending machine snacks meet

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

nutritional guidelines, if present

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits, doors and fastening devices
 single action approved and in good

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Required smoke detectors, carbon
 monoxide monitors, fire extinguishers
 and thermometers placed properly and
 in good working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground area clean, shaded, well
 drained and equipped and fence in good
 repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground equipment meets standards

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Pool area clean, fenced, and adequately
 maintained

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Diaper changing stations adequate in
 number and each fully supplied
 (number 3)

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Ayesha GiffChild Care Representative Mia Brien



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 60Date 1-15-20

Name <u>Red Water</u>	License No. <u>3702</u>
Address <u>1931 North Pearl Corthage 39051</u>	
Center/Organization/Individual	
Purpose <u>mid year</u>	Director <u>Ayesha Griffin</u>
Mileage Start _____	Mileage End _____
County <u>Lake</u>	Telephone No. <u>601-298-9282</u>
Time In _____	Time Out _____
Total Time _____	

Findings/Comments No violations observed during this inspection. Great job!

Ayesha Griffin
Center Director/Designee/Individual

M. M. Burman
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 3702	Facility Name, Address Red Water	Date 1-15-20
-----------------	-------------------------------------	-----------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>No violations observed during this inspection</p>	
--	--

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

Virginia York
 Certified Manager

13969186
 Licence Number

Facility Signature <i>Cynthia Smith</i>
Environmental Signature <i>Mike Brown</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name 1-15-20 Red Water Inspection Date 1-15-20

YES NO N/A

- ☒ ☐ ☐ 1 Playground fence less than 3 1/2" from surface (Rule 1119(8) pg 48) In good repair, with no gaps? (Rule 1119(8) pg 48)
- ☒ ☐ ☐ 2 2 entrances/exits, with one being remote from the building? (Rule 1119(8) pg 48)
- ☒ ☐ ☐ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg8)
- ☒ ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 1119(5) pg 47)
- ☒ ☐ ☐ 5 No standing water present on playground or in/on playground equipment or walkways? (CPSC 242 2-5, pg 10)
- ☒ ☐ ☐ 6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102(2) pg 36)
- ☒ ☐ ☐ 7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 36, pg 15)
- ☒ ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119(5) pg 47)
- ☒ ☐ ☐ 9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 34, 35, pg 15)
- ☒ ☐ ☐ 10 Are use zones adequate? If not, where are they inadequate? (CPSC 539 pg 40)
- ☐ ☐ ☒ 11 If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 32 pg13)
- ☒ ☐ ☐ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 536 4-5 pgs 34-35)
- ☒ ☐ ☐ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 95.12 pg 15)
- ☒ ☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1102, pg 36)
- ☒ ☐ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency _____ (Rule 1111(1) pg 49)
- ☒ ☐ ☐ 16 Is adequate shade present on the playground? (CPSC 211 pg 5)
- ☒ ☐ ☐ 17 Are concrete footings located at least 6" beneath the surface? (Rule 1102(2) pg 36)
- ☒ ☐ ☐ 18 Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 255)

Director Ayesha Giff Licensing Official Mimi Burch