

# MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Washington		Date 09/04/2020	
County V voorities	C	, ,	
Facility Name Junshine D	ay Care; Lear	License Number 3 100	
Facility Name Sunshine D Purpose Virtual Renewa	l Inspection		
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS N/A	Evacuation plans posted	J/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	
Sanitation Approved Garbage and garbage bins maintained Vector control maintained		Lighting approved  Heating/cooling approved  Ventilation adequate  Glass approved and shielded	
Water system approved and functioning Waste water system approved		Telephone on premises, available, and functioning	
and functioning Food service approved		Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly	
Possible Monetary Penalty  1	Monetary Penalty\$	Hot water at all sinks, not to exceed 120°	
2	\$ \$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good	
4	\$	working order	
5	\$	Exits unobstructed  Required smoke detectors, carbon monoxide monitors, fire extinguishers	
Age/Child/Sta		and thermometers placed properly and in good working order	
0010010	egiver #1	First aid kits stocked and easily accessible	
3. infants /8/ caregi	giver #2 ver #3, #4, #5 ver #6	Playground area clean, shaded, well drained and equipped and fence in good repair	
5. 2yr. olds /8/ care	1 ver #7	Playground equipment meets standards	
6.		Pool area clean, fenced, and adequately maintained	
1 /	4 14 47	Diaper changing stations adequate in number and each fully supplied (number)	
Center Director/Individual V/	Much Renewal +	Spoke Child Care Representative The Argan	

12-10-08

Form No. 281

Yellow Copy - Facility Operator

White Copy - Facility File

Mississippi State Department of Health



#### **Child Care Encounter**

		Child C	are Enco	unter	- 1	1.1
District	$\square$				Date_ 9/4	1/2020
Name Sun S	hine Day Car	e	Li	cense No. <u>76 CD f</u>	PFA-6433	
	+ East Gloster		en ville, M.	5 38701		
	ial Kenewal Ir			399 8	ith	
Mileage Start		*	Mileage End		•	out the superior to
County Was	shington		Telephone No	. 662-335	-3877	
Time In 11:52	2 gren.	Time Out 12:13	2 pin	Total Time_		
Findings/Com	ments The licen	sing official,	mat with	, Samantha	Winston.	
The purpo	ments The liver	sit was for a	a Virtual	renowaling	spection and	, to previde
(17) Techn	icole assistance no deficience	<i>V</i> ,			(4.4.50	4
	$\nu$	V				
Class I a	and II Violate of may result	in the doubt	elt in a	monetary y	penalty. Rep	sension, or
revocation	of the lie	ense o				
For Latur	e questions or	concerns), pla		662-378-0	8177 offer	
				- 3 - 0 - 1		
						R
	- To To the start of	V			10000	
		April 1 March				
					The second secon	
(Marie Control of the				30.4.77		
Virtual	Reneval Irspect	Jon Jon	sa Liqui	ivo	White Copy - Yellow Copy -	Facility File Operator



#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Program Review** 

Facility Name Sunshine Day Care & Learning License No. 6433 Date 09/04/2020
Yes No N/A
Pass - License to be issued: Regular Probational Restricted  Fail Follow-up within days  Follow-up within Deputy Reputy Reputy Regular Probational Restricted

## Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Sunshin	Date	
6433		Greenville, MS 38701	09/04/2000
CRITICAL V	TOLATIONS	CORRECTION PLAN AN	D SCHEDULE
_observed no with			
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const ☐ 92080 No Inspection ☐ 92090 Restaurant Training		E	Tummy Safe Licence Number (p. 07/21/2021 enewal Inspection
Permit Date	Environmentalist Code	Environmentalist Signature	,
Please Remit within 10 days		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

### Child Care Licensure Playground Checklist

Cent	er Na	ume (	Suns	Thine Day Care & Larring Inspection Date 09/04/2020
YES	NO	N/A		
			1.	Playground fence less than $3\frac{1}{2}$ " from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
M			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
四			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
	_ 🗆		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
Ø			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
		П	8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
0			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
П		Œ/	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
4			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46
				& CPSC 2.2.6, pg 6)
D			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)
			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
W			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
		<i>A</i>		Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)  Renewal Inspection Licensing Official Lugar Leggini