



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Washington Date 07/18/2017

Facility Name Education Station License Number 76C4PFA-0208

Purpose 6 months inspection/T.A. Capacity 90

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	3yr-5yr / 12 / Mrs. Phillips, Jaleah Williams
2.	7yr-8yr / 14 / Angela Williams
3.	2yr. olds / 9 / Charlotte Davis
4.	11 months - 1yr. / 13 / Helen Jones
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☒	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☐	☐	☐	☒
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number <u>02</u>)	☒	☐	☐	☐

Center Director/Individual

Child Care Representative

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IIIDate 07/18/2017

Name <u>Education Station</u>	License No. <u>TK4PFA-0208</u>
Address <u>1544 Old Leland Road, Greenville, MS 38701</u>	
Center/Organization/Individual	
Purpose <u>6 months inspection/T.A.</u>	Director <u>Angela Williams</u>
Mileage Start <u>—</u>	Mileage End <u>—</u>
County <u>Washington</u>	Telephone No. <u>662-378-5860</u>
Time In <u>1:25 p.m.</u>	Time Out <u>2:08 p.m.</u>
Total Time <u> </u>	

Findings/Comments The licensing official met with Angela Williams
The purpose for this visit was for a six months inspection
and technical assistance visit.

There were no deficiencies observed on today's visit.

A green child care survey card was left with director Angela Williams.

Jessie Higgins, Child Care Liaison
office # 662-332-8177
fax # 662-378-2620

Angela Williams
 Center Director/Designee/Individual

Jessie Higgins
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 76C4PFA-0208	Facility Name, Address Education Station 1544 Old Leland Rd., Greenville, MS	Date 07/18/2017
--------------------------------	---	---------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<i>— observed no violations</i>	<i>Facility received a grade of "A"</i>
--	--

☐ 92020 Scheduled	☒ 92010 Permit No Charge
☐ 92030 Followup	☐ 92015 Permit 1 \$30.00
☐ 92040 Complaint	☐ 92011 Permit 2 \$100.00
☐ 92050 Consultation	☐ 92012 Permit 3 \$150.00
☐ 92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00
☐ 92080 No Inspection	
☐ 92090 Restaurant Training	

Permit Date	Environmental Code TL3
-------------	----------------------------------

Please Remit within 10 days to:

Angela R. Williams *Tummy Safe*
 Certified Manager Licence Number **M137520006**
13
 Exp. **07/18/2019**

Facility Signature <i>Angela R. Williams</i>
Environmental Signature <i>Teresa Higgins</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name Education Station

Inspection Date 07/18/2017

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☐ ☐ ☒ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
No equipment present
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☐ ☐ ☒ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☐ ☐ ☒ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency
No swings present (CPSC 3.2, pg13)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
No slide present (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
No spring rockers
- ☐ ☐ ☒ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 49)
- ☐ ☐ ☒ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
Shading is needed before children utilize play area
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director Angela Williams Licensing Official Travis Higgins