



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County DesotoDate 1-24-2020Facility Name Precious HeartsLicense Number 6415Purpose Mid-Year Inspection Capacity 68

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

	In	Out	COS	N/A
Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	RH 4 - 1yr - 8 - CG#1
2.	RH 3 - Infants - 4 - CG#2
3.	RH 2 - 3yr - 11 - CG#3
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

	In	Out	COS	N/A
Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	In	Out	COS	N/A
Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Modelyn Gibson

Child Care Representative

Sina Shubaw



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District I

Date 1-24-2020

Name	<u>Precious Hearts</u>	License No.	<u>6415</u>
Address	<u>9541 Hwy 178, Olive Branch, MS 38654</u>		
Purpose	<u>Mid Year Inspection</u>	Director	<u>Ernestine Fowler</u>
Mileage Start		Mileage End	
County	<u>De Soto</u>	Telephone No.	<u>662-890-1633</u>
Time In	<u>11:30</u>	Time Out	<u>1:50</u>
		Total Time	

Findings/Comments Here to conduct a mid year inspection.
Met with Madelyn Gipson upon arrival.

The following were in compliance on today's visit:

- MSDH 1213 for children + staff.
- Letters of suitability for staff.
- Staff present holding current CPR + First Aid.
- Kitchen received an "A" on today's visit.

Staff were positive and engaged with children.

Center was very clean and well equip with appropriate toys and supplies.

Class I and II violations may result into a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Questionnaire given to Madelyn Gipson upon exit.

Madelyn Gipson
 Center Director/Designee/Individual

Lina Shaban
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 6415	Facility Name, Address Precious Hearts 9541 Hwy 178, Olive Branch MS 38654	Date 1-24-2020
-----------------	--	-------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>No violations in Center kitchen on today's visit.</p>	<p>Kitchen received an "A" on today's visit.</p>
--	--

<input checked="" type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

Madelyn Gipson Turner, Sore
 Certified Manager Licence Number

Facility Signature <u>Madelyn Gipson</u>
Environmental Signature <u>Wanda Shubert</u>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name Precious Hearts Inspection Date 1-24-2020

YES NO N/A

- ☒ ☐ ☐ 1 Playground fence less than 3 1/2" from surface (Rule 1119(8) pg 60) In good repair, with no gaps? (Rule 1119(8) pg 60)
- ☒ ☐ ☐ 2 2 entrances/exits, with one being remote from the building? (Rule 1119(8) pg 60)
- ☒ ☐ ☐ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 2.2.2 pg 9-10 & 4.3)
- ☒ ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 1119(5) pg 59)
- ☒ ☐ ☐ 5 No standing water present on playground or in on playground equipment or walkways? (CPSC 2.2.2(5) pg 10 & Rule 1111(4) pg 61)
- ☒ ☐ ☐ 6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102(2) pg 46)
- ☒ ☐ ☐ 7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6 pg 16-17)
- ☒ ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119(5) pg 59)
- ☒ ☐ ☐ 9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10 Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9 pg 41)
- ☐ ☐ ☒ 11 If swings are present, are S-hooks in good repair? If not, state deficiency

(CPSC 3.2, pg 14
2.5.2 pg 1 & 5.3.8.1 pg 37)
- ☒ ☐ ☐ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency

(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7 pg 36-37)
- ☒ ☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate

(Rule 1102 pg 46
& CPSC 2.2.6, pg 6)
- ☒ ☐ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency

(Rule 1111(1) pg 6)
- ☒ ☐ ☐ 16 Is adequate shade present on the playground? (Rule 1119(7) pg 60 & CPSC 2.1.1 pg 5)
- ☒ ☐ ☐ 17 Are concrete footings located at least 6" beneath the surface? (Rule 1102(2) pg 46 & CPSC 3.6 pg 16-17)
- ☒ ☐ ☐ 18 Is wood smooth? Documentation provided that wood has been properly treated (CPSC 2.5.3 pg 15)

Director Madelyn Byrd Licensing Officer Siva Shivan